

Canada. National health and
welfare.

Hospital morbidity
statistics. January 1 to
December 31, 1965. 1970.

CAI HW51
H55

Government
Publication

755

HOSPITAL MORBIDITY STATISTICS

Based on the Experience of
Provincial Hospital Insurance Plans in Canada
January 1 - December 31, 1965



A publication of the Department of National Health and Welfare, Canada

MAY 1970

DEPARTMENT OF
NATIONAL HEALTH AND WELFAREMINISTÈRE DE LA
SANTÉ NATIONALE ET DU BIEN-ÊTRE SOCIALHOSPITAL MORBIDITY STATISTICS, 1965ADDENDUM

The descriptive titles of the diagnostic categories in Table 6 were inadvertently omitted when this Table was prepared.

The complete Canadian List of diagnoses for hospital statistics, together with the corresponding categories of the International Classification of Diseases (1955 revision) is attached for use with the above publication, in the event that it was not included with the copy which was sent to you.

Research and Statistics Directorate
Department of National Health
and Welfare.





Digitized by the Internet Archive
in 2022 with funding from
University of Toronto

<https://archive.org/details/31761115558710>

THE CANADIAN LIST OF DIAGNOSES FOR HOSPITAL STATISTICS

<u>Canadian List Number</u>	<u>Group Number</u>	<u>I.C.D. Number (1955 Revision)</u>
	<u>I. Infective and Parasitic Diseases</u>	
1	Tuberculosis, all forms	001-019
2	Poliomyelitis and encephalitis	080-083
3	Infectious hepatitis	092
4	Other diseases attributable to viruses	084-091, 093-096
5	Other infective bacterial, spirochaetal, rickettsial or parasitic diseases	020-064, 070-074 100-108, 110-117 120-138
	<u>II. Neoplasms</u>	
6	Malignant neoplasm of buccal cavity and pharynx	140-148
7	Malignant neoplasm of stomach	151
8	Malignant neoplasm of large intestine except rectum	153
9	Malignant neoplasm of rectum	154
10	Malignant neoplasm of bronchus, trachea and lung, primary, and unspecified as to whether primary or secondary	162, 163
11	Malignant neoplasm of breast	170
12	Malignant neoplasm of cervix uteri	171
13	Malignant neoplasm of uterus other than of cervix uteri	172-174
14	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	175
15	Malignant neoplasm of prostate	177
16	Malignant neoplasm of kidney, bladder and other urinary organs	180, 181
17	Leukaemia and aleukaemia	204
18	Other malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues	150, 152, 155-161, 164, 165, 176, 178, 179, 190-199 200-203, 205
19	Benign neoplasm of uterus	214-215
20	Benign neoplasm of ovary	216
21	Benign neoplasms (excl. uterus and ovary) and neoplasm of unspecified nature	210-213, 217-239
	<u>III. Allergic, Endocrine System, Metabolic and Nutritional Diseases</u>	
22	Asthma	241
23	Other allergic disorders (excl. asthma)	240, 242-245
24	Diseases of thyroid gland	250-254
25	Diabetes mellitus	260
26	Diseases of other endocrine glands	270-277
27	Avitaminoses and other metabolic diseases	280-289

<u>Canadian List Number</u>	<u>Group Number</u>	<u>I.C.D. Numbers (1955 Revision)</u>
	IV. <u>Diseases of the Blood and Blood-Forming Organs</u>	
28	Diseases of the blood and blood-forming organs	290-299
	V. <u>Mental, Psychoneurotic, and Personality Disorders</u>	
29	Psychoses	300-309
30	Psychoneurotic disorders	310-318
31	Disorders of character, be- haviour, and intelligence	320-326
	VI. <u>Diseases of the Nervous System and Sense Organs</u>	
32	Vascular lesions affecting central nervous system	330-334
33	Inflammatory and other diseases of C.N.S.	340-345, 350-357
34	Diseases of nerves and peri- pheral ganglia	360-369
35	Diseases and conditions of the eye	370-389
36	Diseases of ear and mastoid process	390-398
	VII. <u>Diseases of the Circulatory System</u>	
37	Rheumatic fever and chronic rheumatic heart disease	400-402, 410-416
38	Arteriosclerotic and degenera- tive heart disease	420-422
39	Other diseases of the heart	430-434
40	Hypertensive heart disease and other hypertensive disease	440-447
41	Diseases of arteries	450-456
42	Varicose veins of lower extremities	460
43	Haemorrhoids	461
44	Phlebitis and thrombophlebitis	463, 464
45	Other diseases of the circulatory system	462, 465-468
	VIII. <u>Diseases of the Respiratory System</u>	
46	Acute upper respiratory in- fections	470-475
47	Influenza	480-483
48	Pneumonia	490-493
49	Bronchitis	500-502
50	Hypertrophy of tonsils and adenoids	510
51	Other diseases of respiratory system	511-527

<u>Canadian List Number</u>	<u>Group Number</u>	<u>I.C.D. Numbers (1955 Revision)</u>
	<u>IX. Diseases of the Digestive System</u>	
52	Diseases of teeth and supporting structure	530-535
53	Ulcer of stomach, duodenum and jejunum	540-542
54	Gastritis, duodenitis and other disorders and diseases of the stomach and duodenum	543-545
55	Appendicitis	550-553
56	Hernia of abdominal cavity	560,561
57	Intestinal obstruction without mention of hernia	570
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	571
59	Chronic enteritis and ulcerative colitis	572
60	Cirrhosis and other diseases of liver	580-583
61	Diseases of gallbladder and pancreas	584-587
62	Other diseases of digestive system	536-539,573-578
	<u>X. Diseases of the Genito-Urinary System</u>	
63	Nephritis and nephrosis	590-594
64	Infections of kidney	600
65	Calculi of kidney, ureter and other parts of urinary system	602,604
66	Other diseases of urinary system	601,603,605-609
67	Hyperplasia of prostate	610
68	Redundant prepuce and phimosis	615
69	Diseases of ovary, Fallopian tube and parametrium, and infective disease of uterus, vagina, and vulva	622-626,630
70	Uterovaginal prolapse	631
71	Disorders of menstruation	634
72	Other diseases of genital organs	611-614,616,617,620,621,632,633,635-637
	<u>XI. Deliveries and Complications of Pregnancy, Childbirth and the Puerperium</u>	
73	Complications of pregnancy	640-649
74	Abortion	650-652
75	Delivery without mention of complications	660
76	Delivery with specified complication	670-678
77	Complications of the puerperium	680-689

<u>Canadian List Number</u>	<u>Group Number</u>	<u>I.C.D. Numbers (1955 Revision)</u>
	XII. <u>Diseases of the Skin and Cellular Tissue</u>	
78	Infection of skin and subcu- taneous tissue	690-698
79	Other diseases of skin and subcutaneous tissue	700-716
	XIII. <u>Diseases of the Bones and Organs of Movement</u>	
80	Arthritis and rheumatism, except rheumatic fever	720-727
81	Displacement of interverte- bral disc	735
82	Other diseases of bones and organs of movement	730-734, 736-738, 740-749
	XIV. <u>Congenital Malformations</u>	
83	Congenital Malformations	750-759
	XV. <u>Certain Diseases of Early Infancy</u>	
84	Certain diseases of early infancy	760-776
	XVI. <u>Symptoms, Senility and Ill- Defined Conditions</u>	
85	Symptoms, senility, and ill- defined conditions	780-795
	XVII. <u>Accidents, Poisonings, and Violence (Nature of Injury)</u>	
86	Fracture of or involving skull or face bones, and head in- jury, except open wound, con- tusion and haematoma of scalp	N800-804, 852-856
87	Fracture of spine and trunk	N805-809
88	Fracture of upper limb	N810-819
89	Fracture of femur	N820, 821
90	Other fractures of lower limbs (excl. femur)	N822-829
91	Dislocation without fracture, and sprains and strains of joints and adjacent muscles	N830-848
92	Internal injury of chest, abdomen and pelvis	N860-869
93	Burns	N940-949
94	Other and unspecified effects of accidents, poisonings and violence	N850, 851, N870-888, N890-898, N900-908, N910-918, N920-936, N950-999

<u>Canadian List Number</u>	<u>Group Number</u>	<u>I.C.D. Numbers</u> <u>(1955 Revision)</u>
	Y. <u>Supplementary Classifications for</u> <u>Special Admissions, Livebirths</u> <u>and Stillbirths</u>	
95	Medical or special examination (without sickness)	Y00
96	Mature newborn	Y20,Y22,Y23, Y26,Y27
97	Immature newborn	Y21,Y24,Y25, Y28,Y29
98	Other special admissions, examinations, etc.	Y01-Y18, Y40-Y88

HOSPITAL MORBIDITY STATISTICS

Based on the Experience of
Provincial Hospital Insurance Plans in Canada
January 1 - December 31, 1965

Biostatistics Division
Research and Statistics Directorate

The Honourable John Munro
Minister of National Health and Welfare

J. Maurice LeClair, M.D.
Deputy Minister of National Health

Joseph W. Willard,
Deputy Minister of National Welfare

FOREWORD


This report, based on Canadian hospital morbidity experience for the year 1965, is the fifth of its type to be produced by the Department of National Health and Welfare. For technical reasons, the publication of this report was unavoidably delayed.

The national tables have been compiled and consolidated from data prepared by the Provincial and Territorial Insurance Plans. In some instances, the provincial data have already been published, in full or in part, by the provinces in their individual annual reports; in others, the data have been submitted directly to this Department in the form of tables or were processed centrally by the Biostatistics Division and the Dominion Bureau of Statistics, using original records or duplicate cards or tape provided by the provinces to the Dominion Bureau of Statistics.

Hospital admission-separation forms provide the source material from which the tables for each province are prepared. The content and format, in general, follow the uniform outline for hospital morbidity statistics approved in 1961 by the Advisory Committee on Hospital Insurance and Diagnostic Services. Some provinces were unable to provide the information for certain tables, as indicated by the various footnotes.

Separation rates and patient-day rates are based on the 1965 revised estimated population as published by the Dominion Bureau of Statistics.

This report was prepared in the Research and Statistics Directorate by Mr. A.C. McKenzie, Supervisor, Medical Care Statistics, under the direction of Mr. C.B. Walker, Principal Research Officer (Biostatistics). Sections of the report were produced through a computer by Miss W. Beirnes, former programmer in the Directorate. Mr. R. Belanger was responsible for the preparation of the tables and many of the calculations.

A handwritten signature in dark ink, reading "John E. Osborne". The signature is fluid and cursive, with the first letters of the first and last names being capitalized and prominent.

John E. Osborne,
Director,
Research and Statistics.

INTRODUCTION

The information in this report is contained in tables covering the following aspects of hospitalization in Canada:

1. Summary of separations and the patient-days of these separations by the agency responsible for payment of hospitalization, by province.
2. Separations and patient-days by sex and age groups, separation rates and patient-day rates per 1,000 population, average length of stay and the percentage distributions of separations and patient-days, by province.
3. Separations and patient-days of these separations by age group and length of stay in hospital, by province.
4. Separations, patient-days of these separations, separation rates and patient-day rates per 100,000 population, average length of stay, "expected" separations and days standardized to 1961 census population, and case rate and day rate comparisons with the year 1962 rate = 100, by sex and age group, by the Canadian List of 98 diagnoses, Canada.
5. Separations, patient-days, average length of stay, separation rates and patient-day rates per 1,000 population, by age group for the ten most common diagnoses, by province.
6. Separations, and separation rates per 100,000 population, and the rate per 1,000 separations for the twenty-five most common operations, by province.
7. Separations and patient-days for the 75 categories in the "Temporary List of Operations and Treatments", by province.
8. Separations and patient-days for the categories in a special list of infant diagnoses, for newborn infants and for infants under one year of age, by province.

When using the information in this bulletin, certain reservations should be kept in mind. The data are not meant to represent a true measure of the actual amount of illness in each province or in Canada. They reflect only the morbidity experience of persons admitted to hospitals. Data concerning sick persons who are treated at home, in a physician's office, or in out-patient clinics are not included.

It must also be recognized that the counts of cases and patient-days apply to "separations". A separation is defined as a "discharge or death" occurring during the year. No account has been taken of multiple separations of an individual for the same illness, or multiple separations of an individual for different illnesses during the year.

The number of "separations" is, therefore, somewhat greater than the number of individuals involved. Although these distinctions are perhaps of slight interest from the point of view of those treating the sick person, they have definite interest for those concerned with hospital administration and planning of

community services. In one province, for example, approximately 77 per cent of the individual patients hospitalized in 1965 were hospitalized once only, 15 per cent were hospitalized twice and slightly over 4 per cent were hospitalized three times. In the Oxford, England, Record Linkage Study⁽¹⁾ patients with certain conditions such as carcinoma of the bronchus, carcinoma of the breast, diabetes, cataract, nervousness and debility, schizophrenia, and neurotic depressive reaction, were often hospitalized more than once during a year, so that rates based on the number of discharges for a specific condition were somewhat higher than the corrected in-patient morbidity rates based on individuals discharged. For other conditions, such as hypertrophy of tonsils and adenoids, acute appendicitis, and bronchopneumonia, the rates based on discharges are close to the corrected rates based on individuals.

Hospital caseloads also tend to reflect those disease conditions which receive some benefit from hospital facilities and services, with particular emphasis on surgery and intensive medical treatment. Examples of such conditions are acute appendicitis and coronary attacks. Alternatively, illnesses which can often be treated at home, or in the physician's office, such as upper respiratory illnesses and rheumatism, are less likely to appear in hospital morbidity statistics. Hospitalization data, therefore, may be a fair indicator of morbidity for some conditions but a poor indicator for others.

The data represent hospital utilization, or the amount of care provided. The provinces differ somewhat in their arrangements to provide this care, such as in the number of hospital beds available in relation to provincial population, the number of chronic facilities available, and the extent to which they are included in the hospital insurance program. Alternative forms of care, such as the care provided by nursing homes, will vary from province to province. Comparisons of the effect of these factors on hospital utilization are beyond the scope of this publication.

It should be noted that Table 6 now includes supplementary information comparing the 1965 morbidity experience with the base year 1962, to indicate changes over a four year period for each diagnostic category, by age group and sex.

For convenience, the Canadian List of 98 Diagnoses with the corresponding ISC 3-digit list has been included as an Appendix.

(1) Acheson, E.D. Medical Record Linkage. Oxford University Press, 1967. London, New York, Toronto, p. 114.

LIST OF TABLES

1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Newfoundland, 1965.	1
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Prince Edward Island, 1965.	2
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Nova Scotia, 1965.	3
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Quebec, 1965.	4
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Ontario, 1965.	5
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Manitoba, 1965.	6
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Saskatchewan, 1965.	7
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Alberta, 1965.	8
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, British Columbia, 1965.	9
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Yukon, 1965.	10
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Northwest Territories, 1965.	11
2a(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Number of Separations, Male.	12

<u>Table Number</u>		<u>Page</u>
2a(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Number of Separations, Female.	13
2a(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Number of Separations, Both Sexes.	14
2b(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Patient-Days since Admission, Male.	15
2b(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Patient-Days since Admission, Female.	16
2b(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Patient-Days since Admission, Both Sexes.	17
2c(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Average Length of Stay, Male.	18
2c(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Average Length of Stay, Female.	19
2c(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Average Length of Stay, Both Sexes.	20
2d(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Separation Rate per 1,000 Population, Male.	21
2d(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Separation Rate per 1,000 Population, Female.	22
2d(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Separation Rate per 1,000 Population, Both Sexes.	23

<u>Table Number</u>		<u>Page</u>
2e(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Patient-Day Rate per 1,000 Population, Male.	24
2e(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Patient-Day Rate per 1,000 Population, Female.	25
2e(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Patient-Day Rate per 1,000 Population, Both Sexes.	26
2f(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Percentage Distribution of Separations, Male.	27
2f(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Percentage Distribution of Separations, Female.	28
2f(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Percentage Distribution of Separations, Both Sexes.	29
2g(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Percentage Distribution of Patient-Days, Male.	30
2g(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Percentage Distribution of Patient-Days, Female.	31
2g(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1965. Percentage Distribution of Patient-Days, Both Sexes.	32
5a(i)	SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1965.	34
5a(ii)	PERCENTAGE DISTRIBUTION OF SEPARATIONS, FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1965.	35

<u>Table Number</u>		<u>Page</u>
5a(iii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1965. Number of Separations, Male.	36
5a(iv)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1965. Number of Separations, Female.	37
5a(v)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1965. Number of Separations, Male.	38
5a(vi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1965. Number of Separations, Female.	39
5a(vii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1965. Number of Separations, Male.	40
5a(viii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1965. Number of Separations, Female.	41
5a(ix)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1965. Number of Separations, Male.	42
5a(x)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1965. Number of Separations, Female.	43
5a(xi)	SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN OF ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, Ontario, 1965.	44
5a(xii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1965. Number of Separations, Male.	45
5a(xiii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1965. Number of Separations, Female.	46
5a(xiv)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1965. Number of Separations, Male.	47
5a(xv)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1965. Number of Separations, Female.	48

<u>Table Number</u>		<u>Page</u>
5a(xvi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1965. Number of Separations, Male.	49
5a(xvii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1965. Number of Separations, Female.	50
5a(xviii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1965. Number of Separations, Male.	51
5a(xix)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1965. Number of Separations, Female.	52
5a(xx)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1965. Number of Separations, Male.	53
5a(xxi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1965. Number of Separations, Female.	54
5a(xxii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1965. Number of Separations, Male.	55
5a(xxiii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1965. Number of Separations, Female.	56
5b(i)	PATIENT-DAYS OF SEPARATIONS BY LENGTH OF STAY FOR BOTH SEXES ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1965.	57
5b(ii)	PERCENTAGE DISTRIBUTION OF PATIENT-DAYS FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1965.	58
5b(iii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1965. Patient-Days of Separations, Male.	59
5b(iv)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1965. Patient-Days of Separations, Female.	60
5b(v)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, Patient-Days of Separations, Male.	61
5b(vi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1965. Patient-Days of Separations, Female.	62

<u>Table Number</u>		<u>Page</u>
5b(vii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1965. Patient-Days of Separations, Male.	63
5b(viii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1965. Patient-Days of Separations, Female.	64
5b(ix)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1965. Patient-Days of Separations, Male.	65
5b(x)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1965. Patient-Days of Separations, Female.	66
5b(xi)	PATIENT-DAYS OF SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN, ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, Ontario, 1965.	67
5b(xii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1965. Patient-Days of Separations, Male.	68
5b(xiii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1965. Patient-Days of Separations, Female.	69
5b(xiv)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1965. Patient-Days of Separations, Male.	70
5b(xv)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1965. Patient-Days of Separations, Female.	71
5b(xvi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1965. Patient-Days of Separations, Male.	72
5b(xvii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1965. Patient-Days of Separations, Female.	73
5b(xviii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1965. Patient-Days of Separations, Male.	74
5b(xix)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1965. Patient-Days of Separations, Female.	75

<u>Table Number</u>		<u>Page</u>
5b(xx)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1965. Patient-Days of Separations, Male.	76
5b(xxi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1965. Patient-Days of Separations, Female.	77
5b(xxii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1965. Patient-Days of Separations, Male.	78
5b(xxiii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1965. Patient-Days of Separations, Female.	79
6	SEPARATIONS, PATIENT-DAYS OF SEPARATIONS, AVERAGE STAY, SEPARATION RATE AND PATIENT- DAY RATE PER 100,000 POPULATION, "EXPECTED" CASES AND DAYS STANDARDIZED TO 1961 CENSUS POPULATION, CASE RATE AND DAY RATE COMPARISON WITH 1962 CANADA RATE = 100, FOR EACH DIAGNOSIS AND EACH AGE GROUP, CANADA, 1965.	80
7(a)	NUMBER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES, 1965.	178
7(b)	RANK ORDER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES, 1965.	180
7(c)	PATIENT-DAYS CORRESPONDING TO THE TOP TEN DIAGNOSES BASED ON SEPARATIONS, BOTH SEXES AND ALL AGES, FOR TEN PROVINCES AND TWO TERRITORIES, 1965.	181
7(d)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Newfoundland, 1965.	182
7(e)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Prince Edward Island, 1965.	184
7(f)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, ALL AGES, BY SEX, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) HOSPITALIZED IN THE PROVINCE, Nova Scotia, 1965.	186
7(g)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, New Brunswick, 1965.	187

<u>Table Number</u>		<u>Page</u>
7(h)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Quebec, 1965.	189
7(i)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Ontario, 1965.	191
7(j)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Manitoba, 1965.	193
7(k)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Saskatchewan, 1965.	195
7(l)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Alberta, 1965.	197
7(m)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, British Columbia, 1965.	199
7(n)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-YUKON HOSPITALIZATION, Yukon, 1965.	201
7(o)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-TERRITORIES HOSPITALIZA- TION, Northwest Territories, 1965.	203
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Newfoundland 1965.	205
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Prince Edward Island, 1965.	206
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TEN MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Nova Scotia, 1965.	207
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), New Brunswick, 1965.	208

<u>Table Number</u>		<u>Page</u>
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Quebec, 1965.	209
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Ontario, 1965.	210
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Manitoba, 1965.	211
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Saskatchewan, 1965.	212
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Alberta, 1965.	213
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), British Columbia, 1965.	214
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Yukon, 1965.	215
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Northwest Territories, 1965.	216
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERA- TIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) Newfoundland, 1965.	217
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Prince Edward Island, 1965.	222
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Quebec, 1965.	226
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS), Ontario, 1965.	231
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR MANITOBA RESIDENTS IN-PATIENTS (EXCLUDING NEWBORNS), Manitoba, 1965.	235

<u>Table Number</u>		<u>Page</u>
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS), Saskatchewan, 1965.	240
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR ALBERTA RESIDENTS (EXCLUDING NEWBORN), Alberta, 1965.	244
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS, AND OUT-OF-PROVINCE SEPARATIONS), British Columbia, 1965.	249
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR YUKON PLAN IN-PATIENTS (EXCLUDING NEWBORN), Yukon, 1965.	254
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Northwest Territories, 1965.	259
10	SEPARATIONS AND PATIENT-DAYS FOR THE CATEGORIES IN THE LIST OF INFANT DIAGNOSES, BY SEX, FOR NEWBORN PATIENTS AND FOR INFANTS UNDER ONE YEAR OF AGE WHO ARE PROVINCIAL PLAN IN-PATIENTS (INCLUDING OUT-OF-PROVINCE HOSPITALIZATION) FOR EIGHT PROVINCES AND TWO TERRITORIES, 1965.	264
APPENDIX 1	THE CANADIAN LIST OF 98 DIAGNOSES FOR HOSPITAL STATISTICS, AND THE CORRESPONDING CATEGORIES OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH (1955).	273
APPENDIX 2	REVISED ESTIMATED CANADA POPULATIONS 1965 (EXCLUDING NOVA SCOTIA) UTILIZED IN TABLE 6, BY SEX AND AGE GROUP.	275
APPENDIX 3	REVISED ESTIMATED POPULATION BY PROVINCE AGE GROUP, AND SEX, CANADA, 1965. SOURCE: DOMINION BUREAU OF STATISTICS.	276

TABLE 1
SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, NEWFOUNDLAND, 1965

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	Responsibility of Provincial Plan						
1.	Hospitalized in the province						
i	Active treatment hospitals						
ii	Chronic and convalescent hospitals (subdivided where applicable)						
	a) Chronic units attached to general hospitals						
	b) Public chronic hospitals						
	c) Private hospitals giving chronic care						
	d) Other chronic facilities						
	e) Public convalescent units and hospitals						
2.	Hospitalized in other provinces						
3.	Hospitalized in other countries						
	Sum of A						
B.	Not the responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions)						
1.	Department of Veterans Affairs						
i	In D.V.A. hospitals						
ii	In other hospitals						
2.	Workmen's Compensation Board						
3.	Uninsured residents						
4.	Non-residents						
5.	Insured residents not the responsibility of Provincial Plan						
6.	Other agencies - Federal Government						
	Sum of B						
C.	Sum of A and B						

(a) Note: The Province reported 91,640 days for domiciliary care patients. Item B5 is not intended to indicate domiciliary care, but rather the number of days of insured residents who were hospitalized but for whom the Provincial Plan declined responsibility for payment.

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, PRINCE EDWARD ISLAND, 1965

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province						
i	Active treatment hospitals	15,728	2,362	18,090	155,330	14,818	170,148
ii	Chronic and convalescent hospitals	-	-	-	-	-	-
a)	Chronic units attached to general hospitals	-	-	-	-	-	-
b)	Public chronic hospitals	-	-	-	-	-	-
c)	Private hospitals giving chronic care	-	-	-	-	-	-
d)	Other chronic facilities	100	-	100	4,123	-	4,123
e)	Public convalescent units and hospitals	-	-	-	-	-	-
2.	Hospitalized in other provinces	563	56	619	8,692	415	9,107
3.	Hospitalized in other countries	30	-	30	157	-	157
	Sum of A	16,421	2,418	18,839	168,302	15,233	183,535
B.	<u>Not the responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1.	Department of Veterans Affairs						
i	In D.V.A. hospitals	-	-	-	-	-	-
ii	In other hospitals	126	-	126	2,179	-	2,179
2.	Workmen's Compensation Board	120	-	120	1,312	-	1,312
3.	Uninsured residents	-	-	-	-	-	-
4.	Non-residents	460	58	518	3,795	360	4,155
5.	Insured residents not the responsibility of Provincial Plan	96	1	97	719	5	724
6.	Other agencies	-	-	-	-	-	-
	Sum of B	802	59	861	8,005	365	8,370
C.	Sum of A and B	17,223	2,477	19,700	176,307	15,598	191,905

TABLE 1
SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, NOVA SCOTIA, 1965

Items		Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province	108,697	16,386	125,083	1,160,849	108,868	1,269,717
i	Active treatment hospitals	499	-	499	22,219	-	22,219
ii	Chronic convalescent hospitals	1,362	201	1,563	15,215	1,464	16,679
2.	Hospitalized in other provinces	96	3	99	1,449	20	1,469
3.	Hospitalized in other countries						
	Sum of A	110,654	16,590	127,244	1,199,732	110,352	1,310,084
B.	<u>Not the responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions).						
1.	Department of Veterans Affairs						
i	In departmental hospitals	1,362	-	1,362	80,680	-	80,680
ii	In other hospitals	394	-	394	5,201	-	5,201
2.	Workmen's Compensation Board	1,697	-	1,697	20,278	-	20,278
3.	Uninsured residents and non-residents	2,524	249	2,773	29,385	1,946	31,331
4.	Insured residents not the responsibility of N.S.H.I.C.	69	34	103	235	145	380
5.	Other agencies	145	16	161	1,056	97	1,153
6.	U.S.A.F.	16	7	23	57	126	183
	Sum of B	6,207	306	6,513	136,892	2,314	139,206
C.	Sum of A and B	116,861	16,896	133,757	1,336,624	112,666	1,449,290

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, QUEBEC, 1965

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	Responsibility of Provincial Plan						
1.	Hospitalized in the province						
i	Active treatment hospitals						
ii	Chronic and convalescent hospitals (subdivided where applicable)						
a)	Chronic units attached to general hospitals	760,249	119,703	879,952	7,937,603	764,256	8,701,859
b)	Public chronic hospitals	192	-	192	42,563	-	42,563
c)	Private hospitals giving chronic care	5,622	-	5,622	862,591	-	862,591
d)	Other chronic facilities	4,060	-	4,060	525,849	-	525,849
e)	Public convalescent units and hospitals (Institut de Réhabilitation - Montreal)	1,532	-	1,532	257,265	-	257,265
2.	Hospitalized in other provinces	504	-	504	30,280	-	30,280
3.	Hospitalized in other countries	14,375	1,739	16,114	162,647	12,682	175,329
	Sum of A	1,564	168	1,732	14,243	1,026	15,269
		788,098	121,610	909,708	9,833,041	777,964	10,611,005
B.	Not the responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions)						
1.	Department of Veterans Affairs	46	-	46	728	-	728
i	In D.V.A. hospitals						
ii	In other hospitals, Federal Government Workmen's Compensation Board	420	-	420	4,162	-	4,162
2.	Uninsured residents	12,844	-	12,844	141,586	-	141,586
3.	Non-residents	426	69	495	5,867	403	6,270
4.	Insured residents not the responsibility of Provincial Plan	8,052	505	8,557	109,908	3,006	112,914
5.	Other agencies	-	-	-	-	-	-
6.		-	-	-	-	-	-
	Sum of B	21,788	574	22,362	262,251	3,409	265,660
	Sum of A and B	809,886	122,184	932,070	10,095,292	781,373	10,876,665
C.							

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, ONTARIO, 1965

TABLE 1

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province						
i	Active treatment hospitals						
ii	Chronic and convalescent hospitals (subdivided where applicable)						
	a) Chronic units attached to general hospitals	Not Available	Available		Not Available	Available	
	b) Public chronic hospitals						
	c) Private hospitals giving chronic care						
	d) Other chronic facilities						
	e) Public convalescent units and hospitals						
2.	Hospitalized in other provinces						
3.	Hospitalized in other countries						
	Sum of A						
B.	<u>Not the responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1.	Department of Veterans Affairs						
i	In D.V.A. hospitals (not included)						
ii	In other hospitals	Not Available	Available		Not Available	available	
2.	Workmen's Compensation Board						
3.	Uninsured residents						
4.	Non-residents						
5.	Insured residents not the responsibility of Provincial Plan						
6.	Other agencies						
	Sum of B						
	Sum of A and B	1,035,779	142,971	1,178,750	13,447,463	1,002,907	14,450,370
C.							

TABLE 1
SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, MANITOBA, 1965

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province	157,043	19,659	176,702	1,503,998	130,599	1,634,597
i	Active treatment hospitals	2,405	-	2,405	264,553	-	264,553
ii	Extended treatment hospitals	2,433	303	2,736	20,717	2,114	22,831
2.	Hospitalized in other provinces	690	57	747	5,773	321	6,094
3.	Hospitalized in other countries						
	Sum of A	162,571	20,019	182,590	1,795,041	133,034	1,928,075
B.	<u>Not the responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1.	Department of Veterans Affairs	665	-	665	13,436	-	13,436
i	In D.V.A. hospitals	85	2	87	716	18	734
ii	In other hospitals	1,911	-	1,911	22,388	-	22,388
2.	Workmen's Compensation Board	121	22	143	818	138	956
3.	Uninsured residents	7,607	653	8,260	87,585	6,058	93,643
4.	Non-residents	441	1	442	2,093	1	2,094
5.	Insured residents not the responsibility of Provincial Plan	-	-	-	-	-	-
6.	Other agencies						
	Sum of B	10,830	678	11,508	127,036	6,215	133,251
C.	Sum of A and B	173,401	20,697	194,098	1,922,077	139,249	2,061,326

TABLE 1
SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, SASKATCHEWAN, 1965

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. Responsibility of Provincial Plan						
1. Hospitalized in the province						
i Active treatment hospitals	201,732	20,018	221,750	1,923,496	129,680	2,053,176
ii Chronic and convalescent hospitals (subdivided where applicable)	-	-	-	-	-	-
a) Chronic units attached to general hospitals	-	-	-	-	-	-
b) Public chronic hospitals	-	-	-	-	-	-
c) Private hospitals giving chronic care	-	-	-	-	-	-
d) Other chronic facilities (1)	556	-	556	224,647	-	224,647
e) Public convalescent units and hospitals	-	-	-	-	-	-
2. Hospitalized in other provinces	4,749	629	5,378	48,750	4,761	53,511
3. Hospitalized in other countries	446	31	477	4,075	139	4,214
Sum of A	207,483	20,678	228,161	2,200,968	134,580	2,335,548
B. Not responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions)						
1. Department of Veterans Affairs						
i In D.V.A. hospitals	-	-	-	-	-	-
ii In other hospitals	682	-	682	9,251	-	9,251
2. Workmen's Compensation Board	1,791	-	1,791	17,466	-	17,466
3. Uninsured residents	1,811	184	1,995	10,343	1,090	11,433
4. Non-residents	4,321	354	4,675	33,555	2,442	35,997
5. Insured residents not the responsibility of Provincial Plan	2	-	2	17	-	17
6. Other agencies	289	13	302	2,332	72	2,404
Sum of B	8,896	551	9,447	72,964	3,604	76,568
Sum of A and B	216,379	21,229	237,608	2,273,932	138,184	2,412,116
C.						

(1) Geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, ALBERTA, (1) 1965

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. Responsibility of Provincial Plan						
1. Hospitalized in the province						
i Active treatment hospitals	268,175	31,815	299,990	2,411,785	227,883	2,639,668
ii Chronic and convalescent hospitals	3,427	-	3,427	612,919	-	612,919
2. Hospitalized in other provinces	5,075	635	5,710	41,742	4,273	46,015
3. Hospitalized in other countries	342	15	357	3,608	96	3,704
Sum of A	277,019 ⁽¹⁾	32,465	309,484 ⁽¹⁾	3,070,054 ⁽¹⁾	232,252	3,302,306 ⁽¹⁾
B. Not the responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions)						
1. Federal						
i In federal hospitals	2,534	25	2,559	107,292	568	107,860
ii In other hospitals	1,250	-	1,250	18,446	-	18,446
2. Workmen's Compensation Board	6,393	-	6,393	67,435	-	67,435
3. Non-residents	5,776	602	6,378	58,247	4,374	62,621
4. Insured residents not responsibility of Provincial Plan	13	-	13	42	-	42
Sum of B	15,966	627	16,593	251,462	4,942	256,404
Sum of A and B	292,985 ⁽¹⁾	33,092	326,077 ⁽¹⁾	3,321,516 ⁽¹⁾	237,194	3,558,710 ⁽¹⁾
C.						

(1) Note: If comparisons are made with the experience of previous years, it should be noted that data from "nursing homes" are not included in 1965.

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, BRITISH COLUMBIA, 1965

Items		Separations			Patient-Days		
		Adults and Children.	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province	(297,325)	(32,763)	(330,088)	(2,946,901)	(231,561)	(3,178,462)
i	Active treatment hospitals (1)	293,424	32,763	326,187	2,838,586	231,561	3,070,147
ii	Chronic hospitals	3,901	-	3,901	108,315	-	108,315
2.	Hospitalized in other provinces	2,807	253	3,060	27,916	1,680	29,596
3.	Hospitalized in other countries	499	10	509	4,456	43	4,499
	Sum of A	300,631	33,026	333,657	2,979,273	233,284	3,212,557
B.	<u>Not the responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1.	Federal Government (D.V.A. and Indian) documented cases only	615	-	615	6,030	-	6,030
2.	Workmen's Compensation Board	8,142	-	8,142	79,631	-	79,631
3.	Uninsured residents						
4.	Non-residents	6,834	888	7,722	54,178	15,762	69,940
5.	Insured residents not the responsibility of Provincial Plan						
6.	Other agencies						
C.	Sum of B	15,591	888	16,479	139,839	15,762	155,601
	Sum of A and B	316,222	33,914	350,136	3,119,112	249,046	3,368,158

(1) Statistics relating to a number of cases for which no documents are received are not included in this table.

TABLE 1
SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, YUKON, 1965

Items	Separations (Discharges and deaths)			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Yukon Plan</u>						
1. Hospitalized in Yukon	2,393	404	2,797	19,235	2,539	21,774
2. Hospitalized in other provinces	289	22	311	5,570	130	5,700
3. Hospitalized in other countries	2	-	2	10	-	10
Sum of A	2,684	426	3,110	24,815	2,669	27,484
B. <u>Not the responsibility of Yukon Plan</u> (excluding patients of mental and tuberculosis institutions)						
1. Workmen's Compensation Board	116	-	116	847	-	847
2. Department of Veterans Affairs	13	-	13	81	-	81
3. Department of National Defence	29	-	29	222	-	222
4. Royal Canadian Mounted Police	8	-	8	36	-	36
5. Self	21	1	22	101	3	104
6. Other Provincial Plans	163	28	191	1,219	132	1,351
7. Indian and Northern Health Services	24	1	25	747	12	759
8. Other agencies	104	4	108	549	26	575
Sum of B	478	34	512	3,802	173	3,975
Sum of A and B	3,162	460	3,622	28,617	2,842	31,459
C.						

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, NORTHWEST TERRITORIES, 1965

Items	Separations (Discharges and deaths)			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Territorial Plan</u>						
1. Hospitalized in Territories	5,305	850	6,155	37,905	5,440	43,345
2. Hospitalized in other provinces	1,167	150	1,317	26,173	1,535	27,708
3. Hospitalized in other countries	7	-	7	87	-	87
Sum of A	6,479	1,000	7,479	64,165	6,975	71,140
B. <u>Not the responsibility of Territorial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1. Workmen's Compensation Board	132	1	133	884	7	891
2. Department of Veterans Affairs	2	-	2	18	-	18
3. Department of National Defence	11	-	11	60	-	60
4. Royal Canadian Mounted Police	-	-	-	-	-	-
5. Self	63	1	64	418	13	431
6. Other Provincial Plans	279	13	292	2,129	148	2,277
7. Indian and Northern Health Services	369	3	372	3,352	17	3,369
8. Other agencies	30	-	30	123	-	123
Sum of B	886	18	904	6,984	185	7,169
Sum of A and B	7,365	1,018	8,383	71,149	7,160	78,309
C						

TABLE 2a (i) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

NUMBER OF SEPARATIONS													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
MALES													
NEWBORN	-	1,282	8,323	-	63,181	-	10,360	10,597	16,773	16,678	213	526	127,933
UNDER 1	3,681	558	2,878	2,928	18,322	18,900	4,568	6,212	6,746	6,104	96	459	52,552
1 - 4	3,476	804	5,003	4,747	33,007	50,734	7,399	11,071	13,705	14,364	157	553	94,286
5 - 9	2,487	519	4,021	4,072	30,777	40,428	5,660	8,063	11,627	12,645	105	241	80,217
10 - 14	1,739	360	2,614	2,618	17,670	21,267	3,645	5,484	7,584	6,601	50	139	48,504
15 - 19	1,504	410	2,135	2,661	17,535	37,339	3,230	4,412	6,568	5,736	53	119	44,363
20 - 24	1,232	234	1,531	1,943	17,878	21,267	2,652	2,902	5,619	4,702	41	121	38,855
25 - 29	1,010	203	1,207	1,409	14,819	18,322	2,111	2,252	4,747	3,957	56	118	31,889
30 - 34	917	215	1,295	1,472	15,710	18,322	2,126	2,554	5,138	4,511	58	113	34,109
35 - 39	970	217	1,430	1,616	17,714	21,267	2,547	2,834	5,259	5,201	75	99	37,962
40 - 44	1,044	250	1,858	1,989	19,143	21,267	3,015	3,292	5,848	5,747	97	95	42,378
45 - 49	1,177	338	2,248	2,178	18,599	21,267	3,201	3,576	5,807	5,997	56	75	43,252
50 - 54	1,219	382	2,679	2,303	19,527	21,267	3,656	4,202	6,129	6,951	76	88	47,212
55 - 59	1,086	381	2,710	2,340	18,869	21,267	3,954	4,514	6,428	7,121	51	63	47,517
60 - 64	890	359	2,357	2,080	16,679	24,326	4,101	4,648	6,656	7,018	62	73	44,923
65 - 69	851	453	2,552	2,095	14,260	42,016	4,016	4,573	6,195	6,396	47	51	41,489
70 - 74	687	452	2,555	1,990	11,555	32,138	4,323	5,107	6,040	6,830	18	35	39,592
75 - 79	581	334	2,094	1,740	8,581	32,138	4,175	5,191	5,905	6,717	16	37	35,371
80 - 84	311	267	1,406	1,213	4,653	32,138	2,746	3,838	4,025	4,864	24	11	23,358
85+	176	204	1,015	706	2,513	1,238	1,746	2,364	2,289	2,694	28	14	13,749
UNKNOWN	12	-	-	-	-	1,238	-	-	-	-	6	9	27
ALL AGES	25,050	8,222	51,911	42,100	380,992	415,392	79,231	97,686	139,088	140,834	1,385	3,039	969,538

(2) Excludes Ontario.

TABLE 2a (ii) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

NUMBER OF SEPARATIONS													
AGE GROUP	NFLD.	P. E. I.	N. S.	N. B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA (2)
FEMALES													
NEWBORN	-	1,195	8,063	-	59,003	-	9,684	10,081	15,717	16,089	202	469	120,503
UNDER 1	2,723	390	1,969	2,127	12,352	12,982	3,288	4,554	4,959	4,519	57	333	37,271
1 - 4	2,524	572	3,616	3,760	24,444	37,244	5,766	8,483	10,992	11,172	116	474	71,919
5 - 9	1,933	474	3,206	3,501	25,344	34,029	4,914	7,240	9,906	10,878	81	229	67,706
10 - 14	1,697	363	2,207	2,581	14,612	18,466	3,324	5,126	6,754	5,765	54	142	42,625
15 - 19	4,437	813	5,574	5,587	31,072	123,057	7,046	8,850	13,016	12,526	101	332	89,354
20 - 24	6,795	1,312	8,865	8,334	73,554		11,381	13,128	20,795	20,604	257	535	165,560
25 - 29	5,247	1,073	7,062	6,570	64,051		9,988	10,950	17,245	17,363	186	528	140,263
30 - 34	4,122	843	5,451	5,601	51,752	216,174	7,881	8,763	13,754	14,148	183	440	112,938
35 - 39	3,171	702	4,574	4,573	42,917		6,482	7,661	11,349	12,116	120	281	93,946
40 - 44	2,148	554	3,610	3,585	31,858		5,673	6,700	9,696	10,971	104	208	75,107
45 - 49	1,449	430	3,102	2,762	23,561		4,634	5,959	7,783	9,308	54	102	59,144
50 - 54	1,202	428	2,763	2,606	20,947	78,357	4,445	5,548	7,189	8,639	56	93	53,916
55 - 59	956	346	2,324	2,170	17,787		3,676	4,558	5,761	6,429	43	79	44,129
60 - 64	821	345	2,158	1,975	15,681	21,147	3,524	4,275	5,408	5,828	27	33	40,075
65 - 69	787	392	2,292	2,058	14,266		3,644	4,378	5,206	5,486	17	58	38,584
70 - 74	733	417	2,359	1,935	11,845	40,561	3,557	4,337	5,024	5,625	20	28	35,880
75 - 79	474	369	1,950	1,802	8,652		3,496	4,157	4,755	5,561	10	20	31,246
80 - 84	254	231	1,486	1,273	4,750	36,786	2,554	3,163	3,229	3,849	10	12	20,811
85+	130	229	1,040	788	2,630		1,650	2,008	2,073	2,382	7	9	12,946
UNKNOWN	12	-	-	-	-	1,583	-	-	-	-	9	27	48
ALL AGES	41,615	11,478	73,671	63,588	551,078	620,386	106,607	129,919	180,611	189,258	1,714	4,432	1,353,971

(2) Excludes Ontario.

TABLE 2a(iii) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965
(1) See notes on page 33 for details

NUMBER OF SEPARATIONS													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
BOTH SEXES													
NEWBORN													
UNDER 1	-	2,477	16,386	-	122,184	-	20,044	20,678	32,490	32,767	415	995	248,436
1 - 4	6,404	948	4,847	5,055	30,674	31,882	7,856	10,766	11,705	10,623	153	792	89,823
5 - 9	6,000	1,376	8,619	8,507	57,451	87,978	13,165	19,554	24,697	25,536	273	1,027	166,205
10 - 14	4,420	993	7,227	7,573	56,121	74,457	10,574	15,303	21,533	23,523	186	470	147,923
15 - 19	3,436	723	4,821	5,199	32,282	39,733	6,969	10,610	14,338	12,366	104	281	91,129
20 - 24	5,941	1,223	7,709	8,248	48,607	[160,396]	10,276	13,262	19,584	18,262	154	451	133,717
25 - 29	8,027	1,546	10,396	10,277	91,432	[]	14,033	16,030	26,414	25,306	298	656	204,415
30 - 34	6,257	1,276	8,269	7,979	78,870	[]	12,099	13,202	21,992	21,320	242	646	172,152
35 - 39	5,039	1,058	6,746	7,073	67,462	[291,600]	10,007	11,317	18,892	18,659	241	553	147,047
40 - 44	4,141	919	6,004	6,189	60,631	[]	9,029	10,495	16,608	17,317	195	380	131,908
45 - 49	3,192	804	5,468	5,574	51,001	[]	8,688	9,992	15,544	16,718	201	303	117,485
50 - 54	2,626	768	5,350	4,940	42,160	[]	7,835	9,535	13,590	15,305	110	177	102,396
55 - 59	2,421	810	5,442	4,909	40,474	[149,937]	8,101	9,750	13,318	15,590	132	181	101,128
60 - 64	2,042	727	5,034	4,510	36,656	[]	7,630	9,072	12,189	13,550	94	142	91,646
65 - 69	1,711	704	4,515	4,055	32,360	[45,473]	7,625	8,923	12,064	12,846	89	106	84,998
70 - 74	1,638	845	4,844	4,153	28,526	[82,577]	7,660	8,951	11,401	11,882	64	109	80,073
75 - 79	1,420	869	4,914	3,925	23,400	[]	7,880	9,444	11,064	12,455	38	63	75,472
80 - 84	1,055	703	4,044	3,542	17,233	[]	7,671	9,348	10,660	12,278	26	57	66,617
85+	565	498	2,892	2,486	9,403	[68,924]	5,300	7,001	7,254	8,713	34	23	44,169
UNKNOWN	306	433	2,055	1,494	5,143	[]	3,396	4,372	4,362	5,076	35	23	26,695
	24	-	-	-	-	[2,821]	-	-	-	-	15	36	75
ALL AGES	66,665	19,700	125,582	105,688	932,070	1,035,778	185,838	227,605	319,699	330,092	3,099	7,471	2,323,509

(2) Excludes Ontario.

TABLE 2b (i) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

PATIENT-DAYS SINCE ADMISSION												
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T. CANADA (2)
MALES												
NEWBORN	-	8,310	55,787	-	404,123	-	70,918	69,222	118,710	118,754	1,359	3,545 850,728
UNDER 1	54,450	5,165	29,422	31,465	262,402	188,461	41,322	56,027	63,287	63,761	974	5,067 613,342
1 - 4	35,279	6,998	36,812	38,289	275,943	288,406	43,577	75,178	90,910	94,823	1,025	5,879 704,713
5 - 9	27,439	3,087	24,584	27,041	200,458	200,648	27,222	39,495	68,440	64,408	703	1,983 484,860
10 - 14	18,237	2,567	18,885	19,180	131,952	145,038	21,342	31,056	52,243	42,255	283	1,890 339,890
15 - 19	17,156	3,721	17,901	20,730	152,784	(312,703)	22,210	28,399	41,204	41,752	1,190	1,577 348,624
20 - 24	12,347	2,261	13,655	16,005	159,588	()	20,373	18,841	34,518	36,683	381	927 315,579
25 - 29	11,006	1,948	12,698	11,710	142,114	()	17,896	16,470	29,822	28,747	433	2,029 274,873
30 - 34	10,506	1,828	14,016	13,785	160,599	(838,040)	18,075	19,946	33,792	37,855	558	1,193 312,153
35 - 39	12,869	1,804	16,520	14,917	200,576	()	24,502	24,183	41,443	46,628	795	1,123 385,360
40 - 44	14,146	2,634	24,339	24,100	235,138	()	34,687	30,752	52,042	60,072	937	1,152 479,999
45 - 49	18,429	4,895	32,123	26,607	248,647	()	37,390	36,004	61,353	67,400	726	990 534,564
50 - 54	21,203	5,700	40,042	31,478	300,916	(1,119,671)	46,846	44,971	73,070	84,147	762	1,547 650,682
55 - 59	18,373	5,577	42,216	33,322	314,649	()	55,908	56,505	85,776	93,121	714	924 707,085
60 - 64	16,271	4,690	39,921	30,790	319,726	462,321	66,500	63,440	98,144	103,061	785	1,173 744,501
65 - 69	18,689	7,040	44,207	35,894	310,206	(995,612)	71,102	68,730	110,080	105,621	844	572 772,985
70 - 74	13,490	7,089	44,945	36,019	307,629	()	78,891	83,819	135,440	122,481	322	685 830,810
75 - 79	12,497	5,748	37,882	31,555	269,805	()	87,986	90,491	175,037	124,914	211	628 836,754
80 - 84	8,811	4,806	24,904	22,866	189,716	(1,064,815)	65,066	70,483	134,639	94,818	443	154 616,706
85+	4,235	3,314	17,605	14,937	124,724	()	45,487	52,212	104,058	52,475	353	329 419,729
UNKNOWN	65	-	-	-	-	14,455	-	-	-	-	77	90 232
ALL AGES	345,498	89,182	588,464	480,690	4,711,695	5,630,170	897,300	976,224	1,604,008	1,483,776	13,875	33,457 11,224,169

(2) Excludes Ontario.

TABLE 2b (ii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

PATIENT-DAYS SINCE ADMISSION

AGE GROUP	N.F.L.D.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
FEMALES													
NEWBORN	-	7,288	53,081	-	377,250	-	62,273	65,358	114,110	112,831	1,228	3,407	796,826
UNDER 1	36,250	3,471	20,340	23,359	182,928	135,020	29,101	40,930	46,910	45,000	415	3,634	432,338
1 - 4	27,557	5,941	27,508	30,679	217,076	217,844	34,740	57,591	72,501	77,621	591	4,502	556,307
5 - 9	21,671	3,144	18,870	22,399	158,183	157,852	22,968	35,536	49,852	49,986	799	1,918	385,326
10 - 14	18,388	2,937	14,316	17,558	109,921	116,311	17,515	27,795	44,600	33,905	425	1,146	288,506
15 - 19	32,044	4,692	36,941	34,806	226,370	[797,555]	43,070	50,755	87,620	79,162	570	2,223	598,253
20 - 24	40,976	7,201	53,776	47,190	477,631	[797,555]	65,246	76,403	133,088	124,775	1,443	3,341	1,031,070
25 - 29	32,367	5,911	45,427	40,116	455,725	[1,820,146]	61,556	64,824	113,508	111,692	1,098	3,695	935,919
30 - 34	28,107	5,401	39,045	38,573	416,958	[1,820,146]	53,287	57,135	101,692	100,616	1,169	3,322	845,305
35 - 39	24,806	4,844	38,022	35,905	407,160	[1,820,146]	51,595	56,976	93,652	94,251	1,011	2,339	810,621
40 - 44	20,937	4,713	36,048	34,453	377,790	[1,220,121]	54,088	56,440	90,427	97,856	881	1,950	775,583
45 - 49	19,019	4,104	37,628	32,758	340,451	[1,220,121]	48,765	56,070	79,727	91,080	498	1,131	711,231
50 - 54	18,625	5,666	38,134	32,886	327,631	[1,220,121]	54,986	59,037	85,451	96,867	821	1,016	721,120
55 - 59	16,125	4,264	34,260	30,109	304,098	[448,234]	51,911	53,751	81,328	84,466	591	1,225	662,128
60 - 64	15,033	5,003	35,024	30,576	318,668	[448,234]	53,464	57,874	87,864	82,227	777	580	687,090
65 - 69	15,366	5,358	39,609	34,777	345,082	[4,154,191]	66,707	62,684	102,465	90,238	411	674	763,371
70 - 74	16,052	6,534	45,178	34,980	350,006	[4,154,191]	71,014	69,870	106,136	98,674	339	459	799,242
75 - 79	13,398	6,831	38,241	34,599	349,678	[1,730,518]	92,842	73,203	140,142	101,438	184	519	851,075
80 - 84	5,670	4,302	30,765	26,733	228,808	[1,730,518]	71,367	63,806	144,432	73,804	111	246	650,044
85+	3,714	5,118	21,259	18,527	193,556	[19,485]	63,888	48,639	116,576	48,221	73	104	519,675
UNKNOWN	133	-	-	-	-	19,485	-	-	-	-	92	177	402
ALL AGES	406,298	102,723	703,472	600,983	6,164,970	7,817,277	1,070,383	1,134,677	1,892,081	1,694,710	13,527	37,608	13,821,432

(2) Excludes Ontario.

TABLE 2b (iii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

PATIENT-DAYS SINCE ADMISSION

AGE GROUP	N.F.L.D.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA ⁽²⁾
BOTH SEXES													
NEWBORN													
UNDER 1	-	15,598	108,868	-	781,373	-	133,191	134,580	232,820	231,585	2,587	6,952	1,647,554
1 - 4	90,700	8,636	49,762	54,824	445,330	323,481	70,423	96,957	110,197	108,761	1,389	8,701	1,045,680
5 - 9	62,836	12,939	64,320	68,968	493,019	506,250	78,317	132,769	163,411	172,444	1,616	10,381	1,261,020
10 - 14	49,110	6,231	43,454	49,440	358,641	358,500	50,190	75,031	118,292	114,394	1,502	3,901	870,186
15 - 19	36,625	5,504	33,201	36,738	241,873	261,349	38,857	58,851	96,843	76,160	708	3,036	628,396
20 - 24	49,200	8,413	54,842	55,536	379,154	1,110,258	65,280	79,154	128,824	120,914	1,760	3,800	946,877
25 - 29	53,323	9,462	67,431	63,195	637,219	-	85,619	95,244	167,606	161,458	1,824	4,268	1,346,649
30 - 34	43,373	7,859	58,125	51,826	597,839	-	79,452	81,294	143,330	140,439	1,531	5,724	1,210,792
35 - 39	38,613	7,229	53,061	52,358	577,557	2,658,186	71,362	77,081	135,484	138,471	1,727	4,515	1,157,458
40 - 44	37,735	6,648	54,542	50,822	607,736	-	76,097	81,159	135,095	140,879	1,806	3,462	1,195,981
45 - 49	35,083	7,347	60,387	58,553	612,928	-	88,775	87,192	142,469	157,928	1,818	3,102	1,255,582
50 - 54	37,448	8,999	69,751	59,365	589,098	-	86,155	92,074	141,080	158,480	1,224	2,121	1,245,795
55 - 59	39,828	11,366	78,176	64,364	628,547	2,339,792	101,832	104,008	158,521	181,014	1,583	2,563	1,371,802
60 - 64	34,498	9,841	76,476	63,431	618,747	-	107,819	110,256	167,104	177,587	1,305	2,149	1,369,213
65 - 69	31,304	9,693	74,945	61,366	638,394	910,555	119,964	121,314	186,008	185,288	1,562	1,753	1,431,591
70 - 74	34,055	12,398	83,816	70,671	655,288	-	137,809	131,414	212,545	195,859	1,255	1,246	1,536,356
75 - 79	29,542	13,623	90,123	70,999	657,635	2,149,803	149,905	153,689	241,576	221,155	661	1,144	1,630,052
80 - 84	25,895	12,579	76,123	66,154	619,483	-	180,828	163,694	315,179	226,352	395	1,147	1,687,829
85+	14,481	9,108	55,669	49,599	418,524	2,795,333	136,433	134,289	279,071	168,622	554	400	1,266,750
UNKNOWN	7,949	8,432	38,864	33,464	318,280	-	109,375	100,851	220,634	100,696	426	433	939,404
	198	-	-	-	-	33,940	-	-	-	-	169	267	634
ALL AGES	751,796	191,905	1,291,936	1,081,673	10,876,665	13,447,447	1,967,683	2,110,901	3,496,089	3,178,486	27,402	71,065	25,045,601

(2) Excludes Ontario

TABLE 2c (i) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

AVERAGE LENGTH OF STAY													
AGE GROUP	NFLD.	P. E. I.	N. S.	N. B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA (2)
MALES													
NEWBORN	-	6.5	6.7	-	6.4	-	6.8	6.5	7.1	7.1	6.4	6.7	6.6
UNDER 1	14.8	9.3	10.2	10.7	14.3	10.0	9.0	9.0	9.4	10.4	10.1	11.0	11.7
1 - 4	10.1	8.7	7.4	8.1	8.4	5.7	5.9	6.8	6.6	6.6	6.5	10.6	7.5
5 - 9	11.0	5.9	6.1	6.6	6.5	5.0	4.8	4.9	5.9	5.1	6.7	8.2	6.0
10 - 14	10.5	7.1	7.2	7.3	7.5	6.8	5.9	5.7	6.9	6.4	5.7	13.6	7.0
15 - 19	11.4	9.1	8.4	7.8	8.7	[8.4]	6.9	6.4	6.3	7.3	22.5	13.3	7.9
20 - 24	10.0	9.7	8.9	8.2	8.9	-	7.7	6.5	6.1	7.8	9.3	7.7	8.1
25 - 29	10.9	9.6	10.5	8.3	9.6	-	8.5	7.3	6.3	7.3	7.7	17.2	8.6
30 - 34	11.5	8.5	10.8	9.4	10.2	[11.1]	8.5	7.8	6.6	8.4	9.6	10.6	9.2
35 - 39	13.3	8.3	11.6	9.2	11.3	-	9.6	8.5	7.9	9.0	10.6	11.3	10.2
40 - 44	13.5	10.5	13.1	12.1	12.3	-	11.5	9.3	8.9	10.5	9.7	12.1	11.3
45 - 49	15.7	14.5	14.3	12.2	13.4	-	11.7	10.1	10.6	11.2	13.0	13.2	12.4
50 - 54	17.4	14.9	14.9	13.7	15.4	[15.6]	12.8	10.7	11.9	12.1	10.0	17.6	13.8
55 - 59	16.9	14.6	15.6	14.2	16.7	-	14.1	12.5	13.3	13.1	14.0	14.7	14.9
60 - 64	18.3	13.1	16.9	14.8	19.2	19.0	16.2	13.6	14.7	14.7	12.7	16.1	16.6
65 - 69	22.0	15.5	17.3	17.1	21.8	[23.7]	17.7	15.0	17.8	16.5	18.0	11.2	18.6
70 - 74	19.6	15.7	17.6	18.1	26.6	-	18.2	16.4	22.4	17.9	17.9	19.6	21.0
75 - 79	21.5	17.2	18.1	18.1	31.4	[33.1]	21.1	17.4	29.6	18.6	13.2	17.0	23.7
80 - 84	28.3	18.0	17.7	18.8	40.8	-	23.7	18.4	33.4	19.5	18.5	14.0	26.4
85+	24.1	16.2	17.3	21.2	49.6	-	26.1	22.1	45.5	19.5	12.6	23.5	30.5
UNKNOWN	5.4	-	-	-	-	11.7	-	-	-	-	12.8	10.0	8.6
ALL AGES	13.8	10.8	11.3	11.4	12.4	13.6	11.3	10.0	11.5	10.5	10.0	11.0	11.6

(2) Excludes Ontario

TABLE 2c (ii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

AVERAGE LENGTH OF STAY													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
FEMALES													
NEWBORN	-	6.1	6.6	-	6.4	-	6.4	6.5	7.3	7.0	6.1	7.3	6.6
UNDER 1	13.3	8.9	10.3	11.0	14.8	10.4	8.8	9.0	9.5	10.0	7.3	10.9	11.6
1 - 4	10.9	10.4	7.6	8.2	8.9	5.8	6.0	6.8	6.6	6.9	5.1	9.5	7.7
5 - 9	11.2	6.6	5.9	6.4	6.2	4.6	4.7	4.9	5.0	4.6	9.9	8.4	5.7
10 - 14	10.8	8.1	6.5	6.8	7.5	6.3	5.3	5.4	6.6	5.9	7.9	8.1	6.8
15 - 19	7.2	5.8	6.6	6.2	7.3	[6.5]	6.1	5.7	6.7	6.3	5.6	6.7	6.7
20 - 24	6.0	5.5	6.1	5.7	6.5	[8.4]	5.7	5.8	6.4	6.1	5.6	6.2	6.2
25 - 29	6.2	5.5	6.4	6.1	7.1	[15.6]	6.2	5.9	6.6	6.4	5.9	7.0	6.7
30 - 34	6.8	6.4	7.2	6.9	8.1	[8.4]	6.8	6.5	7.4	7.1	6.4	7.6	7.5
35 - 39	7.8	6.9	8.3	7.9	9.5	[15.6]	8.0	7.4	8.3	7.8	8.4	8.3	8.6
40 - 44	9.7	8.5	10.0	9.6	11.9	[28.6]	9.5	8.4	9.3	8.9	8.5	9.4	10.3
45 - 49	13.1	9.5	12.1	11.9	14.4	[47.0]	10.5	9.4	10.2	9.8	9.2	11.1	12.0
50 - 54	15.5	13.2	13.8	12.6	15.6	[12.3]	12.4	10.6	11.9	11.2	14.7	10.9	13.4
55 - 59	16.9	12.3	14.7	13.9	17.1		14.1	11.8	14.1	13.1	13.7	15.5	15.0
60 - 64	18.3	14.5	16.2	15.5	20.3	21.2	15.2	13.5	16.2	14.1	28.8	17.6	17.1
65 - 69	19.5	13.7	17.3	16.9	24.2	[28.6]	18.3	14.3	19.7	16.4	24.2	11.6	19.8
70 - 74	21.9	15.7	19.2	18.1	29.5		20.0	16.1	21.1	17.5	17.0	16.4	22.3
75 - 79	28.3	18.5	19.6	19.2	40.4	[47.0]	26.6	17.6	29.5	18.2	18.4	26.0	27.2
80 - 84	22.3	18.6	20.7	21.0	48.2		27.9	20.2	44.7	19.2	11.1	20.5	31.2
85+	28.6	22.3	20.4	23.5	73.6		38.7	24.2	56.2	20.2	10.4	11.6	40.1
UNKNOWN	11.1	-	-	-	-	12.3	-	-	-	-	10.2	6.6	8.4
ALL AGES	9.8	8.9	9.5	9.5	11.2	12.6	10.0	8.7	10.5	9.0	7.9	8.5	10.2

(2) Excludes Ontario.

TABLE 2c (iii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

AVERAGE LENGTH OF STAY

AGE GROUP	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
BOTH SEXES													
NEWBORN													
UNDER 1	-	6.3	6.6	-	6.4	-	6.6	6.5	7.2	7.1	6.2	7.0	6.6
1 - 4	14.2	9.1	10.3	10.8	14.5	10.1	9.0	9.0	9.4	10.2	9.1	11.0	11.6
5 - 9	10.5	9.4	7.5	8.1	8.6	5.8	5.9	6.8	6.6	6.8	5.9	10.1	7.6
10 - 14	11.1	6.3	6.0	6.5	6.4	4.8	4.7	4.9	5.5	4.9	8.1	8.3	5.9
15 - 19	10.7	7.6	6.9	7.1	7.5	6.6	5.6	5.5	6.8	6.2	6.8	10.8	6.9
20 - 24	8.3	6.9	7.1	6.7	7.8	[6.9]	6.4	6.0	6.6	6.6	11.4	8.4	7.1
25 - 29	6.6	6.1	6.5	6.1	7.0	[9.1]	6.1	5.9	6.3	6.4	6.1	6.5	6.6
30 - 34	6.9	6.2	7.0	6.5	7.6	[9.1]	6.6	6.2	6.5	6.6	6.3	8.9	7.0
35 - 39	7.7	6.8	7.9	7.4	8.6	[9.1]	7.1	6.8	7.2	7.4	7.2	8.2	7.9
40 - 44	9.1	7.2	9.1	8.2	10.0	[9.1]	8.4	7.7	8.1	8.1	9.3	9.1	9.1
45 - 49	11.0	9.1	11.0	10.5	12.0	[15.6]	10.2	8.7	9.2	9.4	9.0	10.2	10.7
50 - 54	14.3	11.7	13.0	12.0	14.0	[15.6]	11.0	9.7	10.4	10.4	11.1	12.0	12.2
55 - 59	16.5	14.0	14.4	13.1	15.5	[15.6]	12.6	10.7	11.9	11.6	12.0	14.2	13.6
60 - 64	16.9	13.5	15.2	14.1	16.9	[20.0]	14.1	12.2	13.7	13.1	13.9	15.1	14.9
65 - 69	18.3	13.8	16.6	15.1	19.7	[26.0]	15.7	13.6	15.4	14.4	17.6	16.5	16.8
70 - 74	20.8	14.7	17.3	17.0	23.0	[26.0]	18.0	14.7	18.6	16.5	19.6	11.4	19.2
75 - 79	20.8	15.7	18.3	18.1	28.1	[40.6]	19.0	16.3	21.8	17.8	17.4	18.2	21.6
80 - 84	24.5	17.9	18.8	18.7	35.9	[40.6]	23.6	17.5	29.6	18.4	15.2	20.1	25.3
85+	25.6	18.3	19.2	20.0	44.5	[40.6]	25.7	19.2	38.5	19.4	16.3	17.4	28.7
UNKNOWN	26.0	19.5	18.9	22.4	61.9	12.0	32.2	23.1	50.6	19.8	12.2	18.8	35.2
	8.2	-	-	-	-	-	-	-	-	-	11.3	7.4	8.5
ALL AGES	11.3	9.7	10.3	10.2	11.7	13.0	10.6	9.3	10.9	9.6	8.8	9.5	10.8

(2) Excludes Ontario.

TABLE 2d (i) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

SEPARATION RATE PER 1,000 POPULATION													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
MALES													
NEWBORN	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 1	511.2	429.2	319.8	385.3	285.4	250.7	426.9	575.2	392.2	342.9	480.0	765.0	358.5
1 - 4	116.3	143.6	134.9	150.2	122.8	161.8	166.3	241.7	178.9	184.9	157.0	291.1	152.0
5 - 9	75.4	82.4	90.2	104.7	91.2	108.3	106.8	143.7	129.3	130.6	95.5	141.8	105.7
10 - 14	54.3	59.0	62.5	69.6	56.4	62.4	72.8	105.3	96.0	74.1	71.4	99.2	69.0
15 - 19	52.6	70.7	55.2	76.9	62.6	[73.3]	73.6	99.8	103.8	75.6	106.0	108.2	72.0
20 - 24	62.2	58.5	51.2	80.6	79.7	[84.8]	79.2	89.0	115.9	79.7	102.5	151.2	81.5
25 - 29	71.1	70.0	52.9	84.9	82.5	[140.1]	74.9	88.0	104.3	74.7	112.0	98.3	81.7
30 - 34	68.4	82.7	63.2	93.8	85.8	[263.8]	74.1	96.0	101.5	77.8	82.9	102.7	85.1
35 - 39	76.4	86.8	70.8	101.0	96.1	[372.0]	86.9	99.1	105.2	85.5	93.8	99.0	93.5
40 - 44	82.9	92.6	88.1	117.0	111.9	[485.8]	101.9	116.7	129.9	99.8	161.7	135.7	109.8
45 - 49	96.5	120.7	106.5	135.3	127.9	[430.2]	116.0	132.0	146.6	114.9	112.0	125.0	125.3
50 - 54	115.0	141.5	136.7	158.8	150.2	[221.8]	142.3	167.4	178.7	141.0	190.0	176.0	151.0
55 - 59	126.3	158.8	163.3	191.8	174.9	[166.9]	183.1	209.0	224.0	175.4	170.0	157.5	182.1
60 - 64	145.9	188.9	193.2	223.7	202.9	[149.4]	234.3	262.6	275.0	216.6	310.0	243.3	220.0
65 - 69	170.2	251.7	250.2	272.1	231.1	[166.9]	286.9	322.0	340.4	254.8	235.0	255.0	262.1
70 - 74	176.2	301.3	300.6	306.2	259.1	[166.9]	372.7	399.0	428.4	322.2	180.0	350.0	317.0
75 - 79	215.2	303.6	337.7	378.3	296.9	[166.9]	448.9	499.1	518.0	355.4	160.0	370.0	377.5
80 - 84	182.9	381.4	380.0	449.3	308.1	[166.9]	528.1	590.5	619.2	398.7	(3)	(3)	430.2
85+	195.6	510.0	441.3	470.7	322.2	[166.9]	623.6	716.4	738.4	434.5	(3)	(3)	485.8
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL AGES	98.2	149.2	134.4	133.7	134.7	123.1	162.8	199.6	186.5	155.8	166.9	221.8	149.4

(2) Excludes Ontario.

(3) Rates not calculated. Population is less than 50 persons.

TABLE 2d (ii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

SEPARATION RATE PER 1,000 POPULATION													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
FEMALES													
NEWBORN													
UNDER 1	-	-	-	-	-	-	-	-	-	-	-	-	-
1 - 4	378.2	325.0	231.6	291.4	203.2	181.3	322.4	442.1	300.5	265.8	285.0	555.0	266.6
5 - 9	88.6	112.2	102.1	124.9	95.9	124.1	134.7	192.4	149.3	149.2	116.0	249.5	121.4
10 - 14	60.2	77.7	75.6	94.9	78.1	95.7	97.3	135.3	116.4	117.2	81.0	134.7	93.2
15 - 19	54.6	61.5	55.5	70.9	48.8	57.0	69.5	102.7	90.2	68.1	77.1	109.2	63.4
20 - 24	160.2	142.6	151.1	166.8	115.0	[249.9]	167.4	206.8	214.8	172.5	202.0	301.8	150.5
25 - 29	343.2	354.6	322.4	368.8	328.2	[244.3]	356.8	420.8	436.0	356.5	642.5	764.3	354.2
30 - 34	388.7	412.7	339.5	408.1	345.5	[244.3]	367.2	448.8	380.7	328.8	465.0	586.7	360.2
35 - 39	343.5	351.2	276.7	361.4	282.8	[244.3]	294.1	354.8	295.8	264.0	366.0	628.6	293.0
40 - 44	268.7	280.8	221.0	277.2	228.3	[244.3]	220.5	285.9	245.1	208.2	240.0	468.3	234.1
45 - 49	190.1	205.2	165.6	206.0	181.5	[155.4]	183.0	242.8	217.9	180.7	260.0	416.0	190.9
50 - 54	134.2	159.3	147.0	174.8	157.8	[155.4]	167.3	224.9	204.3	168.9	180.0	255.0	170.1
55 - 59	125.2	164.6	148.5	187.5	159.7	[155.4]	175.0	234.1	222.6	175.9	186.7	310.0	175.6
60 - 64	131.0	164.8	157.0	190.4	160.7	[176.2]	175.9	236.2	223.3	169.6	215.0	395.0	176.1
65 - 69	141.6	191.7	176.9	212.4	179.4	176.2	208.5	275.8	265.1	194.3	270.0	165.0	200.8
70 - 74	157.4	230.6	214.2	254.1	209.5	[220.2]	254.8	334.2	323.4	208.6	170.0	580.0	235.8
75 - 79	183.2	260.6	248.3	276.4	232.7	[220.2]	291.6	380.4	389.5	240.4	200.0	280.0	269.6
80 - 84	169.3	307.5	278.6	346.5	244.4	[308.3]	368.0	472.4	480.3	285.2	(3)	(3)	314.7
85+	149.4	288.8	330.2	397.8	256.8	[308.3]	464.4	620.2	556.7	318.1	(3)	(3)	363.8
UNKNOWN	144.4	458.0	346.7	394.0	250.5	[308.3]	532.3	669.3	691.0	355.5	(3)	(3)	395.9
	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL AGES	171.3	217.0	196.5	206.3	194.9	184.9	224.3	281.4	256.1	213.8	255.8	392.2	213.2

(2) Excludes Ontario.

(3) Rates not calculated. Population is less than 50 persons.

TABLE 2d (iii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

SEPARATION RATE PER 1,000 POPULATION													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA ⁽²⁾
BOTH SEXES													
NEWBORN													
UNDER 1	444.7	379.2	277.0	339.3	245.4	216.9	375.9	510.2	347.3	305.3	382.5	-	-
1 - 4	102.7	128.6	118.9	137.9	109.7	143.4	150.8	217.5	164.4	167.3	136.5	270.3	137.0
5 - 9	67.9	80.1	83.1	99.9	84.8	102.2	102.2	139.6	123.0	124.1	88.6	138.2	99.6
10 - 14	54.5	60.2	59.1	70.3	52.7	59.8	71.2	104.0	93.2	71.2	74.3	104.1	66.3
15 - 19	105.5	106.3	102.0	121.1	88.4	[160.1]	119.5	152.4	158.1	123.0	154.0	205.0	110.5
20 - 24	202.7	200.8	181.1	220.1	204.0	[164.4]	214.6	251.3	274.6	216.7	372.5	437.3	216.5
25 - 29	225.9	232.0	189.7	244.0	216.1	[147.7]	218.4	264.0	242.2	201.5	268.9	307.6	220.8
30 - 34	198.4	211.6	167.8	226.7	184.3	[147.7]	180.3	220.6	194.6	167.2	200.8	307.2	187.0
35 - 39	169.0	183.8	146.8	190.4	162.9	[147.7]	153.8	189.4	172.5	145.5	150.0	237.5	163.4
40 - 44	133.6	148.9	127.5	162.0	147.2	[147.7]	143.4	179.1	173.7	141.3	201.0	252.5	150.7
45 - 49	114.2	139.6	126.8	154.9	143.1	[147.7]	141.7	177.9	174.9	142.6	137.5	177.0	147.8
50 - 54	119.9	152.8	142.5	172.9	155.0	[147.7]	158.5	199.8	200.0	158.4	188.6	226.2	163.2
55 - 59	128.4	161.6	160.3	191.1	167.7	192.6	179.5	221.8	223.7	172.6	188.0	236.7	179.2
60 - 64	143.8	190.3	185.0	218.0	190.8	[240.4]	221.7	268.8	270.5	205.9	296.7	212.0	210.6
65 - 69	163.8	241.4	231.8	262.8	219.8	[240.4]	270.7	327.9	332.4	231.2	213.3	363.3	248.8
70 - 74	179.7	280.3	273.0	290.7	245.0	[335.1]	331.1	390.2	409.8	279.3	190.0	315.0	292.5
75 - 79	191.8	305.7	306.4	361.4	268.0	[335.1]	408.0	486.9	500.5	319.7	260.0	570.0	345.2
80 - 84	166.2	332.0	352.7	421.4	279.9	[335.1]	495.3	603.5	589.8	358.6	(3)	(3)	396.1
85+	170.0	481.1	387.7	426.9	281.0	[335.1]	575.6	694.0	715.1	393.5	(3)	(3)	437.6
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL AGES	133.9	182.4	165.0	169.6	164.8	153.9	193.2	239.3	220.3	184.5	206.6	298.8	181.0

(2) Excludes Ontario.

(3) Rates not calculated. Population is less than 50 persons.

TABLE 2e (i) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

PATIENT-DAY RATE PER 1,000 POPULATION

AGE GROUP	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA ⁽²⁾
MALES													
NEWBORN													
UNDER 1	7,562	3,973	3,269	4,140	4,087	2,499.5	3,862	5,188	3,679	3,582	4,870	8,445	4,183.8
1 - 4	1,180	1,250	992	1,212	1,027	919.7	979	1,641	1,187	1,220	1,025	3,094	1,135.9
5 - 9	831	490	551	695	594	537.5	514	704	761	665	639	1,166	639.0
10 - 14	570	421	452	510	421	425.6	426	596	661	474	404	1,350	483.3
15 - 19	600	642	463	599	546	[613.6]	506	643	651	550	2,380	1,434	565.5
20 - 24	624	565	457	664	712		608	578	712	622	952	1,159	661.9
25 - 29	775	672	557	705	791	[942.3]	635	643	655	542	866	1,691	704.6
30 - 34	784	703	684	878	878		630	750	668	653	797	1,084	778.6
35 - 39	1,013	722	818	932	1,088	[2,190.7]	836	846	829	767	994	1,123	948.7
40 - 44	1,123	976	1,154	1,418	1,375		1,172	1,090	1,156	1,043	1,562	1,646	1,243.2
45 - 49	1,511	1,748	1,522	1,653	1,710	[3,982.1]	1,355	1,329	1,549	1,291	1,452	1,650	1,548.6
50 - 54	2,000	2,111	2,043	2,171	2,315		1,823	1,792	2,130	1,707	1,905	3,094	2,080.9
55 - 59	2,136	2,324	2,543	2,731	2,916	[6,249.9]	2,588	2,616	2,989	2,294	2,380	2,310	2,710.2
60 - 64	2,667	2,468	3,272	3,311	3,890		3,800	3,584	4,056	3,181	3,925	3,910	3,649.5
65 - 69	3,738	3,911	4,334	4,662	5,028	[12,324.2]	5,079	4,840	6,048	4,208	4,220	2,860	4,883.0
70 - 74	3,459	4,726	5,288	5,541	6,898		6,801	6,548	9,606	5,777	3,220	6,850	6,651.8
75 - 79	4,629	5,225	6,110	6,860	9,336	[15,354]	9,461	8,701	15,354	6,609	2,110	6,280	8,930.1
80 - 84	5,183	6,866	6,731	8,469	12,564		12,513	10,844	20,714	7,772	(3)	(3)	11,357.4
85+	4,706	8,285	7,654	9,958	15,990	[33,567]	16,245	15,822	33,567	8,464	(3)	(3)	14,831.4
UNKNOWN	-	-	-	-	-		-	-	-	-	-	-	-
ALL AGES	1,354	1,619	1,524	1,527	1,665	1,668.2	1,843	1,995	2,151	1,642	1,672	2,442	1,730.0

(2) Excludes Ontario.

(3) Rates not calculated. Population is less than 50 persons.

TABLE 2e (ii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

PATIENT-DAY RATE PER 1,000 POPULATION

AGE GROUP	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA ⁽²⁾
FEMALES													
NEWBORN													
UNDER 1	5,035	2,892	2,393	3,200	3,009	1,885.8	2,853	3,974	2,843	2,647	2,075	6,057	3,092.5
1 - 4	967	1,165	777	1,019	851	725.9	812	1,306	985	1,036	591	2,369	939.1
5 - 9	675	515	445	607	488	444.2	455	664	586	539	799	1,128	530.5
10 - 14	591	498	360	482	367	359.0	366	557	595	400	607	882	340.0
15 - 19	1,157	823	1,001	1,039	838	[1,619.7]	1,023	1,186	1,446	1,090	1,140	2,021	1,007.7
20 - 24	2,069	1,946	1,955	2,088	2,131		2,045	2,449	2,790	2,159	3,608	4,773	2,206.0
25 - 29	2,398	2,273	2,184	2,492	2,458		2,263	2,657	2,506	2,115	2,745	4,106	2,403.5
30 - 34	2,342	2,250	1,982	2,489	2,278		1,988	2,313	2,187	1,877	2,338	4,746	2,193.3
35 - 39	2,107	1,938	1,837	2,176	2,166		1,755	2,126	2,023	1,619	2,022	3,898	2,020.0
40 - 44	1,853	1,746	1,654	1,980	2,153		1,745	2,045	2,032	1,612	2,202	3,900	1,971.5
45 - 49	1,761	1,520	1,783	2,073	2,280		1,760	2,116	2,093	1,653	1,660	2,828	2,044.9
50 - 54	1,940	2,179	2,050	2,366	2,497		2,165	2,491	2,646	1,973	2,737	3,387	2,348.9
55 - 59	2,209	2,030	2,315	2,641	2,747		2,484	2,785	3,152	2,229	2,955	6,125	2,642.2
60 - 64	2,592	2,779	2,871	3,288	3,646		3,164	3,734	4,307	2,741	7,770	2,900	3,442.3
65 - 69	3,073	3,152	3,702	4,293	5,067		4,665	4,785	6,364	3,431	4,110	6,740	4,666.1
70 - 74	4,013	4,084	4,756	4,997	6,876		5,821	6,129	8,228	4,217	3,390	4,590	6,004.8
75 - 79	4,785	5,692	5,463	6,654	9,878		9,773	8,319	14,156	5,202	(3)	(3)	8,570.7
80 - 84	3,335	5,378	6,837	8,354	12,368		12,976	12,511	24,902	6,100	(3)	(3)	11,364.4
85+	4,127	10,236	7,086	9,264	18,434		20,609	16,213	38,859	7,197	(3)	(3)	15,892.2
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL AGES	1,673	1,942	1,876	1,950	2,180	2,329.3	2,252	2,458	2,683	1,914	2,019	3,328	2,175.9

(2) Excludes Ontario.

(3) Rates not calculated. Population is less than 50 persons.

TABLE 2e (iii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

PATIENT-DAY RATE PER 1,000 POPULATION

AGE GROUP	N.F.L.D.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA ⁽²⁾
BOTH SEXES													
NEWBORN													
UNDER 1	6,299	3,454	2,844	3,679	3,563	2,200.6	3,370	4,595	3,270	3,125	3,472	7,251	3,651.1
1 - 4	1,076	1,209	887	1,118	941	824.9	897	1,477	1,088	1,130	808	2,732	1,039.8
5 - 9	754	502	499	652	542	492.0	485	685	676	603	715	1,147	585.9
10 - 14	580	459	407	496	395	393.1	397	577	629	438	506	1,124	486.9
15 - 19	874	732	725	816	689	[1,108.0]	759	910	1,040	814	1,760	1,727	782.4
20 - 24	1,347	1,229	1,175	1,353	1,421		1,309	1,493	1,742	1,382	2,280	2,845	1,426.2
25 - 29	1,566	1,429	1,333	1,585	1,638		1,434	1,626	1,579	1,327	1,701	2,726	1,553.3
30 - 34	1,520	1,446	1,320	1,678	1,578		1,286	1,503	1,395	1,241	1,439	2,508	1,472.0
35 - 39	1,540	1,330	1,334	1,564	1,632		1,296	1,465	1,403	1,184	1,389	2,164	1,481.1
40 - 44	1,468	1,361	1,408	1,702	1,769		1,465	1,563	1,592	1,335	1,818	2,585	1,610.8
45 - 49	1,628	1,636	1,653	1,861	1,999		1,558	1,718	1,816	1,477	1,530	2,121	1,797.7
50 - 54	1,972	2,145	2,046	2,266	2,406		1,993	2,131	2,380	1,840	2,261	3,204	2,213.7
55 - 59	2,170	2,187	2,436	2,688	2,830		2,537	2,696	3,066	2,262	2,610	3,582	2,676.9
60 - 64	2,631	2,620	3,072	3,299	3,764		3,487	3,654	4,171	2,969	5,207	3,506	3,547.1
65 - 69	3,406	3,542	4,010	4,473	5,048		4,870	4,814	6,197	3,810	4,183	4,153	4,772.8
70 - 74	3,739	4,395	5,007	5,259	6,886		6,299	6,351	8,947	4,959	3,305	5,720	6,318.0
75 - 79	4,708	5,469	5,767	6,750	9,634		9,619	8,526	14,797	5,895	3,950	11,470	8,745.2
80 - 84	4,259	6,072	6,789	8,407	12,456		12,751	11,577	22,689	6,939	(3)	(3)	11,361.0
85+	4,416	9,369	7,333	9,561	17,392		18,538	16,008	36,170	7,806	(3)	(3)	15,400.1
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL AGES	1,510	1,777	1,698	1,736	1,923	1,997.8	2,045	2,220	2,409	1,777	1,827	2,843	1,950.6

(2) Excludes Ontario.

(3) Rates not calculated. Population is less than 50 persons.

TABLE 2f (i) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF SEPARATIONS

AGE GROUP	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	Canada ⁽²⁾
MALES													
NEWBORN	-	15.6	16.0	-	16.6	-	13.1	10.8	12.1	11.8	15.4	17.3	13.2
UNDER 1	14.7	6.8	5.5	7.0	4.8	4.5	5.8	6.4	4.8	4.3	6.9	15.1	5.4
1 - 4	13.9	9.8	9.6	11.3	8.7	12.2	9.3	11.3	9.9	10.2	11.3	18.2	9.7
5 - 9	9.9	6.3	7.7	9.7	8.1	9.7	7.1	8.3	8.4	9.0	7.6	7.9	8.3
10 - 14	6.9	4.4	5.0	6.2	4.6	5.1	4.6	5.6	5.5	4.7	3.6	4.6	5.0
15 - 19	6.0	5.0	4.1	6.3	4.6	[9.0]	4.1	4.5	4.7	4.1	3.8	3.9	4.6
20 - 24	4.9	2.8	2.9	4.6	4.7	[18.2]	3.3	3.0	4.0	3.3	3.0	4.0	4.0
25 - 29	4.0	2.5	2.3	3.3	3.9	[17.2]	2.7	2.3	3.4	2.8	4.0	3.9	3.3
30 - 34	3.7	2.6	2.5	3.5	4.1	[17.2]	2.7	2.6	3.7	3.2	4.2	3.7	3.5
35 - 39	3.9	2.6	2.8	3.8	4.6	[17.2]	3.2	2.9	3.8	3.7	5.4	3.3	3.9
40 - 44	4.2	3.0	3.6	4.7	5.0	[10.1]	3.8	3.4	4.2	4.1	7.0	3.1	4.4
45 - 49	4.7	4.1	4.3	5.2	4.9	[7.7]	4.0	3.7	4.2	4.3	4.0	2.5	4.5
50 - 54	4.9	4.6	5.2	5.5	5.1	[7.7]	4.6	4.3	4.4	4.9	5.5	2.9	4.9
55 - 59	4.3	4.6	5.2	5.6	5.0	[7.7]	5.0	4.6	4.6	5.1	3.7	2.1	4.9
60 - 64	3.6	4.4	4.5	4.9	4.4	5.9	5.2	4.8	4.8	5.0	4.5	2.4	4.6
65 - 69	3.4	5.5	4.9	5.0	3.7	[10.1]	5.1	4.7	4.5	4.5	3.4	1.7	4.3
70 - 74	2.7	5.5	4.9	4.7	3.0	[10.1]	5.5	5.2	4.3	4.8	1.3	1.2	4.1
75 - 79	2.3	4.1	4.0	4.1	2.3	[7.7]	5.3	5.3	4.2	4.8	1.2	1.2	3.6
80 - 84	1.2	3.2	2.7	2.9	1.2	[7.7]	3.5	3.9	2.9	3.5	1.7	0.4	2.4
85+	0.7	2.5	2.0	1.7	0.7	0.3	2.2	2.4	1.6	1.9	2.0	0.5	1.4
UNKNOWN	-	-	-	-	-	0.3	-	-	-	-	0.4	0.3	..
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

.. Less than 0.05.

(2) Excludes Ontario.

TABLE 2f (ii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF SEPARATIONS

AGE GROUP	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
FEMALES													
NEWBORN	-	10.4	10.9	-	10.7	-	9.1	7.8	8.7	8.5	11.8	10.6	8.9
UNDER 1	6.5	3.4	2.7	3.3	2.2	2.1	3.1	3.5	2.7	2.4	3.3	7.5	2.8
1 - 4	6.1	5.0	4.9	5.9	4.4	6.0	5.4	6.5	6.1	5.9	6.8	10.7	5.3
5 - 9	4.6	4.1	4.4	5.5	4.6	5.5	4.6	5.6	5.5	5.7	4.7	5.2	5.0
10 - 14	4.1	3.2	3.0	4.1	2.7	3.0	3.1	3.9	3.7	3.0	3.2	3.2	3.1
15 - 19	10.7	7.1	7.6	8.8	5.6	3.0	6.6	6.8	7.2	6.6	5.9	7.5	6.6
20 - 24	16.3	11.4	12.0	13.1	13.3	[19.8]	10.7	10.1	11.5	10.9	15.0	12.1	12.2
25 - 29	12.6	9.3	9.6	10.3	11.6	[34.8]	9.4	8.4	9.5	9.2	10.9	11.9	10.4
30 - 34	9.9	7.3	7.4	8.8	9.4		7.4	6.7	7.6	7.5	10.7	9.9	8.3
35 - 39	7.6	6.1	6.2	7.2	7.8		6.1	5.9	6.3	6.4	7.0	6.3	6.9
40 - 44	5.2	4.8	4.9	5.6	5.8		5.3	5.2	5.4	5.8	6.1	4.7	5.5
45 - 49	3.5	3.7	4.2	4.3	4.3		4.3	4.6	4.3	4.9	3.2	2.3	4.4
50 - 54	2.9	3.7	3.8	4.1	3.8	[12.6]	4.2	4.3	4.0	4.6	3.3	2.1	4.0
55 - 59	2.3	3.0	3.2	3.4	3.2		3.4	3.5	3.2	3.4	2.5	1.8	3.3
60 - 64	2.0	3.0	2.9	3.1	2.8	3.4	3.3	3.3	3.0	3.1	1.6	0.7	3.0
65 - 69	1.9	3.4	3.1	3.2	2.6	[6.5]	3.4	3.4	2.9	2.9	1.0	1.3	2.8
70 - 74	1.8	3.6	3.2	3.0	2.1		3.3	3.3	2.8	3.0	1.2	0.6	2.6
75 - 79	1.1	3.2	2.6	2.8	1.6	[5.9]	3.3	3.2	2.6	2.9	0.6	0.5	2.3
80 - 84	0.6	2.0	2.0	2.0	0.9		2.4	2.4	1.8	2.0	0.6	0.3	1.5
85+	0.3	2.0	1.4	1.2	0.5		1.5	1.5	1.1	1.3	0.4	0.2	1.0
UNKNOWN	-	-	-	-	-	0.3	-	-	-	-	0.5	0.6	..
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

.. Less than 0.05

(2) Excludes Ontario.

TABLE 2f (iii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN (1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF SEPARATIONS

AGE GROUP	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
BOTH SEXES													
NEWBORN													
UNDER 1	-	12.6	13.0	-	13.1	-	10.8	9.1	10.2	9.9	13.4	13.3	10.7
1 - 4	9.6	4.8	3.9	4.8	3.3	3.1	4.2	4.7	3.7	3.2	4.9	10.6	3.9
5 - 9	9.0	7.0	6.9	8.0	6.2	8.5	7.1	8.6	7.7	7.7	8.8	13.7	7.2
10 - 14	6.6	5.0	5.8	7.2	6.0	7.2	5.7	6.7	6.7	7.1	6.0	6.3	6.4
15 - 19	5.2	3.7	3.8	4.9	3.5	3.8	3.8	4.7	4.5	3.7	3.4	3.8	3.9
20 - 24	8.9	6.2	6.1	7.8	5.2	[15.5]	5.5	5.8	6.1	5.5	5.0	6.0	5.8
25 - 29	12.0	7.8	8.3	9.7	9.8	[28.2]	7.6	7.0	8.3	7.7	9.6	8.8	8.8
30 - 34	9.4	6.5	6.6	7.5	8.5	[15.5]	6.5	5.8	6.9	6.5	7.8	8.6	7.4
35 - 39	7.6	5.4	5.4	6.7	7.2	[28.2]	5.4	5.0	5.9	5.7	7.8	7.4	6.3
40 - 44	6.2	4.7	4.8	5.9	6.5	[14.5]	4.9	4.6	5.2	5.2	6.3	5.1	5.7
45 - 49	4.8	4.1	4.4	5.3	5.5	[14.5]	4.7	4.4	4.9	5.1	6.5	4.1	5.1
50 - 54	3.9	3.9	4.3	4.7	4.5	[14.5]	4.2	4.2	4.2	4.6	3.5	2.4	4.4
55 - 59	3.6	4.1	4.3	4.6	4.3	[14.5]	4.4	4.3	4.2	4.7	4.3	2.4	4.4
60 - 64	3.1	3.7	4.0	4.3	3.9	[14.5]	4.1	4.0	3.8	4.1	3.0	1.9	3.9
65 - 69	2.6	3.6	3.6	3.8	3.5	[14.5]	4.1	3.9	3.8	3.9	2.9	1.4	3.7
70 - 74	2.5	4.3	3.9	3.9	3.1	[8.0]	4.1	3.9	3.6	3.6	2.1	1.5	3.4
75 - 79	2.1	4.4	3.9	3.7	2.5	[8.0]	4.2	4.1	3.5	3.8	1.2	0.8	3.2
80 - 84	1.6	3.6	3.2	3.4	1.8	[6.7]	4.1	4.1	3.3	3.7	0.8	0.8	2.9
85+	0.8	2.5	2.3	2.4	1.0	[6.7]	2.9	3.1	2.3	2.6	1.1	0.3	1.9
UNKNOWN	0.5	2.2	1.6	1.4	0.6	[6.7]	1.8	1.9	1.4	1.5	1.1	0.3	1.1
	-	-	-	-	-	0.3	-	-	-	-	0.5	0.5	..
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

.. Less than 0.05

(2) Excludes Ontario.

TABLE 2g (i) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF PATIENT-DAYS													
AGE GROUP	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
MALES													
NEWBORN	-	9.3	9.5	-	8.6	-	7.9	7.1	7.4	8.0	9.8	10.6	7.6
UNDER 1	15.8	5.8	5.0	6.5	5.6	3.3	4.6	5.7	3.9	4.3	7.0	15.1	5.5
1 - 4	10.2	7.8	6.3	8.0	5.9	5.1	4.9	7.7	5.7	6.4	7.4	17.6	6.3
5 - 9	7.9	3.5	4.2	5.6	4.3	3.6	3.0	4.0	4.3	4.3	5.1	5.9	4.3
10 - 14	5.3	2.9	3.2	4.0	2.8	2.6	2.4	3.2	3.3	2.8	2.0	5.6	3.0
15 - 19	5.0	4.2	3.0	4.3	3.2	[5.6]	2.5	2.9	2.6	2.8	8.6	4.7	3.1
20 - 24	3.6	2.5	2.3	3.3	3.4	[14.9]	2.3	1.9	2.2	2.5	2.7	2.8	2.8
25 - 29	3.2	2.2	2.2	2.4	3.0	[19.9]	2.0	1.7	1.9	1.9	3.1	6.1	2.4
30 - 34	3.0	2.0	2.4	2.9	3.4	[17.7]	2.0	2.0	2.1	2.6	4.0	3.6	2.8
35 - 39	3.7	2.0	2.8	3.1	4.3	[18.9]	2.7	2.5	2.6	3.1	5.7	3.4	3.4
40 - 44	4.1	3.0	4.1	5.0	5.0	-	3.9	3.2	3.2	4.0	6.8	3.4	4.3
45 - 49	5.3	5.5	5.5	5.5	5.3	-	4.2	3.7	3.8	4.5	5.2	3.0	4.8
50 - 54	6.1	6.4	6.8	6.5	6.4	-	5.2	4.6	4.6	5.7	5.5	4.6	5.8
55 - 59	5.3	6.3	7.2	6.9	6.7	-	6.2	5.8	5.3	6.3	5.1	2.8	6.3
60 - 64	4.7	5.3	6.8	6.4	6.8	8.2	7.4	6.5	6.1	6.9	5.7	3.5	6.6
65 - 69	5.4	7.9	7.5	7.5	6.6	[17.7]	7.9	7.0	6.9	7.1	6.1	1.7	6.9
70 - 74	3.9	7.9	7.6	7.5	6.5	-	8.8	8.6	8.4	8.3	2.3	2.0	7.4
75 - 79	3.6	6.4	6.4	6.6	5.7	[18.9]	9.8	9.3	10.9	8.4	1.5	1.9	7.5
80 - 84	2.6	5.4	4.2	4.8	4.0	-	7.3	7.2	8.4	6.4	3.2	0.5	5.5
85+	1.2	3.7	3.0	3.1	2.6	-	5.1	5.3	6.5	3.5	2.5	1.0	3.7
UNKNOWN	-	-	-	-	-	0.3	-	-	-	-	0.6	0.3	..
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

.. Less than 0.5

(2) Excludes Ontario.

TABLE 2g (ii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF PATIENT-DAYS													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
FEMALES													
NEWBORN	-	7.1	7.5	-	6.1	-	5.8	5.8	6.0	6.7	9.1	9.1	5.8
UNDER 1	8.9	3.4	2.9	3.9	3.0	1.7	2.7	3.6	2.5	2.7	3.1	9.7	3.1
1 - 4	6.8	5.8	3.9	5.1	3.5	2.8	3.2	5.1	3.8	4.6	4.4	12.0	4.0
5 - 9	5.3	3.1	2.7	3.7	2.6	2.0	2.1	3.1	2.6	2.9	5.9	5.1	2.8
10 - 14	4.5	2.9	2.0	2.9	1.8	1.5	1.6	2.4	2.4	2.0	3.1	3.0	2.1
15 - 19	7.9	4.6	5.3	5.8	3.7	[10.2]	4.0	4.5	4.6	4.7	4.2	5.9	4.3
20 - 24	10.1	7.0	7.6	7.9	7.7	[23.3]	6.1	6.7	7.0	7.4	10.7	8.9	7.5
25 - 29	8.0	5.8	6.5	6.7	7.4	[15.6]	5.8	5.7	6.0	6.6	8.1	9.8	6.8
30 - 34	6.9	5.3	5.6	6.4	6.8	[14.8]	5.0	5.0	5.4	5.9	8.6	8.8	6.1
35 - 39	6.1	4.7	5.4	6.0	6.6	[22.1]	4.8	5.0	4.9	5.6	7.5	6.2	5.9
40 - 44	5.2	4.6	5.1	5.7	6.1	0.2	5.1	5.0	4.8	5.8	6.5	5.2	5.6
45 - 49	4.7	4.0	5.3	5.4	5.5		4.6	4.9	4.2	5.4	3.7	3.0	5.1
50 - 54	4.6	5.5	5.4	5.5	5.3		5.1	5.2	4.5	5.7	6.1	2.7	5.2
55 - 59	4.0	4.2	4.9	5.0	4.9		4.8	4.7	4.3	5.0	4.4	3.3	4.8
60 - 64	3.7	4.9	5.0	5.1	5.2	5.7	5.0	5.1	4.6	4.9	5.7	1.5	5.0
65 - 69	3.8	5.2	5.6	5.8	5.6	[14.8]	6.2	5.5	5.4	5.3	3.0	1.8	5.5
70 - 74	4.0	6.4	6.4	5.8	5.7		6.6	6.2	5.6	5.8	2.5	1.2	5.8
75 - 79	3.3	6.6	5.4	5.8	5.7		8.7	6.5	7.4	6.0	1.4	1.4	6.2
80 - 84	1.4	4.2	4.4	4.4	3.7	[22.1]	6.7	5.6	7.6	4.4	0.8	0.7	4.7
85+	0.9	5.0	3.0	3.1	3.1		6.0	4.3	6.2	2.8	0.5	0.3	3.8
UNKNOWN	-	-	-	-	-	0.2	-	-	-	-	0.7	0.5	..
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

.. Less than 0.5

(2) Excludes Ontario.

TABLE 2g (iii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF PATIENT-DAYS

AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA ⁽²⁾
BOTH SEXES													
NEWBORN	-	8.1	8.4	-	7.2	-	6.8	6.4	6.7	7.3	9.4	9.8	6.6
UNDER 1	12.1	4.5	3.9	5.1	4.1	2.4	3.6	4.6	3.2	3.4	5.1	12.2	4.2
1 - 4	8.4	6.7	5.0	6.4	4.5	3.8	4.0	6.3	4.7	5.4	5.9	14.6	5.0
5 - 9	6.5	3.2	3.4	4.6	3.3	2.7	2.6	3.6	3.4	3.6	5.5	5.5	3.5
10 - 14	4.9	2.9	2.6	3.4	2.2	1.9	2.0	2.8	2.8	2.4	2.6	4.3	2.5
15 - 19	6.5	4.4	4.2	5.1	3.5	[8.2]	3.3	3.7	3.7	3.8	6.4	5.3	3.8
20 - 24	7.1	4.9	5.2	5.8	5.9		4.4	4.5	4.8	5.1	6.7	6.0	5.4
25 - 29	5.8	4.1	4.5	4.8	5.5	[19.8]	4.0	3.9	4.1	4.4	5.6	8.1	4.8
30 - 34	5.1	3.8	4.1	4.8	5.3		3.6	3.7	3.9	4.4	6.3	6.4	4.6
35 - 39	5.0	3.5	4.2	4.7	5.6	[17.4]	3.9	3.8	3.9	4.4	6.6	4.9	4.8
40 - 44	4.7	3.8	4.7	5.4	5.6		4.5	4.1	4.1	5.0	6.6	4.4	5.0
45 - 49	5.0	4.7	5.4	5.5	5.4	[16.0]	4.4	4.4	4.0	5.0	4.5	3.0	5.0
50 - 54	5.3	5.9	6.1	6.0	5.8		5.2	4.9	4.5	5.7	5.8	3.6	5.5
55 - 59	4.6	5.1	5.9	5.9	5.7	[20.8]	5.5	5.2	4.8	5.6	4.8	3.0	5.5
60 - 64	4.2	5.0	5.8	5.7	5.9		6.1	5.7	5.3	5.8	5.7	2.5	5.7
65 - 69	4.5	6.5	6.5	6.5	6.0	[0.3]	7.0	6.2	6.1	6.2	4.6	1.8	6.1
70 - 74	3.9	7.1	7.0	6.6	6.0		7.6	7.3	6.9	7.0	2.4	1.6	6.5
75 - 79	3.4	6.6	5.9	6.1	5.7	[20.8]	9.2	7.8	9.0	7.1	1.4	1.6	6.7
80 - 84	1.9	4.7	4.3	4.6	3.8		6.9	6.4	8.0	5.3	2.0	0.6	5.1
85+	1.1	4.4	3.0	3.1	2.9	[0.3]	5.6	4.8	6.3	3.2	1.6	0.6	3.8
UNKNOWN	-	-	-	-	-		-	-	-	-	0.6	0.4	..
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

.. Less than 0.5

(2) Excludes Ontario.

NOTES

BASICALLY, TABLE 2 PRESENTS DATA ON PROVINCIAL PLAN IN-PATIENTS,
INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, WITH THE FOLLOWING EXCEPTIONS:

a) Newfoundland: Also includes some NON-PLAN separations and patient-days.

b) Prince Edward Island: Also includes all NON-PLAN separations and patient-days.

c) Nova Scotia: Excludes out-of-province hospitalization.

d) Quebec: Also includes all NON-PLAN separations and patient-days.

e) Ontario: Data are based on "claims processed" during the year and include out-of-province residents hospitalized in Ontario hospitals, as well as insured Ontario residents hospitalized in out-of-province hospitals. Totals also include all patients hospitalized in Federal (including D.V.A.) hospitals for whom the Ontario Hospital Services Commission was responsible for payment. Totals exclude patients in D.V.A. hospitals for whom the Department of Veterans Affairs was responsible.

f) Manitoba: Includes NON-PLAN separations and patient-days, but excludes non-resident separations and days.

g) Saskatchewan: Excludes Provincial Plan separations and patient-days from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.

h) Alberta: Also includes NON-PLAN separations and patient-days but excludes non-resident separations and patient-days.

i) British Columbia: Excludes out-of-province separations and patient-days which were the responsibility of the Provincial Plan.

TABLE 5a (i) SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, (1) PROVINCIAL PLAN IN-PATIENTS, (2) BY PROVINCE, 1965

LENGTH OF STAY (4) IN DAYS	NUMBER OF SEPARATIONS, BOTH SEXES											
	NFLD.	P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (3)
1	3,891	1,200	6,351	69,545	95,902	12,234	17,245	22,746	18,835	220	586	248,755
2	5,302	1,505	9,460	56,801	107,438	21,992	27,242	37,484	44,632	308	610	312,774
3	6,505	1,516	8,816	48,586	75,856	13,635	19,035	26,083	25,814	264	562	226,672
4 - 6	18,695	4,879	29,195	207,383	256,935	45,160	53,534	70,190	71,101	767	1,800	759,639
7 - 10	11,777	3,579	21,839	158,672	194,813	29,952	38,181	53,797	58,501	506	1,413	573,030
11 - 14	6,169	1,702	10,995	92,984	97,558	14,161	18,636	27,199	27,316	236	555	297,511
15 - 29	8,564	1,939	13,398	126,278	131,839	18,501	22,740	26,512	34,208	255	580	384,814
30 - 59	3,123	680	4,385	36,844	53,757	7,208	7,882	9,428	12,933	83	216	136,539
60 - 89	686	120	784	6,514	10,858	1,540	1,408	2,021	2,562	15	62	26,570
90 +	474	103	511	6,279	10,823	1,411	1,024	2,534	1,423	15	56	24,653
TOTAL	65,186	17,223	105,734	809,886	1,035,779	165,794	206,927	277,994	297,325	2,669	6,440	2,990,957

(1) Excludes newborn, but includes "age unspecified".

(2) See footnotes table 2 for exceptions.

(3) Excludes Nova Scotia.

(4) In this table, length-of-stay data have been consolidated into ten categories to facilitate comparison between provinces. For data by province, age-group, and sex, see table 5a (iii) and following tables.

TABLE 5a (ii) SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, (1) PROVINCIAL PLAN IN-PATIENTS, (2) BY PROVINCE, 1965

LENGTH OF STAY IN DAYS	PERCENTAGE DISTRIBUTION OF SEPARATIONS, BOTH SEXES											
	NFLD.	P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (3)
1	6.0	7.0	6.0	8.6	9.3	7.4	8.3	8.2	6.3	8.2	9.1	8.3
2	8.1	8.7	8.9	7.0	10.4	13.3	13.2	13.5	15.0	11.5	9.5	10.5
3	10.0	8.8	8.3	6.0	7.3	8.2	9.2	9.4	8.7	9.9	8.7	7.6
4 - 6	28.7	28.3	27.6	25.6	24.8	27.2	25.9	25.2	23.9	28.7	28.0	25.4
7 - 10	18.1	20.8	20.7	19.6	18.8	18.1	18.5	19.4	19.7	19.0	21.9	19.2
11 - 14	9.5	9.9	10.4	11.5	9.4	8.5	9.0	9.8	9.2	8.8	8.6	9.9
15 - 29	13.1	11.3	12.7	15.6	12.7	11.2	11.0	9.5	11.5	9.6	9.0	12.9
30 - 59	4.8	3.9	4.1	4.5	5.2	4.3	3.8	3.4	4.3	3.1	3.4	4.6
60 - 89	1.1	0.7	0.7	0.8	1.0	0.9	0.7	0.7	0.9	0.6	1.0	0.9
90 +	0.7	0.6	0.5	0.8	1.0	0.9	0.5	0.9	0.5	0.6	0.9	0.8
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(1) Excludes newborn, but includes "age unspecified".

(2) See footnotes table 2 for exceptions.

(3) Excludes Nova Scotia.

TABLE 5a (iii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, NEWFOUNDLAND, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE										
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75 +	
1	(NOT AVAILABLE)	1,723	181	266	348	270	335	217	57	49	
2		2,032	198	401	601	266	275	210	43	38	
3		1,843	218	332	465	242	302	180	54	50	
4		1,707	226	299	349	251	264	214	59	45	
5		1,538	231	281	288	187	234	227	60	30	
6		1,399	218	233	257	158	222	206	48	57	
7		1,460	195	226	284	178	222	215	85	55	
8		1,338	187	204	234	179	198	229	69	38	
9		1,129	153	184	189	120	184	201	62	36	
10		952	137	121	112	99	177	197	71	38	
11 - 14		2,743	340	329	350	281	523	586	204	130	
15 - 19		1,965	218	210	209	177	349	467	207	128	
20 - 29		2,167	220	183	238	160	357	603	261	145	
30 - 59		1,668	154	155	199	129	227	470	190	144	
60 - 89		365	35	30	61	15	40	94	42	48	
90 +		260	22	22	41	24	30	57	26	38	
TOTAL			24,289	2,933	3,476	4,225	2,736	3,939	4,373	1,538	1,069

(1) See footnotes table 2.

TABLE 5a (iv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, NEWFOUNDLAND, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	(NOT AVAILABLE)	2,168	90	180	246	638	736	189	60	29
2		3,270	125	283	545	886	1,137	216	57	21
3		4,662	170	222	458	1,580	1,902	254	44	32
4		5,482	157	206	335	1,988	2,501	211	56	28
5		5,264	162	195	263	1,983	2,325	242	61	33
6		3,305	142	199	217	1,118	1,334	207	57	31
7		2,380	170	181	227	727	761	214	59	41
8		1,833	126	144	213	492	545	207	71	35
9		1,470	116	105	162	311	492	189	52	43
10		1,215	91	96	107	249	402	182	58	30
11 - 14		3,426	231	209	265	547	1,125	703	229	117
15 - 19		2,334	138	161	184	287	658	566	225	115
20 - 29		2,098	157	169	167	250	481	541	215	118
30 - 59		1,455	105	118	151	137	248	399	182	115
60 - 89		321	21	42	43	22	28	65	60	40
90+		214	15	14	47	16	15	43	34	30
TOTAL		40,897	2,016	2,524	3,630	11,231	14,690	4,428	1,520	858

(1) See footnotes table 2.

TABLE 5a (v) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS,⁽¹⁾ PRINCE EDWARD ISLAND, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	21	577	15	77	127	86	119	71	39	43
2	3	606	36	106	160	75	74	86	44	25
3	28	633	52	101	143	76	68	105	44	44
4	124	495	41	65	78	68	67	94	46	36
5	527	478	37	61	73	59	72	91	47	38
6	318	461	51	60	70	54	54	79	56	37
7	110	475	58	76	72	39	52	91	47	40
8	31	419	42	56	40	36	61	97	42	45
9	14	336	37	33	32	20	43	97	36	38
10	20	278	35	38	20	21	32	63	32	37
11 - 14	27	778	68	81	44	39	107	189	134	116
15 - 19	18	487	43	29	22	29	50	126	102	86
20 - 29	23	457	32	18	18	17	52	124	110	86
30 - 59	17	355	8	9	10	12	26	105	83	102
60 - 89	1	61	1	1	2	5	6	18	10	18
90+	-	59	1	4	4	8	2	21	10	9
TOTAL	1,282	6,955	557	815	915	644	885	1,457	882	800

(1) See footnotes table 2.

TABLE 5a (vi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) PRINCE EDWARD ISLAND, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	18	623	13	50	60	167	215	62	32	24
2	4	899	21	90	177	172	286	104	30	19
3	27	883	37	74	141	190	239	126	47	29
4	157	812	24	43	72	210	298	97	39	29
5	517	1,473	35	38	58	488	682	97	40	35
6	263	1,160	52	35	62	324	516	100	47	24
7	81	796	32	49	73	224	238	92	47	41
8	37	520	32	44	44	99	137	91	34	39
9	11	389	26	33	29	62	90	67	34	48
10	14	366	19	29	18	47	81	87	56	29
11 - 14	23	924	49	49	46	71	209	247	134	119
15 - 19	21	551	23	22	19	30	86	158	88	125
20 - 29	14	444	19	14	18	20	46	110	96	121
30 - 59	6	325	7	7	10	5	42	88	62	104
60 - 89	2	59	1	3	4	-	3	13	13	22
90 +	-	44	-	3	6	-	3	8	8	16
TOTAL	1,195	10,268	390	583	837	2,109	3,171	1,547	807	824

(1) See footnotes table 2.

TABLE 5a (vii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) NEW BRUNSWICK, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75 +
1	129	2,765	81	309	527	530	553	449	163	153
2	116	4,157	138	761	1,335	538	542	502	165	176
3	459	3,399	187	491	869	468	520	517	205	142
4	1,391	3,161	205	390	653	460	546	554	179	174
5	2,271	2,940	216	360	520	385	525	546	208	180
6	1,291	2,701	243	350	450	338	449	519	174	178
7	540	2,672	247	345	436	327	427	502	209	179
8	282	2,426	207	300	369	264	424	496	205	161
9	172	2,124	174	245	283	226	332	508	192	164
10	111	1,781	176	196	209	152	291	437	169	151
11 - 14	239	4,742	479	448	497	388	729	1,192	532	477
15 - 19	115	3,284	284	254	200	234	479	896	487	450
20 - 29	104	3,094	199	168	180	177	390	923	576	481
30 - 59	70	2,250	88	105	125	107	249	690	465	421
60 - 89	10	424	11	13	26	18	33	116	111	96
90 +	3	251	9	12	11	13	26	59	45	76
TOTAL	7,303	42,171	2,944	4,747	6,690	4,625	6,515	8,906	4,085	3,659

(1) See footnotes table 2.

TABLE 5a (viii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) NEW BRUNSWICK, 1965

- 41 -

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	NUMBER OF SEPARATIONS, FEMALE							
			UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	92	3,586	54	206	415	1,040	1,248	373	127	123
2	142	5,303	70	578	1,263	1,191	1,473	471	135	122
3	541	5,417	140	364	813	1,441	1,772	591	161	135
4	1,429	6,387	176	327	582	1,982	2,366	618	188	148
5	2,151	7,865	180	305	489	2,596	3,358	560	195	182
6	1,140	6,141	192	303	410	1,864	2,459	535	218	160
7	491	4,462	211	283	412	1,130	1,497	523	202	204
8	229	3,273	159	242	365	737	956	454	192	168
9	153	2,708	139	191	246	449	839	501	185	158
10	105	2,393	138	175	194	324	740	495	162	165
11 - 14	188	6,253	298	358	419	616	1,784	1,602	609	567
15 - 19	133	3,829	177	188	206	249	925	1,095	533	456
20 - 29	106	3,191	145	143	171	162	561	949	510	550
30 - 59	80	2,135	59	71	81	99	283	595	437	510
60 - 89	13	360	10	14	9	14	23	90	89	111
90+	9	260	8	12	7	6	17	56	50	104
TOTAL	7,002	63,563	2,156	3,760	6,082	13,900	20,301	9,508	3,993	3,863

(1) See footnotes table 2.

TABLE 5a (ix) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, QUEBEC, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,813	34,049	843	6,339	10,508	4,509	5,996	4,150	1,082	622
2	639	26,118	738	4,771	8,908	3,879	4,219	2,563	667	373
3	3,095	19,522	838	2,237	4,015	3,415	4,669	3,189	762	397
4	12,158	19,149	821	1,833	3,156	3,179	5,151	3,680	847	482
5	21,040	18,941	927	1,760	3,050	2,886	4,994	3,816	949	559
6	10,089	17,653	1,021	1,695	2,705	2,543	4,514	3,678	937	560
7	5,136	18,758	1,196	1,816	2,655	2,446	4,692	4,153	1,176	624
8	2,481	16,500	1,102	1,508	2,085	2,009	4,141	3,898	1,140	617
9	1,280	14,908	983	1,410	1,724	1,559	3,643	3,850	1,103	636
10	774	13,054	956	1,229	1,359	1,223	3,225	3,447	1,040	575
11 - 14	1,656	38,821	2,942	3,483	3,522	3,094	8,563	11,202	3,865	2,150
15 - 19	1,101	28,442	2,200	2,087	2,024	1,829	5,481	9,063	3,648	2,110
20 - 29	1,105	27,465	2,051	1,704	1,579	1,416	4,616	9,456	4,174	2,469
30 - 59	684	18,004	1,384	933	833	1,017	2,659	5,789	3,161	2,228
60 - 89	98	3,343	231	125	159	225	502	1,008	608	485
90+	32	3,084	89	77	165	184	321	732	656	860
TOTAL	63,181	317,811	18,322	33,007	48,447	35,413	67,386	73,674	25,815	15,747

(1) See footnotes table 2.

TABLE 5a (x) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, QUEBEC, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,399	35,496	511	4,807	9,380	6,822	9,270	3,138	970	598
2	548	30,683	404	3,464	7,781	7,207	8,765	2,231	525	306
3	3,090	29,064	446	1,395	2,853	8,261	12,256	2,870	619	364
4	11,875	43,348	596	1,230	2,382	14,154	20,554	3,336	698	398
5	19,980	62,453	634	1,252	2,287	21,464	31,997	3,513	838	468
6	9,685	45,839	710	1,216	2,052	13,808	23,184	3,506	845	518
7	4,619	33,532	775	1,342	2,061	8,441	15,491	3,694	1,092	636
8	1,753	24,176	742	1,244	1,742	5,170	9,813	3,771	1,090	604
9	961	20,092	700	1,034	1,445	3,630	7,811	3,759	1,114	599
10	717	17,652	667	942	1,148	2,638	6,836	3,776	1,066	579
11 - 14	1,453	54,163	2,062	2,609	2,986	6,291	19,533	14,175	4,209	2,298
15 - 19	1,049	37,788	1,481	1,658	1,708	3,319	11,866	11,763	3,889	2,104
20 - 29	1,087	32,583	1,455	1,325	1,169	2,116	8,439	10,741	4,637	2,701
30 - 59	660	18,840	943	722	708	993	3,941	6,097	3,209	2,227
60 - 89	105	3,171	139	98	143	185	540	955	590	521
90 +	24	3,195	87	106	111	127	282	651	720	1,111
TOTAL	59,005	492,075	12,352	24,444	39,956	104,626	190,578	77,976	26,111	16,032

(1) See footnotes table 2.

TABLE 5a (xi) SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN OF ALL AGES,
IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, ONTARIO, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, (1) BOTH SEXES AND ALL AGES		
	NEWBORN	TOTAL SEPARATIONS, ADULTS AND CHILDREN, FROM ACTIVE, CONVALESCENT, AND CHRONIC HOSPITALS	SEPARATIONS, ADULTS AND CHILDREN, FROM ACTIVE AND CONVALESCENT HOSPITALS
1	2,256	95,902	95,768
2	735	107,438	107,309
3	2,596	75,856	75,762
4 - 6	92,850	256,935	256,655
7 - 10	32,906	194,813	194,423
11 - 14	4,408	97,558	97,210
15 - 29	5,229	131,839	130,762
30 - 59	1,664	53,757	52,375
60 - 89	250	10,858	9,985
90 +	77	10,823	6,364
TOTAL	142,971	1,035,779	1,026,613
			9,166

(1) See footnotes table 2. Also includes 2,821 separations and 33,940 patient-days of these separations for which the age was unspecified.

TABLE 5a (xii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, MANITOBA, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	174	5,775	249	782	1,271	911	967	859	370	366
2	54	9,558	408	1,855	3,073	1,111	1,290	1,146	359	316
3	163	5,849	443	812	1,019	720	971	1,077	424	383
4	1,352	5,414	443	737	814	592	878	1,064	458	428
5	4,370	4,774	480	649	633	447	761	915	449	440
6	1,953	4,070	380	517	504	384	621	893	370	401
7	876	3,933	402	427	395	298	636	836	463	476
8	278	3,383	314	308	308	275	487	877	442	372
9	196	2,810	221	235	206	153	459	779	386	371
10	167	2,300	187	183	142	132	298	641	370	347
11 - 14	259	6,352	457	413	405	298	829	1,698	1,093	1,159
15 - 19	156	4,630	252	210	198	197	598	1,333	904	938
20 - 29	184	4,746	183	149	187	145	498	1,433	1,082	1,069
30 - 59	150	3,812	119	104	115	154	379	1,020	854	1,067
60 - 89	22	775	19	10	26	34	68	198	154	266
90+	6	691	11	8	9	31	60	143	161	268
TOTAL	10,360	68,872	4,568	7,399	9,305	5,882	9,800	14,912	8,339	8,667

(1) See footnotes table 2.

TABLE 5a (xiii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, MANITOBA, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	151	6,459	182	566	958	1,547	2,023	686	225	272
2	40	12,434	260	1,393	2,970	2,318	3,230	1,666	343	254
3	177	7,786	266	637	957	1,442	2,431	1,395	341	317
4	1,570	8,595	368	598	685	2,020	2,928	1,198	416	382
5	4,117	12,873	340	511	559	3,958	5,687	1,049	421	348
6	1,766	9,434	339	407	441	2,732	3,843	925	399	348
7	664	6,317	264	338	387	1,440	2,276	849	403	360
8	247	4,432	208	309	248	824	1,377	777	359	330
9	191	3,577	182	189	188	491	1,070	774	357	326
10	116	3,200	136	132	137	350	913	801	371	360
11 - 14	231	7,809	318	349	320	616	1,956	2,215	1,019	1,016
15 - 19	139	4,721	191	144	155	313	965	1,411	741	801
20 - 29	143	4,404	122	114	136	208	714	1,309	811	990
30 - 59	116	3,396	86	60	79	130	489	897	695	960
60 - 89	11	765	16	11	11	23	78	188	190	248
90+	5	720	10	8	7	15	43	139	110	388
TOTAL	9,684	96,922	3,288	5,766	8,238	18,427	30,023	16,279	7,201	7,700

(1) See footnotes table 2.

TABLE 5a (xiv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, SASKATCHEWAN, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75 +
1	197	8,005	378	1,075	1,640	1,212	1,270	1,347	513	570
2	81	11,797	435	2,414	4,178	1,230	1,328	1,251	472	489
3	289	8,173	550	1,236	1,790	996	1,219	1,290	543	549
4	1,310	7,117	621	1,097	1,217	705	1,039	1,260	559	619
5	3,989	6,058	587	932	926	578	810	1,096	559	570
6	2,366	5,158	507	773	739	410	656	954	545	574
7	970	5,061	510	680	703	409	648	1,024	520	567
8	338	4,324	412	491	497	327	593	935	504	565
9	266	3,594	344	400	353	228	478	828	431	532
10	145	2,995	276	324	239	181	387	704	414	470
11 - 14	205	8,289	700	743	581	436	994	2,075	1,272	1,488
15 - 19	147	5,528	378	391	277	215	592	1,416	1,026	1,233
20 - 29	150	5,463	300	297	209	216	533	1,498	1,071	1,339
30 - 59	116	4,251	183	171	154	127	312	1,025	992	1,287
60 - 89	25	754	20	27	28	27	53	153	153	293
90 +	3	522	11	20	16	17	20	84	106	248
TOTAL	10,597	87,089	6,212	11,071	13,547	7,314	10,932	16,940	9,680	11,393

(1) See footnotes table 2.

TABLE 5a (xv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, SASKATCHEWAN, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	141	9,240	241	770	1,329	1,983	2,879	1,294	372	372
2	73	15,445	334	1,751	3,967	2,707	3,888	1,997	449	352
3	301	10,862	429	925	1,721	2,187	2,951	1,751	446	452
4	1,496	10,388	458	820	1,177	2,236	3,187	1,508	525	477
5	3,941	13,507	415	753	857	3,904	5,182	1,335	570	491
6	2,170	11,306	422	642	742	3,105	4,268	1,151	477	499
7	754	8,146	388	523	631	1,919	2,540	1,134	520	491
8	268	5,699	308	415	454	1,088	1,573	939	470	452
9	205	4,577	226	359	325	688	1,288	905	413	373
10	128	3,785	231	281	207	441	998	871	359	397
11 - 14	186	10,347	458	583	433	880	2,693	2,807	1,204	1,289
15 - 19	126	6,460	291	289	202	389	1,289	1,958	983	1,059
20 - 29	141	5,289	209	208	177	259	838	1,480	975	1,143
30 - 59	124	3,631	117	128	111	150	399	983	728	1,015
60 - 89	23	654	17	17	16	28	65	142	121	248
90+	4	502	10	19	17	14	36	85	103	218
TOTAL	10,081	119,838	4,554	8,483	12,366	21,978	34,074	20,340	8,715	9,528

(1) See footnotes table 2.

TABLE 5a (xvi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, ALBERTA, 1965

- 49 -

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	262	10,241	337	1,236	2,164	1,635	2,099	1,707	546	517
2	88	16,505	450	3,244	6,167	1,653	2,124	1,792	581	494
3	275	11,214	600	1,674	2,615	1,415	1,863	1,892	589	566
4	1,949	9,440	718	1,357	1,725	1,103	1,597	1,620	703	617
5	3,889	8,027	664	1,111	1,278	810	1,322	1,556	678	608
6	4,026	6,858	551	928	941	709	1,101	1,373	642	613
7	2,869	6,287	562	809	831	536	987	1,246	677	639
8	951	5,342	458	579	608	416	846	1,213	618	604
9	585	4,498	365	442	450	271	715	1,052	596	607
10	357	3,646	279	379	316	235	557	908	516	456
11 - 14	804	11,665	820	966	964	757	1,684	2,949	1,817	1,708
15 - 19	356	6,573	403	390	420	258	795	1,795	1,249	1,263
20 - 29	291	6,194	282	271	317	247	713	1,875	1,204	1,285
30 - 59	181	4,979	161	184	277	186	481	1,376	1,014	1,300
60 - 89	35	1,071	20	43	76	55	100	237	216	324
90+	11	1,294	24	30	86	48	70	204	268	564
TOTAL	16,929	113,834	6,694	13,643	19,235	10,334	17,054	22,795	11,914	12,165

(1) See footnotes table 2.

TABLE 5a (xvii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, ALBERTA, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75 +
1	197	12,505	233	959	1,694	3,010	4,199	1,664	378	368
2	71	20,979	324	2,369	5,760	3,647	5,517	2,489	521	352
3	315	14,869	423	1,295	2,314	3,082	4,385	2,377	569	424
4	1,899	13,858	531	1,133	1,421	3,207	4,617	1,946	573	430
5	3,933	16,458	456	963	1,120	4,869	6,336	1,653	597	464
6	3,692	15,549	451	790	846	4,700	6,177	1,487	599	499
7	2,405	12,880	387	690	769	3,705	4,903	1,330	577	519
8	857	9,040	314	482	561	2,030	3,283	1,371	534	465
9	553	6,639	242	393	359	1,157	2,288	1,252	496	452
10	344	5,465	228	287	248	785	1,852	1,183	484	398
11 - 14	797	15,534	633	836	756	1,966	4,510	3,811	1,565	1,457
15 - 19	316	7,580	289	351	317	548	1,783	2,132	1,076	1,084
20 - 29	286	6,165	224	221	243	352	1,273	1,729	995	1,128
30 - 59	160	4,449	158	148	172	240	662	1,182	818	1,069
60 - 89	33	950	18	30	63	32	91	205	187	324
90 +	13	1,240	6	18	52	42	72	188	228	634
TOTAL	15,871	164,160	4,917	10,965	16,695	33,372	51,948	25,999	10,197	10,067

(1) See footnotes table 2.

TABLE 5a (xviii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) BRITISH COLUMBIA, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	215	8,976	253	1,089	1,826	1,389	1,702	1,509	562	646
2	50	19,584	364	4,208	7,551	1,676	2,494	2,041	674	576
3	176	10,808	480	1,481	2,154	1,428	2,188	1,881	629	567
4	1,389	9,429	543	1,272	1,458	1,041	1,998	1,954	589	574
5	4,167	8,319	535	1,102	1,213	914	1,576	1,813	611	555
6	4,476	7,249	525	879	938	681	1,377	1,703	581	565
7	2,589	6,905	496	821	824	646	1,199	1,588	653	678
8	1,025	5,976	422	627	589	482	1,035	1,556	619	646
9	630	4,867	360	450	455	336	791	1,264	604	607
10	478	4,152	287	375	344	268	645	1,161	532	540
11 - 14	604	11,705	757	844	777	605	1,645	3,292	1,851	1,934
15 - 19	327	8,370	422	499	419	348	1,033	2,401	1,541	1,707
20 - 29	313	8,779	362	362	340	283	913	2,578	1,829	2,112
30 - 59	202	6,859	238	275	238	212	616	1,855	1,499	1,926
60 - 89	26	1,393	41	60	80	68	118	311	294	421
90 +	14	785	19	20	40	61	86	180	158	221
TOTAL	16,681	124,156	6,104	14,364	19,246	10,438	19,416	27,087	13,226	14,275

(1) See footnotes table 2.

TABLE 5a (xix) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) BRITISH COLUMBIA, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	159	9,859	155	856	1,321	2,289	3,050	1,296	395	497
2	56	25,048	282	3,169	7,126	3,788	6,423	3,264	571	425
3	293	15,006	351	1,054	1,978	3,110	4,759	2,738	585	431
4	1,671	12,966	420	995	1,163	3,158	4,354	1,898	512	466
5	4,575	16,488	421	801	964	5,014	6,532	1,797	475	484
6	3,966	16,650	410	714	771	5,247	6,936	1,565	520	487
7	2,120	13,383	396	616	640	3,788	5,173	1,587	599	584
8	861	9,366	316	494	521	1,980	3,518	1,481	529	527
9	551	7,494	251	389	364	1,259	2,737	1,514	501	479
10	431	6,358	203	298	282	814	2,206	1,572	509	474
11 - 14	565	15,611	598	747	620	1,398	4,539	4,323	1,650	1,736
15 - 19	273	9,022	298	421	367	576	1,957	2,708	1,255	1,440
20 - 29	313	8,037	232	340	278	410	1,398	2,402	1,395	1,582
30 - 59	208	6,074	147	206	181	213	831	1,609	1,219	1,668
60 - 89	31	1,169	29	41	43	52	114	291	268	331
90+	13	638	10	31	24	34	71	159	128	181
TOTAL	16,086	173,169	4,519	11,172	16,643	33,130	54,598	30,204	11,111	11,792

(1) See footnotes table 2.

TABLE 5a (xx) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN⁽¹⁾ IN-PATIENTS, YUKON, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	3	106	9	20	24	15	17	14	3	4
2	2	132	8	29	38	9	24	20	1	3
3	4	122	13	25	17	8	33	17	4	5
4	25	85	5	8	17	11	22	15	5	2
5	99	82	8	11	9	9	19	15	4	7
6	36	84	7	15	5	8	22	22	1	4
7	20	66	2	8	9	5	22	16	3	1
8	3	83	11	7	4	8	25	18	5	5
9	5	52	6	7	5	2	17	11	2	2
10	4	42	2	6	3	2	16	8	4	1
11 - 14	5	110	9	9	10	3	29	33	9	8
15 - 19	1	60	7	2	5	3	19	16	3	5
20 - 29	3	74	4	7	2	6	9	21	14	11
30 - 59	2	48	2	2	7	2	9	13	4	9
60 - 89	1	10	3	1	-	-	2	3	1	-
90 +	-	10	-	-	-	3	1	3	2	1
TOTAL	213	1,166	96	157	155	94	286	245	65	68

(1) See footnotes table 2.

TABLE 5a (xxi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN⁽¹⁾ IN-PATIENTS, YUKON, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	NUMBER OF SEPARATIONS, FEMALE							
			UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	5	114	5	13	14	36	37	8	-	1
2	1	176	3	25	42	37	54	12	1	2
3	6	142	10	19	12	35	44	19	2	1
4	26	130	1	16	14	36	49	13	1	-
5	96	231	8	6	9	68	131	7	1	1
6	40	155	5	7	5	49	76	9	1	3
7	8	106	7	10	7	26	42	8	4	2
8	4	76	3	5	6	25	24	11	-	2
9	3	41	2	1	1	12	17	5	1	2
10	3	40	3	2	2	6	19	7	1	-
11 - 14	3	126	5	9	9	14	46	33	6	4
15 - 19	5	67	2	1	6	10	24	12	9	3
20 - 29	-	54	2	-	2	2	24	20	2	2
30 - 59	1	35	1	2	3	2	6	11	6	4
60 - 89	1	5	-	-	1	-	-	3	1	-
90+	-	5	-	-	2	-	-	2	1	-
TOTAL	202	1,503	57	116	135	358	593	180	37	27

(1) See footnotes table 2.

TABLE 5a (xxii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS⁽¹⁾, NORTHWEST TERRITORIES, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	8	260	38	50	45	49	47	23	2	6
2	19	241	34	49	66	31	34	13	10	4
3	34	201	27	57	51	22	28	10	4	2
4	72	191	36	36	33	27	39	17	3	-
5	126	189	36	43	33	14	39	18	6	-
6	99	188	43	45	19	13	34	26	4	4
7	63	184	44	45	20	13	31	22	6	3
8	34	154	30	35	18	10	29	19	8	5
9	19	94	28	24	9	4	12	11	1	5
10	14	97	28	19	8	7	19	9	2	5
11 - 14	11	234	49	53	27	15	33	39	13	5
15 - 19	8	140	19	32	15	8	21	32	8	5
20 - 29	11	148	25	32	10	11	27	26	8	9
30 - 59	7	115	12	24	16	8	19	22	8	6
60 - 89	1	33	4	3	5	4	8	5	2	2
90+	-	35	6	6	5	4	5	7	1	1
TOTAL	526	2,504	459	553	380	240	425	299	86	62

(1) See footnotes table 2.

TABLE 5a (xxiii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, (1) NORTHWEST TERRITORIES, 1965

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	8	326	34	43	51	59	112	17	6	4
2	21	369	16	36	72	102	118	21	4	-
3	43	361	19	45	38	102	133	18	5	1
4	63	351	21	29	27	92	148	26	7	1
5	111	454	24	45	19	137	200	23	4	2
6	85	427	36	36	17	102	196	24	15	1
7	56	365	34	54	32	90	133	16	3	3
8	18	239	26	36	18	51	87	18	2	1
9	9	174	21	25	17	45	46	15	2	3
10	10	106	8	23	6	17	41	8	2	1
11 - 14	10	321	40	40	26	38	120	43	10	4
15 - 19	9	165	21	31	15	11	42	31	9	5
20 - 29	11	127	15	11	17	5	40	26	9	4
30 - 59	14	101	11	14	13	11	28	10	6	8
60 - 89	-	29	2	3	-	3	8	8	2	3
90+	1	21	5	3	3	2	5	3	-	-
TOTAL	469	3,936	333	474	371	867	1,457	307	86	41

(1) See footnotes table 2.

TABLE 5b (i) PATIENT-DAYS OF SEPARATIONS, BY LENGTH OF STAY, FOR BOTH SEXES, AND ALL AGES⁽¹⁾, PROVINCIAL PLAN
IN-PATIENTS⁽²⁾, BY PROVINCE, 1965

LENGTH OF STAY IN DAYS(4)	PATIENT-DAYS OF SEPARATIONS, BOTH SEXES											
	NFLD.	P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (3)
1	5,891	1,200	6,351	69,546	95,902	12,234	17,245	22,746	18,835	220	586	248,756
2	10,604	3,010	18,920	113,602	214,876	43,984	54,484	74,968	89,262	616	1,220	625,546
3	19,515	4,548	26,448	145,758	227,568	40,902	57,105	78,249	77,431	792	1,686	680,002
4 - 6	90,990	24,710	145,269	1,037,910	1,293,939	225,295	266,629	350,059	356,939	3,859	9,073	3,804,672
7 - 10	97,309	29,374	180,758	1,313,498	1,602,520	246,753	313,972	440,568	481,008	4,133	11,429	4,721,322
11 - 14	76,281	20,672	135,137	1,149,846	1,202,774	174,135	229,697	332,905	335,806	2,858	6,882	3,666,993
15 - 29	179,344	38,755	268,215	2,530,055	2,681,219	374,355	455,548	529,558	691,056	5,099	11,673	7,764,877
30 - 59	123,949	27,528	173,908	1,451,255	2,147,827	288,863	313,348	376,321	514,481	3,290	8,553	5,429,323
60 - 89	48,852	8,401	56,046	464,667	776,141	101,756	100,229	144,767	181,719	1,053	4,507	1,894,138
90 +	74,853	18,109	70,610	1,819,155	3,204,697	320,212	168,064	742,612	200,364	2,726	8,237	6,629,639
TOTAL	725,588	176,307	1,081,662	10,095,292	13,447,463	1,834,489	1,976,321	3,092,753	2,946,901	24,646	63,846	35,465,268

(1), (2), (3), (4), See footnotes table 5a (i).

TABLE 5b (ii) PATIENT-DAYS OF SEPARATIONS, BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES⁽¹⁾, PROVINCIAL PLAN IN-PATIENTS⁽²⁾,
BY PROVINCE, 1965

LENGTH OF STAY IN DAYS	PERCENTAGE DISTRIBUTION OF PATIENT-DAYS, BOTH SEXES											
	NFLD.	P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (3)
1	0.5	0.7	0.6	0.7	0.7	0.7	0.9	0.7	0.6	0.9	0.9	0.7
2	1.5	1.7	1.7	1.1	1.6	2.4	2.8	2.4	3.0	2.5	1.9	1.8
3	2.7	2.6	2.4	1.4	1.7	2.2	2.9	2.5	2.6	3.2	2.6	1.9
4 - 6	12.5	14.0	13.4	10.3	9.6	12.3	13.5	11.3	12.1	15.7	14.2	10.7
7 - 10	13.4	16.7	16.7	13.0	11.9	13.4	15.9	14.2	16.3	16.8	17.9	13.3
11 - 14	10.5	11.7	12.5	11.4	8.9	9.5	11.6	10.8	11.4	11.6	10.8	10.3
15 - 29	24.7	22.0	24.8	25.1	19.9	20.4	23.0	17.1	23.4	20.7	18.3	21.9
30 - 59	17.1	15.6	16.1	14.4	16.0	15.7	15.9	12.2	17.5	13.3	13.4	15.3
60 - 89	6.7	4.8	5.2	4.6	5.8	5.9	5.1	4.7	6.2	4.3	7.1	5.3
90 +	10.3	10.3	6.5	18.0	23.8	17.5	8.5	24.0	6.8	11.1	12.9	18.7
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(1), (2), (3), See footnotes table 5a (ii).

TABLE 5b (iii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, NEWFOUNDLAND, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+

(NOT AVAILABLE)

(1) See footnotes Table 2

TABLE 5b(iv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, NEWFOUNDLAND, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	(NOT AVAILABLE)	2,168	90	180	246	638	736	189	60	29
2		6,540	250	566	1,090	1,772	2,274	432	114	42
3		13,986	510	666	1,374	4,740	5,706	762	132	96
4		21,928	628	824	1,340	7,952	10,004	844	224	112
5		26,320	810	975	1,315	9,915	11,625	1,210	305	165
6		19,830	852	1,194	1,302	6,708	8,004	1,242	342	186
7		16,660	1,190	1,267	1,589	5,089	5,327	1,498	413	287
8		14,664	1,008	1,152	1,704	3,936	4,360	1,656	568	280
9		13,230	1,044	945	1,458	2,799	4,428	1,701	468	387
10		12,150	910	960	1,070	2,490	4,020	1,820	580	300
11 - 14		42,349	2,852	2,548	3,274	6,698	13,870	8,790	2,857	1,460
15 - 19		39,156	2,312	2,691	3,068	4,803	10,987	9,553	3,789	1,953
20 - 29		49,717	3,692	3,947	3,972	5,996	11,350	12,823	5,168	2,769
30 - 59		57,679	4,138	4,724	6,134	5,339	9,579	15,683	7,325	4,757
60 - 89		22,981	1,486	2,998	3,076	1,563	2,013	4,700	4,265	2,880
90+		33,875	1,995	1,920	7,574	2,579	2,021	5,899	4,808	7,079
TOTAL		393,233	23,767	27,557	39,586	73,017	106,304	68,802	31,418	22,782

(1) See footnotes Table 2

TABLE 5b (v) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS,
PRINCE EDWARD ISLAND, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	21	577	15	77	127	86	119	71	39	43
2	6	1,212	72	212	320	150	148	172	88	50
3	84	1,899	156	303	429	228	204	315	132	132
4	496	1,980	164	260	312	272	268	376	184	144
5	2,577	2,390	185	305	365	295	360	455	235	190
6	1,815	2,767	306	361	420	324	324	474	336	222
7	774	3,325	406	532	504	273	364	637	329	280
8	248	3,352	336	448	320	288	488	776	336	360
9	126	3,024	333	297	288	180	387	873	324	342
10	200	2,780	350	380	200	210	320	630	320	370
11 - 14	477	9,404	829	844	526	472	1,310	2,322	1,659	1,442
15 - 19	309	8,174	728	490	372	476	831	2,138	1,712	1,427
20 - 29	536	10,814	730	421	418	389	1,254	2,957	2,627	2,018
30 - 59	661	14,335	301	385	403	515	1,059	4,153	3,254	4,265
60 - 89	63	4,248	84	67	151	361	414	1,280	665	1,226
90+	-	10,490	98	1,616	535	1,463	364	3,233	1,604	1,577
TOTAL	8,393	80,771	5,093	6,998	5,690	5,982	8,214	20,862	13,844	14,088

(1) See footnotes Table 2

TABLE 5b (vi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS,
PRINCE EDWARD ISLAND, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	18	623	13	50	60	167	215	62	32	24
2	8	1,798	42	180	354	344	572	208	60	38
3	81	2,649	111	222	423	570	717	378	141	87
4	628	3,248	96	172	288	840	1,192	388	156	116
5	2,527	7,365	175	190	290	2,440	3,410	485	200	175
6	1,485	6,960	312	210	372	1,944	3,096	600	282	144
7	565	5,572	224	343	511	1,568	1,666	644	329	287
8	294	4,160	256	352	352	792	1,096	728	272	312
9	99	3,501	234	297	261	558	810	603	306	432
10	140	3,660	190	290	180	470	810	870	560	290
11 - 14	313	11,268	592	465	573	872	2,561	3,064	1,672	1,469
15 - 19	349	9,265	380	356	327	509	1,443	2,676	1,461	2,113
20 - 29	317	10,502	470	318	423	476	1,076	2,595	2,279	2,865
30 - 59	225	13,193	293	285	399	212	1,633	3,455	2,417	4,499
60 - 89	156	4,153	83	224	280	-	206	886	895	1,579
90+	-	7,619	-	1,987	988	-	366	1,395	857	2,026
TOTAL	7,205	95,536	3,471	5,941	6,081	11,762	20,869	19,037	11,919	16,456

(1) See footnotes Table 2

TABLE 5b (vii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS,
NEW BRUNSWICK, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	129	2,765	81	309	527	530	553	449	163	153
2	232	8,314	276	1,522	2,670	1,076	1,084	1,004	330	352
3	1,377	10,197	561	1,473	2,607	1,404	1,560	1,551	615	426
4	5,564	12,644	820	1,560	2,612	1,840	2,184	2,216	716	696
5	11,355	14,700	1,080	1,800	2,600	1,925	2,625	2,730	1,040	900
6	7,746	16,206	1,458	2,100	2,700	2,028	2,694	3,114	1,044	1,068
7	3,780	18,704	1,729	2,415	3,052	2,289	2,989	3,514	1,463	1,253
8	2,256	19,408	1,656	2,400	2,952	2,112	3,392	3,968	1,640	1,288
9	1,548	19,116	1,566	2,205	2,547	2,034	2,988	4,572	1,728	1,476
10	1,110	17,810	1,760	1,960	2,090	1,520	2,910	4,370	1,690	1,510
11 - 14	2,930	58,466	5,856	5,480	6,109	4,759	8,967	14,806	6,584	5,905
15 - 19	1,914	55,028	4,722	4,233	3,311	3,901	7,985	15,070	8,207	7,599
20 - 29	2,444	73,601	4,697	3,985	4,270	4,101	9,147	21,976	13,864	11,561
30 - 59	2,740	89,219	3,263	4,164	5,043	4,345	9,492	27,060	18,798	17,054
60 - 89	700	30,248	800	923	1,849	1,239	2,357	8,340	7,981	6,759
90+	339	34,645	1,140	1,760	1,282	1,745	3,789	7,501	6,064	11,364
TOTAL	46,164	481,071	31,465	38,289	46,221	36,848	64,716	122,241	71,927	69,364

(1) See footnotes Table 2

TABLE 5b (viii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS,
NEW BRUNSWICK, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	92	3,586	54	206	415	1,040	1,248	373	127	123
2	284	10,606	140	1,156	2,526	2,382	2,946	942	270	244
3	1,623	16,251	420	1,092	2,439	4,323	5,316	1,773	483	405
4	5,716	25,548	704	1,308	2,328	7,928	9,464	2,472	752	592
5	10,755	39,325	900	1,525	2,445	12,980	16,790	2,800	975	910
6	6,840	36,846	1,152	1,818	2,460	11,184	14,754	3,210	1,308	960
7	3,437	31,234	1,477	1,981	2,884	7,910	10,479	3,661	1,414	1,428
8	1,832	26,184	1,272	1,936	2,920	5,896	7,648	3,632	1,536	1,344
9	1,377	24,372	1,251	1,719	2,214	4,041	7,551	4,509	1,665	1,422
10	1,050	23,930	1,380	1,750	1,940	3,240	7,400	4,950	1,620	1,650
11 - 14	2,307	76,671	3,636	4,366	5,059	7,488	21,734	19,757	7,577	7,054
15 - 19	2,202	64,163	2,976	3,133	3,417	4,180	15,414	18,414	8,954	7,675
20 - 29	2,542	75,423	3,426	3,349	4,007	3,817	13,096	22,478	12,108	13,142
30 - 59	3,182	84,689	2,410	2,802	3,441	3,801	11,056	23,480	17,610	20,089
60 - 89	922	25,798	733	960	590	962	1,689	6,388	6,493	7,983
90+	1,398	35,965	1,428	1,578	872	711	2,258	7,435	6,851	14,832
TOTAL	45,559	600,591	23,359	30,679	39,957	81,883	148,843	126,274	69,743	79,853

See footnotes Table 2

TABLE 5b (ix) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS,
QUEBEC, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,813	34,049	843	6,339	10,508	4,510	5,995	4,150	1,082	622
2	1,278	52,236	1,476	9,542	17,816	7,758	8,438	5,126	1,334	746
3	9,285	58,566	2,514	6,711	12,045	10,245	14,007	9,567	2,286	1,191
4	48,632	76,596	3,284	7,332	12,624	12,716	20,604	14,720	3,388	1,928
5	105,200	94,705	4,635	8,800	15,250	14,430	24,970	19,080	4,745	2,795
6	60,534	105,918	6,126	10,170	16,230	15,258	27,084	22,068	5,622	3,360
7	35,952	131,306	8,372	12,712	18,585	17,122	32,844	29,071	8,232	4,368
8	19,848	132,000	8,816	12,064	16,680	16,072	33,128	31,184	9,120	4,936
9	11,520	134,172	8,847	12,690	15,516	14,031	32,787	34,650	9,927	5,724
10	7,740	130,540	9,560	12,290	13,590	12,230	32,250	34,470	10,400	5,750
11 - 14	20,273	480,115	36,484	42,966	43,300	38,034	105,427	138,843	48,193	26,868
15 - 19	18,577	476,707	36,927	34,878	33,619	30,447	91,509	152,336	61,517	35,474
20 - 29	26,336	651,689	48,743	40,159	37,260	33,560	108,897	224,375	99,529	59,166
30 - 59	26,566	711,311	54,168	36,481	33,148	41,143	104,553	226,714	125,131	89,973
60 - 89	6,991	238,651	16,376	8,780	11,370	16,214	35,769	71,761	43,518	34,863
90+	3,578	799,011	15,231	14,029	24,869	28,602	60,165	165,823	183,811	306,481
TOTAL	404,123	4,307,572	262,402	275,943	332,410	312,372	738,427	1,183,938	617,835	584,245

(1) See footnotes Table 2

TABLE 5b (x) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS,
QUEBEC, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,399	35,497	511	4,808	9,380	6,822	9,270	3,138	970	598
2	1,096	61,366	808	6,928	15,562	14,414	17,530	4,462	1,050	612
3	9,270	87,192	1,338	4,185	8,559	24,783	36,768	8,610	1,857	1,092
4	47,500	173,392	2,384	4,920	9,528	56,616	82,216	13,344	2,792	1,592
5	99,929	312,265	3,170	6,260	11,435	107,320	159,985	17,565	4,190	2,340
6	58,110	275,034	4,260	7,296	12,312	82,848	139,104	21,036	5,070	3,108
7	32,333	234,724	5,425	9,394	14,427	59,087	108,437	25,858	7,644	4,452
8	14,024	193,408	5,936	9,952	13,936	41,360	78,504	30,168	8,720	4,832
9	8,649	180,828	6,300	9,306	13,005	32,670	70,299	33,831	10,026	5,391
10	7,170	176,520	6,670	9,420	11,480	26,380	68,360	37,760	10,660	5,790
11 - 14	17,809	669,731	25,538	32,101	36,623	77,097	240,457	176,511	52,621	28,783
15 - 19	17,639	632,172	24,833	27,689	28,503	55,172	197,870	197,214	65,449	35,442
20 - 29	25,897	769,487	34,462	31,288	27,535	49,699	197,999	253,346	110,407	64,751
30 - 59	25,824	739,944	37,482	28,331	28,131	39,295	153,382	237,840	126,290	89,193
60 - 89	7,488	226,016	9,710	7,054	10,223	13,073	38,159	68,082	42,172	37,543
90+	3,113	1,020,144	14,101	18,144	17,465	17,365	59,293	162,083	245,170	486,523
TOTAL	377,250	5,787,720	182,928	217,076	268,104	704,001	1,657,633	1,290,848	695,088	772,042

(1) See footnotes Table 2

TABLE 5b (xi) PATIENT-DAYS OF SEPARATIONS, BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, ADULTS AND CHILDREN OF ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, ONTARIO, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, (1) BOTH SEXES AND ALL AGES			
	NEWBORN	TOTAL PATIENT-DAYS, ADULTS AND CHILDREN FROM ACTIVE, CONVALES- CENT, AND CHRONIC HOSPITALS	PATIENT-DAYS, ADULTS AND CHILDREN, FROM ACTIVE AND CONVALESCENT HOSPITALS	PATIENT-DAYS, ADULTS AND CHILDREN FROM CHRONIC HOSPITALS
1	2,256	95,902	95,768	134
2	1,470	214,876	214,618	258
3	7,788	227,568	227,286	282
4 - 6	479,730	1,293,939	1,292,541	1,398
7 - 10	257,824	1,602,520	1,599,212	3,308
11 - 14	53,321	1,202,774	1,198,454	4,320
15 - 29	106,628	2,681,219	2,657,897	23,322
30 - 59	64,622	2,147,827	2,088,045	59,782
60 - 89	17,449	776,141	712,109	64,032
90+	11,819	3,204,697	906,306	2,298,391
TOTAL	1,002,907	13,447,463	10,992,236	2,455,227

(1) See footnotes table 5a (xi).

TABLE 5b (xii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, MANITOBA, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	174	5,775	249	782	1,271	911	967	859	370	366
2	108	19,116	816	3,710	6,146	2,222	2,580	2,292	718	632
3	489	17,544	1,329	2,433	3,057	2,160	2,913	3,231	1,272	1,149
4	5,408	21,656	1,772	2,948	3,256	2,368	3,512	4,256	1,832	1,712
5	21,850	23,870	2,400	3,245	3,165	2,235	3,805	4,575	2,245	2,200
6	11,718	24,420	2,280	3,102	3,024	2,304	3,726	5,358	2,220	2,406
7	6,132	27,531	2,814	2,989	2,765	2,086	4,452	5,852	3,241	3,332
8	2,224	27,064	2,512	2,464	2,464	2,200	3,896	7,016	3,536	2,976
9	1,764	25,290	1,989	2,115	1,854	1,377	4,131	7,011	3,474	3,339
10	1,670	23,000	1,870	1,830	1,420	1,320	2,980	6,410	3,700	3,470
11 - 14	3,204	78,244	5,601	5,056	4,934	3,605	10,186	20,898	13,560	14,404
15 - 19	2,613	77,562	4,206	3,501	3,307	3,285	10,027	22,273	15,220	15,743
20 - 29	4,454	113,082	4,321	3,539	4,479	3,408	11,843	34,004	25,680	25,808
30 - 59	6,051	152,362	4,728	4,128	4,559	6,225	15,137	40,694	34,015	42,876
60 - 89	1,570	55,309	1,355	684	1,887	2,384	4,777	14,289	11,021	18,912
90+	1,489	134,558	3,080	1,048	976	4,493	10,232	27,626	27,889	59,214
TOTAL	70,918	826,383	41,322	43,574	48,564	42,583	95,164	206,644	149,993	198,539

(1) See footnotes Table 2

TABLE 5b (xiii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, MANITOBA, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	151	6,459	182	566	958	1,547	2,023	686	225	272
2	80	24,868	520	2,786	5,940	4,636	6,460	3,332	686	508
3	531	23,358	798	1,911	2,871	4,326	7,293	4,185	1,023	951
4	6,230	34,380	1,472	2,392	2,740	8,080	11,712	4,792	1,664	1,528
5	20,585	64,365	1,700	2,555	2,795	19,790	28,435	5,245	2,105	1,740
6	10,596	56,604	2,034	2,442	2,646	16,392	23,058	5,550	2,394	2,088
7	4,648	44,219	1,848	2,366	2,709	10,080	15,932	5,943	2,821	2,520
8	1,976	35,456	1,664	2,472	1,984	6,592	11,016	6,216	2,872	2,640
9	1,719	32,193	1,638	1,701	1,692	4,419	9,630	6,966	3,213	2,934
10	1,160	32,000	1,360	1,320	1,370	3,500	9,130	8,010	3,710	3,600
11 - 14	2,880	95,891	3,924	4,270	3,938	7,507	23,892	27,193	12,554	12,613
15 - 19	2,345	79,036	3,173	2,387	2,552	5,203	16,151	23,629	12,483	13,458
20 - 29	3,386	104,675	2,897	2,699	3,198	4,890	16,786	31,061	19,385	23,759
30 - 59	4,644	136,501	3,484	2,311	3,240	5,080	19,314	35,968	27,741	39,363
60 - 89	804	52,447	1,144	813	813	1,661	5,681	13,383	10,844	18,108
90+	488	185,654	1,263	1,749	1,037	4,613	14,009	26,967	34,001	102,015
TOTAL	62,273	1,008,106	29,101	34,740	40,483	108,316	220,522	209,126	137,721	228,097

(1) See footnotes Table 2

TABLE 5b (xiv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, SASKATCHEWAN, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75 +
1	197	8,005	378	1,075	1,640	1,212	1,270	1,347	513	570
2	162	23,594	870	4,828	8,356	2,460	2,656	2,502	944	978
3	867	24,519	1,650	3,708	5,370	2,988	3,657	3,870	1,629	1,647
4	5,240	28,468	2,484	4,388	4,868	2,820	4,156	5,040	2,236	2,476
5	19,945	30,290	2,935	4,660	4,630	2,890	4,050	5,480	2,795	2,850
6	14,196	30,948	3,042	4,638	4,434	2,460	3,936	5,724	3,270	3,444
7	6,790	35,427	3,570	4,760	4,921	2,863	4,536	7,168	3,640	3,969
8	2,704	34,592	3,296	3,928	3,976	2,616	4,744	7,480	4,032	4,520
9	2,394	32,346	3,096	3,600	3,177	2,052	4,302	7,452	3,879	4,788
10	1,450	29,950	2,760	3,240	2,390	1,810	3,870	7,040	4,140	4,700
11 - 14	2,473	102,319	8,568	9,086	7,112	5,348	12,244	25,652	15,844	18,465
15 - 19	2,487	92,649	6,342	6,516	4,582	3,574	9,862	23,885	17,226	20,662
20 - 29	3,546	129,999	7,029	7,045	5,013	5,088	12,584	35,630	25,485	32,125
30 - 59	4,647	169,130	7,172	6,732	6,173	5,224	12,260	40,178	39,785	51,606
60 - 89	1,817	53,906	1,474	1,864	1,955	1,892	3,780	10,875	11,061	21,005
90 +	307	80,860	1,361	5,110	1,954	1,943	3,444	11,597	16,070	39,381
TOTAL	69,222	907,002	56,027	75,178	70,551	47,240	91,351	200,920	152,549	213,186

(1) See footnotes Table 2

TABLE 5b (xv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, SASKATCHEWAN, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	141	9,240	241	770	1,329	1,983	2,879	1,294	372	372
2	146	30,890	668	3,502	7,934	5,414	7,776	3,994	898	704
3	903	32,586	1,287	2,775	5,163	6,561	8,853	5,253	1,338	1,356
4	5,984	41,552	1,832	3,280	4,708	8,944	12,748	6,032	2,100	1,908
5	19,705	67,535	2,075	3,765	4,285	19,520	25,910	6,675	2,850	2,455
6	13,020	67,836	2,532	3,852	4,452	18,630	25,608	6,906	2,862	2,994
7	5,278	57,022	2,716	3,661	4,417	13,433	17,780	7,938	3,640	3,437
8	2,144	45,592	2,464	3,320	3,632	8,704	12,584	7,512	3,760	3,616
9	1,845	41,193	2,034	3,231	2,925	6,192	11,592	8,145	3,717	3,357
10	1,280	37,850	2,310	2,810	2,070	4,410	9,980	8,710	3,590	3,970
11 - 14	2,251	127,378	5,600	7,102	5,265	10,710	32,989	34,792	14,938	15,982
15 - 19	2,128	107,970	4,900	4,828	3,378	6,432	21,411	32,676	16,471	17,874
20 - 29	3,385	124,930	4,900	4,910	4,143	6,047	19,587	35,057	23,052	27,234
30 - 59	4,945	144,218	4,613	5,068	4,468	5,982	15,677	38,745	28,881	40,784
60 - 89	1,653	46,323	1,204	1,145	1,073	1,999	4,608	10,048	8,562	17,684
90+	550	87,204	1,554	3,572	4,089	2,197	5,393	12,955	15,523	41,921
TOTAL	65,358	1,069,319	40,930	57,591	63,331	127,158	235,375	226,732	132,554	185,648

(1) See footnotes Table 2

TABLE 5b (xvi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS,
ALBERTA, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	262	10,241	337	1,236	2,164	1,635	2,099	1,707	546	517
2	176	33,010	900	6,488	12,334	3,306	4,248	3,584	1,162	988
3	825	33,642	1,800	5,022	7,845	4,245	5,589	5,676	1,767	1,698
4	7,796	37,760	2,872	5,428	6,900	4,412	6,388	6,480	2,812	2,468
5	19,445	40,135	3,320	5,555	6,390	4,050	6,610	7,780	3,390	3,040
6	24,156	41,148	3,306	5,568	5,646	4,254	6,606	8,238	3,852	3,678
7	20,083	44,009	3,934	5,663	5,817	3,752	6,909	8,722	4,739	4,473
8	7,608	42,736	3,664	4,632	4,864	3,328	6,768	9,704	4,944	4,832
9	5,265	40,482	3,285	3,978	4,050	2,439	6,435	9,468	5,364	5,463
10	3,570	36,460	2,790	3,790	3,160	2,350	5,570	9,080	5,160	4,560
11 - 14	9,809	142,312	10,004	11,785	11,760	9,235	20,545	35,978	22,167	20,838
15 - 19	5,960	109,951	6,729	6,498	6,939	4,310	13,371	29,977	20,952	21,175
20 - 29	6,916	147,376	6,608	6,382	7,575	5,865	16,964	44,478	28,640	30,864
30 - 59	7,181	199,459	6,359	7,333	11,331	7,508	18,877	54,290	41,080	52,681
60 - 89	2,427	76,541	1,404	3,072	5,437	3,869	7,190	16,791	15,339	23,439
90+	1,294	364,939	3,060	4,806	13,143	8,526	15,367	45,123	70,052	204,862
TOTAL	122,773	1,400,201	60,372	87,236	115,355	73,084	149,536	297,076	231,966	385,576

(1) See footnotes Table 2

TABLE 5b (xvii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS,
ALBERTA, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	197	12,505	233	959	1,694	3,010	4,199	1,664	378	368
2	142	41,958	648	4,738	11,520	7,294	11,034	4,978	1,042	704
3	945	44,607	1,269	3,885	6,942	9,246	13,155	7,131	1,707	1,272
4	7,596	55,432	2,124	4,532	5,684	12,828	18,468	7,784	2,292	1,720
5	19,665	82,290	2,280	4,815	5,600	24,345	31,680	8,265	2,985	2,320
6	22,152	93,294	2,706	4,740	5,076	28,200	37,062	8,922	3,594	2,994
7	16,835	90,160	2,709	4,830	5,383	25,935	34,321	9,310	4,039	3,633
8	6,856	72,320	2,512	3,856	4,488	16,240	26,264	10,968	4,272	3,720
9	4,977	59,751	2,178	3,537	3,231	10,413	20,592	11,268	4,464	4,068
10	3,440	54,650	2,280	2,870	2,480	7,850	18,520	11,830	4,840	3,980
11 - 14	7,780	190,593	7,723	10,282	9,223	23,985	55,022	46,875	19,562	17,921
15 - 19	5,310	126,478	4,812	5,854	5,302	9,126	29,643	35,639	18,006	18,096
20 - 29	6,777	145,753	5,293	5,235	5,714	8,282	29,805	40,917	23,609	26,898
30 - 59	6,518	176,862	6,269	5,785	6,920	9,643	25,897	46,483	32,388	43,477
60 - 89	2,285	68,226	1,331	2,148	4,501	2,173	6,511	14,659	13,494	23,409
90+	4,462	377,673	858	2,171	6,740	15,289	19,759	49,212	57,884	225,760
TOTAL	115,937	1,692,552	45,225	70,237	90,498	213,859	381,932	315,905	194,556	380,340

(1) See footnotes Table 2

TABLE 5b (xviii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, BRITISH COLUMBIA, 1965

LENGTH OF STAY IN DAYS	NEWBORN	PATIENT-DAYS OF SEPARATIONS, MALE							
		UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75 +
1	215	253	1,089	1,826	1,389	1,702	1,509	562	646
2	100	728	8,416	15,101	3,352	4,987	4,082	1,348	1,152
3	526	1,440	4,442	6,460	4,283	6,562	5,643	1,887	1,701
4	5,554	2,172	5,086	5,830	4,162	7,992	7,815	2,356	2,296
5	20,829	2,675	5,510	6,065	4,570	7,873	9,042	3,053	2,774
6	26,844	3,150	5,273	5,628	4,086	8,261	10,218	3,486	3,390
7	18,091	3,472	5,745	5,768	4,522	8,391	11,116	4,571	4,746
8	8,102	3,376	5,014	4,712	3,856	8,280	12,448	4,952	5,166
9	5,265	3,240	4,050	4,067	3,024	7,119	11,373	5,436	5,463
10	4,012	2,870	3,743	3,440	2,679	6,450	11,598	5,320	5,400
11-14	6,294	9,276	10,324	9,539	7,433	20,219	40,615	23,040	24,047
15-19	4,997	7,004	8,341	7,020	5,808	17,240	40,430	25,843	28,678
20-29	6,503	8,514	8,492	8,054	6,711	21,681	61,297	43,979	50,624
30-59	7,412	9,231	10,909	9,575	8,560	24,113	72,832	60,118	77,255
60-89	1,788	2,891	4,382	5,754	4,938	8,430	21,741	21,122	29,739
90 +	2,245	3,469	4,007	7,824	9,062	14,002	25,970	21,029	29,130
TOTAL	118,777	63,761	94,823	106,663	78,435	173,302	347,729	228,102	272,207

(1) See footnotes Table 2

TABLE 5b(xix) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, BRITISH COLUMBIA, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	159	9,859	155	856	1,321	2,289	3,050	1,296	395	497
2	112	50,096	564	6,338	14,252	7,576	12,846	6,528	1,142	850
3	879	45,013	1,053	3,162	5,934	9,329	14,275	8,212	1,755	1,293
4	6,684	51,860	1,680	3,980	4,650	12,630	17,416	7,592	2,048	1,864
5	22,872	82,424	2,105	4,005	4,817	25,067	32,659	8,979	2,372	2,420
6	23,774	99,892	2,460	4,284	4,626	31,482	41,610	9,388	3,120	2,922
7	14,803	93,674	2,772	4,311	4,480	26,513	36,208	11,109	4,193	4,088
8	6,825	74,925	2,528	3,952	4,168	15,840	28,141	11,848	4,232	4,216
9	4,610	67,436	2,259	3,501	3,276	11,328	24,630	13,622	4,509	4,311
10	3,588	63,566	2,026	2,980	2,820	8,135	22,059	15,716	5,090	4,740
11 - 14	5,788	191,313	7,353	9,166	7,569	16,934	55,201	53,120	20,423	21,547
15 - 19	4,196	150,804	4,955	6,950	6,115	9,562	32,630	45,339	21,045	24,208
20 - 29	6,402	190,536	5,512	8,049	6,526	9,570	32,743	56,814	33,405	37,917
30 - 59	7,967	241,888	5,872	8,036	7,146	8,381	32,585	63,634	48,708	67,526
60 - 89	2,137	82,722	2,140	2,919	3,115	3,721	7,975	20,788	18,955	23,109
90+	2,012	85,871	1,566	5,132	3,076	5,580	10,387	20,655	17,520	21,955
TOTAL	112,808	1,581,879	45,000	77,621	83,891	203,937	404,415	354,640	188,912	223,463

(1) See footnotes Table 2

TABLE 5b (xx) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN⁽¹⁾ IN-PATIENTS, YUKON, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	PATIENT-DAYS OF SEPARATIONS, MALE							
			UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	3	106	9	20	24	15	17	14	3	4
2	4	264	16	58	76	18	48	40	2	6
3	12	366	39	75	51	24	99	51	12	15
4	100	340	20	32	68	44	88	60	20	8
5	495	410	40	55	45	45	95	75	20	35
6	216	504	42	90	30	48	132	132	6	24
7	140	462	14	56	63	35	154	112	21	7
8	24	664	88	56	32	64	200	144	40	40
9	45	468	54	63	45	18	153	99	18	18
10	40	420	20	60	30	20	160	80	40	10
11-14	59	1,335	109	110	116	35	352	410	108	95
15-19	16	1,016	118	35	87	52	323	267	54	80
20-29	73	1,737	103	157	48	145	219	506	322	237
30-59	61	1,878	80	85	271	77	380	503	152	330
60-89	71	699	222	73	-	-	135	194	75	-
90+	-	1,770	-	-	-	931	168	300	273	98
TOTAL	1,359	12,439	974	1,025	986	1,571	2,723	2,987	1,166	1,007

(1) See footnotes Table 2

TABLE 5b (xxi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN⁽¹⁾ IN-PATIENTS, YUKON, 1965

PATIENT-DAYS OF SEPARATIONS, FEMALE										
LENGTH OF STAY IN DAYS										
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	5	114	5	13	14	36	37	8	-	1
2	2	352	6	50	84	74	108	24	2	4
3	18	426	30	57	36	105	132	57	6	3
4	104	520	4	64	56	144	196	52	4	-
5	480	1,155	40	30	45	340	655	35	5	5
6	240	930	30	42	30	294	456	54	6	18
7	56	742	49	70	49	182	294	56	28	14
8	32	608	24	40	48	200	192	88	-	16
9	27	369	18	9	9	108	153	45	9	18
10	30	400	30	20	20	60	190	70	10	-
11 - 14	39	1,523	59	112	108	171	553	397	73	50
15 - 19	84	1,103	32	15	98	163	401	197	148	49
20 - 29	-	1,243	40	-	46	43	557	468	48	41
30 - 59	48	1,412	48	69	120	93	235	467	231	149
60 - 89	63	354	-	-	77	-	-	205	72	-
90+	-	956	-	-	384	-	-	464	108	-
TOTAL	1,228	12,207	415	591	1,224	2,013	4,159	2,687	750	368

(1) See footnotes Table 2

TABLE 5b(xii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN⁽¹⁾ IN-PATIENTS, NORTHWEST TERRITORIES, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	8	260	38	50	45	49	47	23	2	6
2	38	482	68	98	132	62	68	26	20	8
3	102	603	81	171	153	66	84	30	12	6
4	288	764	144	144	132	108	156	68	12	-
5	630	945	180	215	165	70	195	90	30	-
6	594	1,128	258	270	114	78	204	156	24	24
7	441	1,288	308	315	140	91	217	154	42	21
8	272	1,232	240	280	144	80	232	152	64	40
9	171	846	252	216	81	36	108	99	9	45
10	140	970	280	190	80	70	190	90	20	50
11 - 14	134	2,907	615	658	332	188	403	494	157	60
15 - 19	138	2,349	311	531	254	136	349	550	135	83
20 - 29	257	3,525	588	763	238	263	623	614	199	237
30 - 59	272	4,567	517	980	639	298	742	866	283	242
60 - 89	60	2,349	263	213	384	276	577	343	152	141
90+	-	5,607	924	785	840	633	1,302	879	96	148
TOTAL	3,545	29,822	5,067	5,879	3,873	2,504	5,497	4,634	1,257	1,111

(1) See footnotes Table 2

TABLE 5b (xxiii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN⁽¹⁾ IN-PATIENTS, NORTHWEST TERRITORIES, 1965

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75 +
1	8	326	34	43	51	59	112	17	6	4
2	42	738	32	72	144	204	236	42	8	-
3	129	1,083	57	135	114	306	399	54	15	3
4	252	1,404	84	116	108	368	592	104	28	4
5	555	2,270	120	225	95	685	1,000	115	20	10
6	510	2,562	216	216	102	612	1,176	144	90	6
7	392	2,555	238	378	224	630	931	112	21	21
8	144	1,912	208	288	144	408	696	144	16	8
9	81	1,566	189	225	153	405	414	135	18	27
10	100	1,060	80	230	60	170	410	80	20	10
11 - 14	120	3,975	499	497	318	464	1,478	539	129	51
15 - 19	146	2,796	364	530	250	179	712	525	152	84
20 - 29	261	3,003	342	273	400	118	945	600	223	102
30 - 59	566	3,986	400	598	534	417	1,076	417	253	291
60 - 89	-	2,158	154	202	-	225	590	605	134	248
90 +	101	2,630	617	474	367	314	539	319	-	-
TOTAL	3,407	34,024	3,634	4,502	3,064	5,564	11,306	3,952	1,133	869

(1) See footnotes Table 2

TABLE 6. SEPARATIONS, PATIENT-DAYS, AVERAGE STAY, SEPARATION RATE PER 100,000 POPULATION,
PATIENT-DAY RATE PER 100,000 POPULATION
EXPECTED SEPARATIONS AND DAYS STANDARDIZED TO THE 1961 CANADA CENSUS POPULATION,
AND A COMPARISON WITH 1962 HOSPITALIZATION EXPERIENCE,
BY DIAGNOSIS, AGE GROUP AND SEX, CANADA (1), 1965

- (1) Excluding Nova Scotia
- (2) Excluding Diagnoses 96 and 97, for newborn
- (3) See notes on page 177

Table 6 is a summary table prepared from detailed information submitted by the provincial and territorial hospital insurance plans, and prepared in a format different from that of previous years. Each diagnosis in the Canadian List of 98 Diagnoses(2) is considered separately. Data for each diagnosis include the number of separations in Canada during the year, the number of patient-days of these separations, the average length of stay, the separation rate and the patient-day rate per 100,000 population, the "expected" separations (cases) and days standardized to the 1961 Census population, and a comparison of the 1966 separation (case) rate and patient-day (day) rate for each age group with comparable rates for 1962, assuming the 1962 rates for each age group = 100. This "case" rate and "day" rate comparison between the 1965 and 1962 experience is particularly useful, as it indicates the general trend in Canada over a 4-year period for a particular disease or disease group by sex and age group.

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	1869	28	92	129	148	463	478	393	133	
F	1446	18	79	96	171	493	279	202	102	
PATIENT DAYS										
M	39364	818	2271	3304	3491	8718	9452	8762	2843	
F	30752	400	2481	1993	3512	8246	5624	4997	3499	
AVERAGE STAY										
M	21.2	29.2	24.7	25.6	23.6	18.8	15.8	22.3	20.6	
F	21.3	22.2	31.4	20.8	20.5	16.7	20.2	24.7	32.4	
SEPARATION RATE PER 100,000 POPULATION										
M	19.7	13.1	10.2	6.1	9.7	19.3	34.9	53.3	55.0	
F	15.4	8.9	9.2	4.8	11.4	20.6	20.7	25.9	36.5	
PATIENT DAY RATE PER 100,000 POPULATION										
M	413	383	252	157	230	363	691	1188	1147	
F	327	198	290	99	233	345	417	641	1191	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	1314	31	94	123	128	472	461	388	132	
F	1389	20	81	92	148	500	262	193	97	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	38535	511	2309	3159	3027	8891	9125	8653	2734	
F	29493	450	2538	1904	3029	8355	5270	4773	3139	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	83	86	94	81	61	78	104	106	96	
F	80	59	96	69	65	82	83	90	89	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	67	134	80	123	29	45	112	120	47	
F	68	87	94	61	69	82	96	80	28	

"CANADA"

SEX		ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
					5 - 14	15 - 24	25 - 44	45 - 59			
					SEPARATIONS DURING YEAR						
M		1162	49	103	533	199	162	75		34	7
F		1057	37	69	444	200	185	84		34	4
					PATIENT DAYS						
M		35251	990	2657	11715	5060	10264	1580		2855	130
F		41475	416	2421	10142	15945	8404	3152		910	85
					AVERAGE STAY						
M		30.3	20.2	25.8	22.0	25.4	63.4	21.1		84.0	18.6
F		39.2	11.2	35.1	22.8	79.7	45.4	37.5		26.8	21.2
					SEPARATION RATE PER 100,000 POPULATION						
M		12.2	23.0	11.5	25.3	13.1	6.7	5.5		4.6	2.8
F		11.3	18.3	8.1	22.0	13.3	7.7	6.2		4.4	1.4
					PATIENT DAY RATE PER 100,000 POPULATION						
M		371	464	295	555	333	427	116		387	52
F		442	206	283	503	1060	352	234		117	29
					EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M		1128	55	105	508	172	165	72		34	7
F		1015	42	71	423	173	188	79		32	4
					EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M		34202	1104	2703	11167	4383	10459	1532		2819	124
F		29866	468	2477	9675	13780	8524	2957		871	76
					CASE RATE COMPARISON WITH 1962 CANADA RATE = 100						
M		74	100	43	68	109	78	88		131	0
F		75	131	37	71	83	87	116		89	57
					DAY RATE COMPARISON WITH 1962 CANADA RATE = 100						
M		60	73	25	60	56	82	32		327	0
F		54	19	24	53	235	66	74		4	37

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	2280	18	90	664	476	656	196	130	50
F	2254	7	84	661	561	615	211	87	28
PATIENT DAYS									
M	31731	592	945	7298	6468	9692	3624	2241	371
F	33301	85	845	8647	7644	9538	4360	1610	572
AVERAGE STAY									
M	13.9	32.9	10.5	11.0	13.6	14.8	18.5	17.2	17.4
F	14.8	12.1	10.1	13.1	13.6	15.5	20.7	18.5	20.4
SEPARATION RATE PER 100,000 POPULATION									
M	24.0	8.4	10.0	31.5	31.3	27.3	14.3	17.6	20.1
F	24.0	3.5	9.8	32.8	37.3	25.7	15.7	11.2	9.5
PATIENT DAY RATE PER 100,000 POPULATION									
M	334	277	105	346	426	403	265	304	351
F	355	42	99	429	508	399	323	207	195
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	2213	20	92	633	413	669	189	128	48
F	2165	8	86	630	485	623	158	83	25
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	30791	659	962	6962	5607	9871	3500	2214	937
F	32019	95	866	8252	6604	9662	4082	1541	514
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	53	45	48	43	48	58	66	112	87
F	50	40	57	43	43	55	75	73	58
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	54	67	41	40	49	61	70	91	75
F	54	16	49	48	46	54	85	64	62

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	8372	1085	2576	2145	1033	732	278	319	274
F	7702	870	2301	1792	1143	577	347	407	265
PATIENT DAYS									
M	76217	10867	23489	16703	8646	5728	2729	4764	3291
F	74082	7572	21509	13729	10340	5303	3953	6188	5083
AVERAGE STAY									
M	9.1	10.0	9.1	7.8	8.4	7.8	9.8	14.9	16.1
F	9.6	9.2	9.3	7.7	9.0	9.2	11.4	15.2	19.2
SEPARATION RATE PER 100,000 POPULATION									
M	88.2	508.2	286.4	101.7	68.0	30.5	20.3	43.2	82.1
F	82.0	430.3	268.8	88.8	76.0	24.2	25.7	52.2	90.2
PATIENT DAY RATE PER 100,000 POPULATION									
M	803	5090	2611	792	569	238	200	646	1325
F	789	3543	2513	680	687	222	293	794	1732
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	8126	1209	2624	2046	895	746	268	315	196
F	7398	577	2353	1708	988	585	325	389	233
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	74028	12108	23922	15935	7489	5830	2641	4705	3153
F	71163	8554	21995	13080	8931	5376	3703	5912	4554
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	104	133	108	100	92	105	97	111	109
F	100	118	107	95	99	100	99	97	88
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	104	142	105	103	85	101	96	123	96
F	100	112	110	96	96	106	95	104	81

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	7604	900	1522	1938	836	1114	646	476	172	
F	7788	873	1465	2134	960	1109	652	419	176	
PATIENT DAYS										
M	98305	12637	19697	18510	7479	11279	9557	13796	4350	
F	91527	14369	19497	19184	8036	10728	8279	7215	4219	
AVERAGE STAY										
M	12.9	15.2	12.9	9.6	8.9	10.1	14.8	29.0	25.3	
F	11.8	16.5	13.3	9.0	8.4	9.7	12.7	17.2	24.0	
SEPARATION RATE PER 100,000 POPULATION										
M	80.1	421.5	169.2	91.9	55.1	46.4	47.2	64.5	69.2	
F	82.9	431.8	171.2	105.8	63.8	46.4	48.4	53.8	59.9	
PATIENT DAY RATE PER 100,000 POPULATION										
M	1035	6387	2190	878	493	469	699	1870	1751	
F	975	7106	2278	951	534	449	614	926	1436	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	7381	1003	1550	1849	725	1136	624	470	165	
F	7480	580	1498	2034	829	1124	611	400	158	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	95416	15193	20065	17665	6489	11488	9231	13620	4174	
F	87929	16136	19938	18293	6942	10873	7760	6855	3784	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	91	75	103	99	91	88	95	96	92	
F	90	84	90	106	81	87	89	103	115	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	79	74	91	98	99	93	42	133	49	
F	79	81	88	93	86	85	89	43	91	

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
						SEPARATIONS DURING YEAR			
M	1970	C	1	6	30	166	554	712	501
F	744	C	0	9	30	114	214	240	137
						PATIENT DAYS			
M	48279	C	3	118	452	2355	12325	17126	15900
F	15141	C	0	112	289	1113	4069	5382	4176
						AVERAGE STAY			
M	24.5	C.C	3.0	19.7	15.1	14.2	22.2	24.1	31.7
F	20.4	C.C	0.0	12.4	9.6	9.8	19.0	22.4	30.5
						SEPARATION RATE PER 100,000 POPULATION			
M	20.7	C.C	0.1	0.3	2.0	6.9	40.5	96.5	201.7
F	7.9	C.C	0.0	0.4	2.0	4.8	15.9	30.8	46.6
						PATIENT DAY RATE PER 100,000 POPULATION			
M	508	C	0	6	30	98	901	2321	6401
F	161	C	0	6	19	47	302	691	1422
						EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION			
M	1912	0	1	6	26	169	535	703	481
F	715	C	0	9	26	116	201	229	123
						EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION			
M	46832	C	0	121	395	2400	11898	16905	15257
F	14521	C	0	115	247	1138	3817	5145	3747
						CASE RATE COMPARISON WITH 1962 CANADA RATE = 100			
M	106	C	50	150	108	93	109	102	115
F	114	C	0	82	118	114	108	127	100
						DAY RATE COMPARISON WITH 1962 CANADA RATE = 100			
M	114	C	0	95	156	100	123	93	148
F	113	C	0	82	148	116	111	115	104

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS						60 - 74	75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
			SEPARATIONS DURING YEAR							
M	3141	C	0	1	3	168	687	1378	904	
F	1492	C	1	1	0	85	272	636	497	
			PATIENT DAYS							
M	84063	C	0	25	84	4738	17030	36198	25988	
F	53771	C	6	4	0	2403	7862	23776	19720	
			AVERAGE STAY							
M	26.8	C.C	0.0	25.0	28.0	28.2	24.8	26.3	28.7	
F	36.0	C.C	6.0	4.0	0.0	28.3	28.9	37.4	39.7	
			SEPARATION RATE PER 100,000 POPULATION							
M	33.1	C.C	0.0	0.0	0.2	7.0	50.2	186.8	363.9	
F	15.9	C.C	0.1	0.0	0.0	3.6	20.2	81.6	169.2	
			PATIENT DAY RATE PER 100,000 POPULATION							
M	885	C	0	1	6	197	1245	4906	10462	
F	573	0	1	0	0	101	583	3051	6714	
			EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	3049	C	0	1	3	171	663	1360	867	
F	1423	0	1	1	0	86	255	608	446	
			EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	81527	0	0	20	79	4825	16441	35732	24937	
F	51681	C	9	0	0	2446	7368	22717	17693	
			CASE RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	99	0	0	100	75	128	92	98	102	
F	100	C	100	0	0	72	101	98	103	
			DAY RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	96	C	0	333	56	141	95	91	99	
F	122	C	26	0	0	83	109	126	122	

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59		
			SEPARATIONS DURING YEAR						
M	3219	C	0	1	16	189	758	1340	915
F	3764	C	0	2	9	285	944	1503	1021
			PATIENT DAYS						
M	102779	C	0	13	421	4757	20629	41852	35107
F	138000	C	0	54	163	6770	28190	49059	53764
			AVERAGE STAY						
M	31.9	C.C	0.0	13.0	26.3	25.2	27.2	31.2	38.4
F	36.7	C.C	0.0	27.0	18.1	23.8	29.9	32.6	52.7
			SEPARATION RATE PER 100,000 POPULATION						
M	33.9	C.C	0.0	0.0	1.1	7.9	55.4	181.6	369.4
F	40.1	C.C	0.0	0.1	0.6	11.9	70.0	192.8	347.6
			PATIENT DAY RATE PER 100,000 POPULATION						
M	1082	C	0	1	28	198	1508	5673	14133
F	1470	C	0	3	11	283	2092	6294	18306
			EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	3125	C	0	1	14	193	732	1323	878
F	3615	C	0	2	8	289	885	1436	916
			EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	99743	C	0	20	369	4850	19914	41319	33687
F	132584	C	0	58	143	6853	26438	46864	48240
			CASE RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	110	C	0	25	93	112	118	103	116
F	109	C	0	40	100	98	103	108	111
			DAY RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	108	C	0	74	110	89	121	104	109
F	117	C	0	102	95	84	106	99	148

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS						75 +
				5 - 14	15 - 24	25 - 44	45 - 54	60 - 74		
				SEPARATIONS DURING YEAR						
M	2214	0	0	0	4	114	549	955	592	
F	1635	C	0	0	1	113	424	656	441	
				PATIENT DAYS						
M	81410	C	0	0	156	3469	18899	36136	22750	
F	61943	C	0	0	26	3582	13839	23764	20732	
				AVERAGE STAY						
M	36.8	C.C	0.0	0.0	39.0	30.4	34.4	37.8	38.4	
F	37.9	C.C	0.0	0.0	26.0	31.7	32.6	36.2	47.0	
				SEPARATION RATE PER 100,000 POPULATION						
M	23.3	C.C	0.0	0.0	0.3	4.7	40.1	129.4	238.3	
F	17.4	C.C	0.0	0.0	0.1	4.7	31.5	84.2	150.2	
				PATIENT DAY RATE PER 100,000 POPULATION						
M	857	C	0	0	10	144	1382	4898	9159	
F	660	C	0	0	2	150	1027	3049	7059	
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	2149	0	0	0	3	116	530	943	568	
F	1570	C	0	0	1	115	398	627	396	
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	79006	0	0	0	132	3527	18250	35674	21831	
F	59528	C	0	0	26	3632	12979	22702	18602	
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	105	C	0	0	100	104	115	104	100	
F	108	C	0	0	25	104	96	106	121	
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	104	C	0	0	216	114	120	113	85	
F	109	C	0	0	21	111	88	103	130	

1965
DIAGNOSIS 1C

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 55		60 - 74
SEPARATIONS DURING YEAR									
M	6355	1	1	1	10	277	1923	3292	850
F	1377	C	0	1	7	180	454	536	199
PATIENT DAYS									
M	174492	4	12	1	258	6653	48021	93702	25841
F	39990	C	0	8	138	3871	12419	15628	7926
AVERAGE STAY									
M	27.5	4.C	12.0	1.0	25.8	24.0	25.0	28.5	30.4
F	29.0	C.C	0.0	8.0	19.7	21.5	27.4	29.2	39.8
SEPARATION RATE PER 100,000 POPULATION									
M	66.9	C.5	0.1	0.0	0.7	11.5	140.6	446.2	342.2
F	14.7	C.C	0.0	0.0	0.5	7.5	33.7	68.8	67.8
PATIENT DAY RATE PER 100,000 POPULATION									
M	1837	2	1	0	17	277	3511	12700	10403
F	426	C	0	0	9	162	921	2005	2699
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	6169	1	1	1	9	282	1857	3250	816
F	1323	C	0	1	6	182	426	512	179
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	169351	5	9	0	224	6785	46365	92498	24796
F	38422	C	0	0	117	3923	11639	14929	7112
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	125	0	25	100	82	129	124	128	123
F	131	0	0	25	100	180	121	128	123
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	125	0	22	0	91	125	111	134	130
F	134	C	0	0	111	140	125	127	152

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	
M	129	C	0	0	2	12	44	25
	10113	C	0	2	22	1901	3927	1340
M	3388	0	0	0	17	219	1151	515
	270615	C	0	18	232	39814	91017	51632
M	26.3	C.C	0.0	0.0	8.5	18.2	26.2	20.6
	26.7	C.C	0.0	9.0	10.5	20.9	23.2	38.5
M	1.4	C.C	0.0	0.0	0.1	0.5	3.2	10.1
	107.7	C.C	C.C	0.1	1.5	79.6	291.4	456.2
M	36	C	0	0	1	9	84	207
	2882	C	0	1	15	1666	6753	17580
M	125	C	0	0	2	12	42	24
	9718	C	0	2	19	1927	3682	1202
M	3319	C	0	0	13	220	11C9	493
	259538	C	0	19	195	40344	85342	46327
M	81	C	0	0	200	171	114	49
	1C7	C	0	50	106	101	107	120
M	68	C	0	0	186	229	120	21
	1C2	C	0	30	74	100	97	111

SEPARATIONS DURING YEAR

PATIENT DAYS

AVERAGE STAY

SEPARATION RATE PER 100,000 POPULATION

PATIENT DAY RATE PER 100,000 POPULATION

EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION

EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION

CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100

DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100

1965
DIAGNOSIS 12

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS								75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74		
M	0	C	0	0	0	0	0	0	0	
F	8389	1	0	0	142	4241	2561	1151	293	
			SEPARATIONS DURING YEAR							
M	0									
F	133490	C	0	0	0	0	C	0	0	
		17	0	0	1265	52951	43164	23130	12963	
			PATIENT DAYS							
			AVERAGE STAY							
M	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	
F	15.9	C.C	0.0	0.0	8.9	12.5	16.9	20.1	44.2	
		17.0								
			SEPARATION RATE PER 100,000 POPULATION							
M	0.0	C.C	0.0	0.0	0.0	0.0	C.C	0.0	0.0	
F	89.3	C.5	0.0	0.0	9.4	177.5	190.0	147.7	59.8	
			PATIENT DAY RATE PER 100,000 POPULATION							
M	0	C	0	0	0	0	0	0	0	
F	1422	8	0	0	84	2216	3203	2568	4414	
			EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	0	C	0	0	0	0	0	0	0	
F	8057	1	0	0	123	4299	2401	1100	263	
			EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	0	C	0	0	0	0	0	0	0	
F	128255	18	0	0	1092	53663	40479	22099	11632	
			CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100							
M	0	C	0	0	0	0	0	0	0	
F	140	0	0	0	224	179	123	104	97	
			DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100							
M	0	C	0	0	0	0	0	0	0	
F	119	C	0	0	147	149	108	88	135	

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	C	C	0	0	0	0	C	0	0
F	2959	C	0	2	21	357	1056	1192	331
SEPARATIONS DURING YEAR									
M	C	C	0	0	0	0	0	0	0
F	58988	C	0	8	436	5770	17105	23370	12299
PATIENT DAYS									
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	19.9	C.C	0.0	4.0	20.8	16.2	16.2	19.6	37.2
AVERAGE STAY									
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	31.5	C.C	0.0	0.1	1.4	14.9	78.3	152.9	112.7
SEPARATION RATE PER 100,000 POPULATION									
M	C	C	0	0	0	0	C	0	0
F	628	C	0	0	29	242	1269	2598	4188
PATIENT DAY RATE PER 100,000 POPULATION									
M	0	C	0	0	0	0	0	0	0
F	2842	C	0	2	18	362	990	1139	297
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	C	C	0	0	0	0	C	0	0
F	56642	C	0	0	377	5860	16037	22323	11036
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	C	0	0	0	0	0	0	0
F	118	C	0	40	180	130	108	120	118
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	0	C	0	0	0	0	0	0	0
F	115	C	0	0	0	0	0	0	0
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	0	C	0	0	0	0	0	0	0
F	115	C	0	0	269	122	109	111	118

1965
DIAGNOSIS 14

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				ADULTS AND CHILDREN, BY AGE IN YEARS					
						SEPARATIONS DURING YEAR			
M	0	C	0	0	0	0	0	0	0
F	1927	C	0	6	18	306	806	629	162
				PATIENT DAYS					
M	0	C	0	0	0	0	0	0	0
F	49042	C	0	86	246	6258	18582	18455	5415
				AVERAGE STAY					
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	25.4	C.C	0.0	14.3	13.7	20.5	23.1	25.3	33.4
				SEPARATION RATE PER 100,000 POPULATION					
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	20.5	C.C	0.0	0.3	1.2	12.8	59.8	80.7	55.2
				PATIENT DAY RATE PER 100,000 POPULATION					
M	0	C	0	0	0	0	0	0	0
F	522	C	0	4	16	262	1379	2368	1844
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	0	C	0	0	0	0	0	0	0
F	1851	C	0	6	16	310	756	601	145
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	0	C	0	0	0	0	0	0	0
F	47081	C	0	77	208	6345	17427	17632	4859
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	0	C	0	0	0	0	0	0	0
F	108	C	0	100	53	100	114	111	94
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	0	C	0	0	0	0	0	0	0
F	102	C	0	105	48	96	104	108	83

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							60 - 74	75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
M	6319	C	0	1	1	16	396	2670	3235	
F	0	C	0	0	0	0	0	0	0	
M	197516	C	0	13	12	402	8940	75167	112982	
F	0	C	0	0	0	0	0	0	0	
M	31.3	C.C	0.0	13.0	12.0	25.1	22.6	28.2	34.9	
F	0.0	C.C	0.0	0.0	0.0	0.0	C.C	C.C	0.0	
M	66.5	C.C	0.0	0.0	0.1	0.7	29.0	361.9	1302.3	
F	0.0	C.C	0.0	0.0	0.0	0.0	C.C	C.C	0.0	
M	2080	C	0	1	1	17	654	10188	45484	
F	C	C	0	0	0	0	C	0	0	
M	6134	C	0	1	1	16	382	2636	3104	
F	C	C	0	0	0	0	C	0	0	
M	191753	0	0	20	13	416	8637	74202	108414	
F	0	C	0	0	0	0	0	0	0	
M	115	C	0	0	100	123	112	112	118	
F	C	C	0	0	0	0	0	0	0	
M	115	C	0	0	4	258	86	111	122	
F	C	C	0	0	0	0	C	0	0	

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	4327	8	53	44	19	212	944	2223	1324
F	1772	3	50	25	4	102	332	682	574
PATIENT DAYS									
M	106559	33	853	799	252	3561	18839	47062	35035
F	42671	49	879	536	44	2143	7906	15624	15490
AVERAGE STAY									
M	22.1	11.0	16.1	13.2	13.3	16.8	20.0	21.2	26.5
F	24.1	16.3	17.6	21.4	11.0	21.0	23.8	22.9	27.0
SEPARATION RATE PER 100,000 POPULATION									
M	50.3	3.7	5.9	2.1	1.3	8.8	69.0	301.3	533.0
F	13.9	1.5	5.8	1.2	0.3	4.3	24.6	87.5	195.4
PATIENT DAY RATE PER 100,000 POPULATION									
M	1122	41	95	38	17	148	1377	6381	14124
F	454	24	103	27	3	90	587	2005	5274
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	4685	9	54	42	16	216	511	2194	1270
F	1702	3	51	24	3	103	311	652	515
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	103436	98	370	765	224	3625	18184	46475	33665
F	40948	54	901	519	39	2179	7418	14929	13898
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	112	180	174	124	178	119	100	117	112
F	109	300	176	77	150	88	104	99	120
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	100	81	116	117	190	139	93	90	103
F	105	491	108	82	144	81	109	92	119

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
		SEPARATIONS DURING YEAR							
M	2404	13	223	335	121	225	426	609	452
F	1678	11	202	238	98	211	240	424	254
		PATIENT DAYS							
M	44605	163	3308	4118	2222	4216	7492	12748	10333
F	35728	172	3174	2840	1351	3945	4702	10855	8689
		AVERAGE STAY							
M	18.6	12.5	14.8	12.3	18.4	18.7	17.6	20.9	22.9
F	21.3	15.6	15.7	11.9	13.8	18.7	19.6	25.6	34.2
		SEPARATION RATE PER 100,000 POPULATION							
M	25.3	6.1	24.8	15.9	3.0	9.4	31.1	82.5	182.0
F	17.9	5.4	23.6	11.8	6.5	8.8	17.8	54.4	86.5
		PATIENT DAY RATE PER 100,000 POPULATION							
M	470	76	368	195	146	175	548	1728	4162
F	380	85	371	141	90	165	349	1393	2958
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	2334	14	227	320	105	229	411	601	434
F	1612	12	207	227	85	214	225	405	228
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	43329	181	3372	3923	1922	4286	7237	12536	9920
F	34274	193	3247	2712	1170	3996	4411	10372	7795
		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	108	82	109	121	115	105	103	98	125
F	114	109	129	116	147	105	88	116	125
		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	104	36	108	94	104	115	88	94	147
F	118	62	120	102	108	96	84	130	162

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
SEPARATIONS DURING YEAR									
M	13353	4C	223	418	554	1702	3430	4604	2332
F	11547	22	188	267	396	1634	3165	3742	2133
PATIENT DAYS									
M	353205	2405	4379	9092	12196	37844	88043	127900	71346
F	319160	521	3040	6269	7448	33643	83412	117859	66928
AVERAGE STAY									
M	26.5	20.1	15.6	21.8	22.0	22.2	25.7	27.8	30.0
F	27.6	23.7	16.2	23.5	18.8	20.6	26.4	31.5	31.4
SEPARATION RATE PER 100,000 POPULATION									
M	140.6	18.7	24.8	19.8	36.5	70.8	250.9	624.0	958.9
F	123.0	10.9	22.0	13.2	26.3	58.4	234.8	480.1	726.3
PATIENT DAY RATE PER 100,000 POPULATION									
M	3719	1126	487	431	803	1575	6437	17335	28722
F	3399	258	355	311	495	1408	6189	15127	22738
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	12961	45	227	399	480	1735	3312	4545	2236
F	11091	25	192	255	342	1656	2968	3575	1914
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	342851	2679	4462	8672	10569	38578	85005	126256	68461
F	306568	586	3107	5982	6435	34096	78215	112633	60051
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	112	88	114	102	104	105	120	113	117
F	113	93	126	93	104	111	113	107	120
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	118	281	111	105	101	103	124	121	120
F	108	80	27	86	99	104	109	118	103

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	C	C	0	0	0	0	0	0	0
F	25558	C	1	6	439	13239	10684	1057	132
M	0	C	0	0	0	0	0	0	0
F	267085	C	3	21	3051	136670	114324	11241	1775
M	0.0	C.C	0.0	0.0	0.0	0.0	C.C	C.C	0.0
F	10.5	C.C	3.0	3.5	6.9	10.3	10.7	10.6	13.4
M	0.0	C.C	0.0	0.0	0.0	0.0	C.C	C.C	0.0
F	272.2	C.C	0.1	0.3	29.2	554.1	792.7	135.6	44.9
M	0	C	0	0	0	0	0	0	0
F	2844	C	0	1	203	5721	8482	1442	604
M	0	C	0	0	0	0	0	0	0
F	24548	C	1	6	379	13415	10018	1010	118
M	0	C	0	0	0	0	C	0	0
F	256510	C	0	19	2639	138541	107193	10737	1592
M	0	C	0	0	0	0	0	0	0
F	108	C	33	43	75	108	114	106	93
M	0	C	0	0	0	0	0	0	0
F	107	C	0	16	74	110	110	98	104

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
				5 - 14	15 - 24	25 - 44	45 - 59				
SEPARATIONS DURING YEAR											
M	15921	398	711	1452	2774	4314	3141	2322	809		
F	24052	470	738	1441	4527	8807	4946	2430	693		
PATIENT DAYS											
M	149187	4127	5578	9857	23949	32972	32086	28242	12376		
F	199316	3825	5315	10928	28407	61904	42961	34266	11710		
AVERAGE STAY											
M	9.4	10.4	7.8	6.8	8.6	7.6	10.2	12.2	15.3		
F	8.3	8.1	7.2	7.6	6.3	7.0	8.7	14.1	16.9		
SEPARATION RATE PER 100,000 POPULATION											
M	167.6	186.4	79.0	68.8	182.7	179.5	229.6	314.7	325.7		
F	256.1	232.4	86.2	71.4	300.9	368.6	367.0	311.8	236.0		
PATIENT DAY RATE PER 100,000 POPULATION											
M	1571	1933	620	467	1577	1372	2346	3828	4982		
F	2123	1892	621	542	1888	2591	3187	4396	3937		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	15454	443	724	1385	2405	4397	3033	2292	776		
F	23101	528	755	1374	3911	8927	4638	2321	622		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	144829	4598	5681	9396	20756	33605	30981	27880	11875		
F	191481	4296	5435	10425	24545	62744	40276	32732	10507		
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	97	91	87	93	99	99	94	100	105		
F	102	94	95	94	100	105	101	106	97		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	96	98	90	95	92	94	102	96	102		
F	97	79	91	103	100	111	94	82	84		

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	11181	448	2149	2124	499	1032	2000	2181	748
F	9553	229	1125	1406	820	1907	2004	1619	443
PATIENT DAYS									
M	118114	4556	15525	13889	3828	9868	24112	32887	13449
F	109183	2647	7928	9840	5942	18118	25075	27478	12155
AVERAGE STAY									
M	10.6	10.2	7.2	6.5	7.7	9.6	12.1	15.1	18.0
F	11.4	11.6	7.0	7.0	7.2	9.5	12.5	17.0	27.4
SEPARATION RATE PER 100,000 POPULATION									
M	117.7	205.8	238.9	100.7	32.9	42.9	146.2	295.6	301.1
F	101.7	113.3	131.4	69.7	54.5	79.8	148.7	207.7	150.8
PATIENT DAY RATE PER 100,000 POPULATION									
M	1244	2134	1726	659	252	411	1763	4457	5414
F	1163	1309	926	488	395	758	1860	3526	4139
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	10853	499	2189	2026	433	1052	1931	2153	718
F	9175	257	1150	1340	709	1933	1879	1547	397
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	114683	5076	15814	13259	3317	10067	23282	32462	12905
F	104895	2972	8105	9387	5135	18356	23506	26254	10907
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	117	102	153	140	108	94	114	105	115
F	117	101	150	143	117	102	107	124	114
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	113	106	146	138	121	100	114	112	90
F	121	120	162	148	109	103	109	126	137

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
				5 - 14	15 - 24	25 - 44	45 - 59				
SEPARATIONS DURING YEAR											
M	3421	444	711	732	333	619	343	179	70		
F	3621	287	456	587	545	900	548	231	57		
PATIENT DAYS											
M	28706	5852	6753	4619	2372	4127	2595	1564	734		
F	28692	3456	3845	3821	3628	6404	4492	2173	832		
AVERAGE STAY											
M	3.4	13.3	9.5	6.3	7.1	6.7	7.6	8.7	11.2		
F	7.9	12.2	8.4	6.5	6.7	7.1	8.2	9.4	12.4		
SEPARATION RATE PER 100,000 POPULATION											
M	36.1	208.0	79.0	34.7	21.9	25.8	25.1	24.3	23.2		
F	38.6	141.9	53.3	29.1	36.2	37.7	40.7	29.6	22.3		
PATIENT DAY RATE PER 100,000 POPULATION											
M	302	2760	751	219	156	172	190	212	315		
F	306	1729	449	189	241	268	333	279	243		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	3330	455	724	698	289	631	331	177	57		
F	3478	322	466	560	471	912	514	221	50		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	27341	6565	6881	4406	2053	4213	2509	1544	753		
F	27599	3526	3930	3635	3133	6490	4208	2077	745		
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	111	141	130	121	97	94	102	109	122		
F	112	147	117	109	97	111	126	113	102		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	107	130	110	116	104	97	97	106	134		
F	101	141	98	92	78	106	107	111	105		

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 -
SEPARATIONS DURING YEAR									
M	1782	23	27	79	190	525	536	330	72
F	9028	30	36	220	998	3469	2799	1245	231
PATIENT DAYS									
M	26612	415	318	708	2375	5598	6692	6411	4095
F	111597	817	775	2211	10136	34551	33276	22430	7401
AVERAGE STAY									
M	14.9	18.0	11.8	9.0	12.5	10.7	12.5	19.4	56.9
F	12.4	27.2	21.5	10.0	10.2	10.0	11.9	18.0	32.0
SEPARATION RATE PER 100,000 POPULATION									
M	18.8	10.8	3.0	3.7	12.5	21.8	39.2	44.7	29.0
F	96.1	14.8	4.2	10.9	66.3	145.2	207.7	159.7	78.7
PATIENT DAY RATE PER 100,000 POPULATION									
M	280	154	35	34	156	233	489	869	1549
F	1188	404	91	110	674	1446	2469	2878	2520
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	1730	26	28	75	165	535	517	326	59
F	8671	34	37	210	862	3516	2624	1189	207
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	25813	461	321	684	2053	5707	6458	6329	3930
F	107150	917	796	2116	8762	35017	31202	21429	6641
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	94	93	74	74	88	82	99	122	160
F	93	100	97	81	85	85	102	108	106
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	110	78	58	71	105	83	89	146	410
F	97	165	150	73	84	88	99	114	109

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	15388	6	130	724	937	2479	4056	4792	2264
F	21206	8	108	925	1159	2624	5189	7882	3311
PATIENT DAYS									
M	259870	132	1990	9154	9952	31641	66476	104136	76389
F	472983	144	1975	11994	12486	32071	83288	183567	147458
AVERAGE STAY									
M	19.5	22.0	15.3	12.6	10.6	12.8	16.4	21.7	33.7
F	22.3	18.0	18.3	13.0	10.8	12.2	16.1	23.3	44.5
SEPARATION RATE PER 100,000 POPULATION									
M	162.0	2.8	14.5	34.3	61.7	103.2	296.5	649.5	911.4
F	225.8	4.0	12.6	45.8	77.0	109.8	385.0	1011.3	1127.3
PATIENT DAY RATE PER 100,000 POPULATION									
M	3157	62	221	434	655	1317	4860	14114	30752
F	5037	71	231	594	830	1342	6180	23552	50207
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	14937	7	132	691	812	2527	3916	4730	2172
F	20368	9	110	882	1001	2660	4865	7530	2971
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	251040	147	2025	8732	8621	32258	64180	102796	73299
F	454305	161	2022	11426	10790	32498	78101	175364	132306
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	119	58	99	100	128	134	116	119	117
F	116	225	98	119	135	128	114	109	112
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	118	72	98	97	125	125	122	120	115
F	116	258	103	110	133	127	113	103	124

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74		
SEPARATIONS DURING YEAR										
M	1087	73	105	186	149	254	189	97	34	
F	2089	40	92	183	525	717	328	156	48	
PATIENT DAYS										
M	17182	1867	1471	2925	2333	3252	2615	2213	528	
F	29436	652	1893	2047	6094	9504	4886	3490	333	
AVERAGE STAY										
M	15.8	25.6	14.0	15.7	15.7	12.8	13.8	22.8	14.9	
F	14.1	17.3	20.6	11.2	11.6	13.3	14.9	22.4	17.3	
SEPARATION RATE PER 100,000 POPULATION										
M	11.4	34.2	11.7	8.8	9.8	10.6	13.8	13.1	13.7	
F	22.2	19.8	10.7	9.1	34.9	30.0	24.3	20.0	16.3	
PATIENT DAY RATE PER 100,000 POPULATION										
M	181	874	164	139	154	135	191	300	200	
F	313	342	221	101	405	398	363	448	193	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	1055	81	107	177	129	259	182	96	33	
F	2006	45	94	174	454	727	308	149	43	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	16686	2079	1503	2797	2027	3307	2522	2185	480	
F	28231	777	1934	1943	5265	9638	4587	3336	746	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	114	156	126	111	107	114	108	128	100	
F	102	107	117	120	115	92	92	103	123	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	128	279	137	158	129	98	106	129	119	
F	96	148	185	117	119	87	85	71	112	

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
				378	192	733	742	572	
				429	581	1241	877	466	
				PATIENT DAYS					
				4441	2390	9031	9933	10054	
				5836	8056	17241	13582	8461	
				AVERAGE STAY					
				11.7	12.4	12.3	13.4	17.6	
				13.6	13.9	13.9	15.5	18.2	
				SEPARATION RATE PER 100,000 POPULATION					
				17.9	12.6	30.5	54.2	77.5	
				21.3	38.6	51.9	65.1	59.8	
				PATIENT DAY RATE PER 100,000 POPULATION					
				211	157	376	726	1363	
				289	535	722	1008	1086	
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
				578	166	747	716	565	
				530	502	1258	822	445	
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
				10546	2066	9210	9587	9927	
				9873	6955	17484	12739	8086	
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
				115	123	134	122	129	
				118	148	145	123	114	
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
				134	110	127	104	119	
				129	185	151	134	104	

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX ALL AGES UNDER 1 1 - 4 5 - 14 15 - 24 25 - 44 45 - 59 60 - 74 75 +

M	7648	625	1195	SEPARATIONS DURING YEAR					1107
				1464	554	507	817	1379	
F	9420	468	733	704	741	2142	1558	1659	1415

M	110712	6377	13738	PATIENT DAYS					22288
				13003	5592	6802	12788	28124	
F	149895	6138	8605	7533	6996	24137	22737	34152	39597

M	14.5	13.4	11.5	AVERAGE STAY					20.1
				8.9	10.1	13.4	15.7	20.4	
F	15.9	13.1	11.7	10.7	9.4	11.3	14.6	20.6	28.0

M	80.5	252.7	132.9	SEPARATION RATE PER 100,000 POPULATION					445.7
				69.4	36.5	21.1	59.7	186.9	
F	100.3	231.5	85.6	34.9	49.2	89.7	115.6	212.9	481.8

M	1166	3524	1527	PATIENT DAY RATE PER 100,000 POPULATION					8973
				617	368	283	935	9812	
F	1596	3036	1005	373	465	1010	1687	4382	13482

M	7424	696	1217	EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					1062
				1397	480	517	789	1361	
F	9048	526	750	671	640	2171	1461	1585	1270

M	107492	5334	13991	EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					21388
				12414	4844	6932	12347	27764	
F	143945	6854	8796	7175	6045	24458	21320	32628	35528

CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	107	98	105	111	119	102	115	103	117
F	112	120	106	100	95	116	115	109	123

DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	101	99	106	105	121	114	116	110	81
F	99	111	96	107	83	104	118	108	81

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	8028	2	15	88	909	2917	2322	1219	556	
F	11424	C	7	83	1298	4613	3147	1649	527	
PATIENT DAYS										
M	204706	25	194	2610	27189	59639	43761	36641	34647	
F	310938	C	90	1739	32698	98638	67849	64915	45009	
AVERAGE STAY										
M	25.5	12.5	12.9	29.7	29.9	20.4	18.8	30.1	62.3	
F	27.2	C.0	12.9	21.0	25.2	21.4	21.6	39.4	71.8	
SEPARATION RATE PER 100,000 POPULATION										
M	84.5	C.9	1.7	4.2	59.9	121.4	169.8	165.2	223.8	
F	121.7	C.0	0.8	4.1	86.3	193.1	233.5	211.6	213.5	
PATIENT DAY RATE PER 100,000 POPULATION										
M	2155	12	22	124	1791	2482	3199	4966	13948	
F	3311	C	11	86	2173	4129	5034	8329	15325	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	7793	2	15	84	788	2973	2242	1203	534	
F	10972	C	7	79	1122	4676	2951	1575	563	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	198667	29	202	2495	23573	60793	42245	36169	33246	
F	298631	C	96	1654	28250	99989	63618	62016	40385	
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100										
M	134	C	250	106	118	128	153	134	139	
F	126	C	58	91	116	126	128	130	144	
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100										
M	121	C	191	112	134	99	128	142	132	
F	116	C	27	80	103	112	115	120	134	

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	15192	3	71	654	1861	6512	4279	1517	295
F	35375	3	75	978	6033	16148	8057	3462	619
				PATIENT DAYS					
M	222789	5	810	7134	24857	91840	65320	27265	5558
F	553008	18	947	8585	78018	252909	133883	66010	12638
				AVERAGE STAY					
F	14.7	1.7	11.4	10.9	13.4	14.1	15.3	18.0	18.8
	15.6	6.0	12.6	8.8	12.9	15.7	16.6	19.1	20.4
				SEPARATION RATE PER 100,000 POPULATION					
M	160.0	1.4	7.9	31.0	122.6	271.0	312.8	205.6	118.8
F	376.7	1.5	8.8	48.5	401.0	675.9	597.8	444.2	210.8
				PATIENT DAY RATE PER 100,000 POPULATION					
M	2346	2	90	338	1637	3822	4776	3695	2238
F	5889	9	111	425	5185	10586	9933	8469	4503
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	14746	3	72	624	1613	6638	4131	1498	283
F	33976	3	77	932	5213	16368	7555	3307	555
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	216275	5	825	6801	21546	93615	63070	26912	5334
F	531150	20	972	8175	67407	256353	125530	63059	11339
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	121	19	106	120	114	122	126	124	133
F	124	20	107	115	118	125	124	129	139
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	114	2	143	126	109	116	114	121	114
F	116	8	163	98	111	116	117	120	133

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
				5 - 14	15 - 24	25 - 44	45 - 59				
SEPARATIONS DURING YEAR											
M	11622	138	542	776	824	4214	3795	1199	134		
F	4754	93	369	531	919	1627	928	239	48		
PATIENT DAYS											
M	136080	4022	10337	16145	11522	40385	38495	13446	1723		
F	85673	5937	6284	9432	15750	28010	13139	6145	976		
AVERAGE STAY											
M	11.7	25.1	19.1	20.3	14.0	9.6	10.1	11.2	12.9		
F	18.0	63.8	17.0	17.8	17.1	17.2	14.2	25.7	20.3		
SEPARATION RATE PER 100,000 POPULATION											
M	122.4	64.6	60.3	36.8	54.3	175.4	277.5	162.5	53.9		
F	50.6	46.0	43.1	26.3	61.1	68.1	68.9	30.7	15.3		
PATIENT DAY RATE PER 100,000 POPULATION											
M	1433	1884	1149	765	759	1681	2814	1822	596		
F	912	2936	734	467	1047	1172	975	788	332		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	11231	154	552	740	714	4295	3664	1184	129		
F	4566	104	377	506	794	1649	870	228	43		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	132107	4482	10527	15392	9990	41174	37161	13270	1559		
F	82256	6667	6424	8983	13611	28381	12322	5867	875		
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	124	126	141	115	133	125	126	127	110		
F	128	135	127	124	132	128	122	139	155		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	127	168	142	93	134	133	143	114	129		
F	148	500	127	142	117	151	144	173	141		

		ADULTS AND CHILDREN, BY AGE IN YEARS							
		1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +	
SEX ALL AGES		SEPARATIONS DURING YEAR							
			238	205	697	2828	6976	6822	
			188	157	651	2042	5915	7446	
		PATIENT DAYS							
			4540	4500	13425	85258	285155	339963	
			4563	6078	17834	74567	302580	523156	
		AVERAGE STAY							
			19.1	22.0	19.3	30.1	40.9	49.8	
			24.3	38.7	27.4	36.5	51.2	70.3	
		SEPARATION RATE PER 100,000 POPULATION							
			11.3	13.5	29.0	206.8	945.5	2746.4	
			9.3	10.4	27.2	151.5	758.9	2535.2	
		PATIENT DAY RATE PER 100,000 POPULATION							
			215	296	559	6233	38649	136862	
			226	404	746	5532	38822	178126	
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
			227	178	710	2730	6886	6546	
			179	136	660	1915	5651	6681	
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
			4326	3896	13692	82311	281492	326219	
			4347	5252	18065	69912	289062	469399	
		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100							
			93	102	103	106	105	109	
			102	101	110	103	102	106	
		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100							
			96	105	86	104	102	98	
			111	223	129	129	117	89	

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
				5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	15076	704	1347	2187	1351	2598	2691	2836	1362	
F	14413	522	1115	1791	1648	3345	2483	2297	1212	
PATIENT DAYS										
M	624330	13923	22499	31957	22807	100480	120182	178390	134092	
F	737404	10894	19527	27012	25101	135233	142084	204999	172554	
AVERAGE STAY										
M	41.4	15.8	16.7	14.6	16.9	38.7	44.7	62.9	98.5	
F	51.2	20.9	17.5	15.1	15.2	40.4	57.2	89.2	142.4	
SEPARATION RATE PER 100,000 POPULATION										
M	158.7	325.7	149.7	103.7	89.0	108.1	196.7	384.4	548.3	
F	153.5	258.2	130.3	88.8	109.5	140.0	184.2	294.7	412.7	
PATIENT DAY RATE PER 100,000 POPULATION										
M	6574	6521	2501	1515	1502	4182	8787	24179	53982	
F	7853	5388	2281	1339	1668	5660	10542	26302	58752	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	14634	784	1372	2086	1171	2648	2598	2800	1307	
F	13843	586	1140	1707	1424	3391	2328	2194	1087	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	606050	15512	22914	30482	19769	102433	116038	176103	128669	
F	708289	12235	19964	25756	21685	137064	133226	195840	154824	
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100										
M	117	107	110	115	106	104	122	138	142	
F	116	110	107	112	110	111	117	132	132	
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100										
M	110	106	106	104	98	115	115	108	117	
F	126	117	117	105	114	134	143	143	99	

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS						
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	4880	17	42	171	332	1653	1442	895	328
F	5794	16	40	174	554	1915	1734	927	434
PATIENT DAYS									
M	65358	233	493	2674	3985	17243	19670	13785	7315
F	77273	157	414	2368	5554	21567	22077	15283	9853
AVERAGE STAY									
M	13.4	13.7	11.7	15.6	12.0	10.4	13.6	15.4	22.3
F	13.3	9.8	10.3	13.6	10.0	11.3	12.7	16.5	22.7
SEPARATION RATE PER 100,000 POPULATION									
M	51.4	8.0	4.7	8.1	21.9	68.8	105.4	121.3	132.0
F	61.7	7.9	4.7	8.6	36.8	80.2	128.7	118.9	147.8
PATIENT DAY RATE PER 100,000 POPULATION									
M	689	109	55	127	262	718	1438	1868	2945
F	823	78	48	117	369	903	1638	1961	3355
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	4727	19	43	163	288	1685	1392	884	315
F	5565	18	41	166	479	1941	1626	886	389
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	63518	259	504	2555	3448	17586	18990	13605	7020
F	74229	177	420	2251	4797	21867	20701	14601	8841
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	104	86	78	133	91	107	105	104	109
F	112	180	117	110	102	113	115	107	117
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	108	74	53	112	93	102	112	105	154
F	113	81	63	105	90	104	115	113	163

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				ADULTS AND CHILDREN, BY AGE IN YEARS					
				SEPARATIONS DURING YEAR					
				453	3060	4105	2231	4239	2553
				423	2937	3539	1791	5277	3362
				PATIENT DAYS					
				2900	11127	18561	18386	54910	38150
				2574	10719	14053	14667	59990	46659
				AVERAGE STAY					
				5.4	3.6	4.5	8.2	13.0	14.9
				5.1	3.6	4.0	8.2	11.4	13.9
				SEPARATION RATE PER 100,000 POPULATION					
				219.9	140.4	91.5	92.8	574.5	1027.3
				126.2	83.1	56.0	75.0	677.1	1144.7
				PATIENT DAY RATE PER 100,000 POPULATION					
				1937	1237	800	622	7442	8183
				1965	1252	696	492	7697	15890
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
				505	3117	3916	2274	4195	2450
				475	3003	3373	1815	5041	3017
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
				3230	11334	17700	8187	54202	36007
				2991	10958	13388	6396	57310	41873
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
				90	124	113	106	112	117
				93	123	103	97	117	114
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
				110	110	103	96	104	98
				102	118	92	97	100	101

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	16991	2601	3998	4258	1024	2439	1731	769	171
F	16616	1921	3031	3436	1299	3198	2343	1151	237
PATIENT DAYS									
M	134112	27234	36170	27940	7370	15645	11454	6110	2139
F	128176	20352	26867	22534	8824	21150	16088	9068	3293
AVERAGE STAY									
M	7.9	10.5	9.0	6.6	7.2	6.4	6.6	7.9	12.3
F	7.7	10.6	8.9	6.6	6.8	6.6	6.9	7.9	13.9
SEPARATION RATE PER 100,000 POPULATION									
M	178.9	1218.3	444.5	201.9	67.4	101.5	126.6	104.2	68.3
F	176.9	950.0	354.1	170.3	86.3	133.9	173.8	147.7	80.7
PATIENT DAY RATE PER 100,000 POPULATION									
M	1412	12756	4021	1325	485	651	837	928	931
F	1365	10065	3139	1117	586	885	1194	1163	1121
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	16493	2898	4072	4062	888	2486	1671	759	164
F	15959	2157	3099	3275	1122	3242	2197	1100	203
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	130171	30344	36841	26659	6383	15945	11053	6031	2100
F	123114	22856	27474	21486	7618	21431	15089	8659	2954
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	105	102	102	107	98	117	128	132	109
F	102	100	103	106	95	107	109	123	119
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	96	97	101	95	91	107	119	113	78
F	90	100	99	95	88	103	100	107	27

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	4376	4	130	1078	491	947	1106	515	105	
F	6356	2	96	1021	687	1766	1708	896	130	
PATIENT DAYS										
M	87843	55	2257	22708	9431	16606	20907	11174	+705	
F	129911	8	1463	19417	11354	32344	36148	19898	9279	
AVERAGE STAY										
M	20.1	13.7	17.4	21.1	19.2	17.5	18.9	21.7	44.8	
F	20.4	4.0	15.2	19.0	16.5	18.3	21.2	22.2	51.5	
SEPARATION RATE PER 100,000 POPULATION										
M	40.1	1.9	14.5	51.1	32.3	39.4	80.9	69.8	42.3	
F	57.7	1.0	11.2	50.6	45.7	73.9	126.7	115.0	61.3	
PATIENT DAY RATE PER 100,000 POPULATION										
M	925	26	251	1077	621	691	1529	1515	1894	
F	1383	4	171	962	755	1354	2682	2553	3159	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	4243	4	132	1028	426	965	1068	508	101	
F	6105	2	93	973	594	1790	1602	356	102	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	85275	62	2300	21669	8173	16925	20192	11034	4514	
F	124738	9	1497	18504	9815	32789	33894	19009	4325	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	91	400	77	74	82	90	112	115	92	
F	91	20	77	69	72	92	105	120	92	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	93	326	76	76	81	83	110	122	214	
F	84	5	60	62	70	89	101	107	59	

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	62097	24	42	108	137	4914	19137	23508	14227
F	39992	11	35	89	136	1546	7854	16776	13545
PATIENT DAYS									
M	1394890	734	482	966	1844	85612	366922	503184	435146
F	1141965	161	777	977	1772	26564	153210	418231	540273
AVERAGE STAY									
M	22.5	30.6	11.5	8.9	13.5	17.4	19.2	21.4	30.6
F	28.6	14.6	22.2	11.0	13.0	17.2	19.5	24.9	39.9
SEPARATION RATE PER 100,000 POPULATION									
M	653.8	11.2	4.7	5.1	9.0	204.5	1399.1	3186.2	5727.5
F	425.9	5.4	4.1	4.4	9.0	64.7	582.7	2152.4	4611.8
PATIENT DAY RATE PER 100,000 POPULATION									
M	14687	344	54	46	121	3563	26826	68201	175179
F	12161	80	91	48	118	1112	11367	53661	183954
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	60276	27	43	103	119	5009	18476	23206	13652
F	38411	12	36	85	118	1567	7364	16027	12153
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	1353978	818	495	926	1593	87271	354256	496728	417550
F	1096843	182	796	923	1534	26928	143653	359550	484757
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	112	113	62	89	77	117	114	110	116
F	111	63	62	77	92	101	107	108	111
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	106	288	72	57	72	113	109	105	105
F	108	64	95	64	85	101	103	110	100

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	13356	68	122	275	264	1127	2482	4615	4403
F	11196	47	85	207	341	1144	1823	3632	3917
				PATIENT DAYS					
M	238503	1234	2343	3159	2714	13084	33766	76563	105640
F	239090	742	1420	3619	3655	13648	26210	66895	122901
				AVERAGE STAY					
M	17.9	18.1	19.2	11.5	10.3	11.6	13.6	16.6	24.0
F	21.4	15.8	16.7	17.5	10.7	11.9	14.4	18.4	31.4
				SEPARATION RATE PER 100,000 POPULATION					
M	140.6	31.5	13.6	13.0	17.4	46.9	181.5	625.5	1772.5
F	119.2	23.2	9.9	10.3	22.7	47.9	135.3	466.0	1333.7
				PATIENT DAY RATE PER 100,000 POPULATION					
M	2511	578	260	150	179	545	2469	10377	42528
F	2546	367	166	179	243	571	1945	8583	41846
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	12964	76	124	262	229	1149	2396	4556	4225
F	10753	53	87	197	295	1160	1705	3470	3515
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	231486	1375	2382	3018	2356	13349	32605	75579	101368
F	229633	833	1453	3443	3159	13827	24580	63907	110273
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	116	131	253	124	110	121	114	114	117
F	108	139	223	117	122	111	103	99	107
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	111	161	321	133	107	115	95	106	120
F	112	146	273	196	133	112	104	99	112

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15, - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	9106	3	7	60	243	1439	2806	3025	1523
F	15669	3	5	52	229	1964	4403	5688	3325
PATIENT DAYS									
M	155656	29	179	593	2700	15957	37631	52206	46361
F	293811	19	64	762	2589	23041	58338	103170	105828
AVERAGE STAY									
M	17.1	5.7	25.6	9.9	11.1	11.1	13.4	17.3	30.4
F	18.8	6.3	12.8	14.7	11.3	11.7	13.2	18.1	31.8
SEPARATION RATE PER 100,000 POPULATION									
M	95.9	1.4	0.8	2.8	16.0	59.9	205.1	410.0	613.1
F	166.9	1.5	0.6	2.6	15.2	82.2	326.7	729.8	1132.1
PATIENT DAY RATE PER 100,000 POPULATION									
M	1639	14	20	28	178	664	2751	7076	18664
F	3129	9	7	38	172	964	4328	13237	36033
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	8839	3	7	57	211	1467	2709	2986	1461
F	15050	3	5	50	198	1991	4128	5434	2983
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	151098	33	183	563	2343	16264	36329	51537	44487
F	282216	20	61	731	2236	23344	54696	98560	94954
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	111	100	78	116	107	120	115	106	113
F	109	75	42	93	129	139	105	101	105
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	100	118	238	74	110	103	103	90	113
F	93	31	35	75	113	130	99	87	83

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	10005	4	16	54	117	711	2440	3873	2790
F	5484	2	10	61	136	428	940	1746	2161
PATIENT DAYS									
M	349593	106	186	888	2612	14337	56607	123237	151620
F	256092	52	192	1117	2354	7839	24227	73048	187263
AVERAGE STAY									
M	34.9	26.5	11.6	16.4	22.3	20.2	23.2	31.8	54.3
F	54.0	26.0	19.2	18.3	17.3	18.3	25.8	41.8	86.7
SEPARATION RATE PER 100,000 POPULATION									
M	105.3	1.9	1.8	2.6	7.7	29.6	178.4	524.9	1123.2
F	58.4	1.0	1.2	3.0	9.0	17.9	69.7	224.0	735.8
PATIENT DAY RATE PER 100,000 POPULATION									
M	3681	50	21	42	172	597	4135	16703	61039
F	3153	26	22	55	156	328	1798	9372	63760
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	9712	4	16	52	101	725	2356	3823	2677
F	5267	2	10	58	118	434	881	1668	1939
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	339247	119	192	845	2264	14623	54658	121653	145490
F	284380	59	193	1058	2028	7943	22723	69782	168021
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	119	27	80	133	97	119	124	122	113
F	109	50	32	135	119	98	124	107	99
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	113	61	66	117	120	120	121	122	104
F	87	164	37	228	130	100	135	105	72

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	4599	C	0	6	136	1382	1754	1016	305
F	16364	C	4	11	401	8107	4992	2244	605
PATIENT DAYS									
M	64620	C	0	63	1215	13080	21983	18763	9516
F	156287	C	27	63	2760	68153	60072	42625	22587
AVERAGE STAY									
M	14.1	C.C	0.0	10.5	8.9	9.5	12.5	18.5	31.2
F	12.0	C.C	6.7	5.7	6.9	8.4	12.0	19.0	37.3
SEPARATION RATE PER 100,000 POPULATION									
M	48.4	C.C	0.0	0.3	9.0	57.5	128.2	137.7	122.8
F	174.3	C.C	0.5	0.5	26.7	339.3	370.4	287.9	206.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	680	C	0	3	80	544	1607	2543	3831
F	2090	C	3	3	183	2853	4457	5469	7690
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	4464	C	0	6	118	1409	1693	1003	293
F	15717	C	4	10	346	8217	4681	2144	543
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	62688	C	0	60	1053	13325	21222	18521	9131
F	188504	C	26	58	2379	69089	56326	40721	20265
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	110	C	0	75	109	116	113	105	101
F	113	C	80	50	80	120	114	113	101
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	97	C	0	59	120	109	112	102	63
F	111	C	53	32	83	119	106	101	131

		ADULTS AND CHILDREN, BY AGE IN YEARS								
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +	
SEPARATIONS DURING YEAR										
M	10841	2	3	14	530	5061	3636	1328	267	
F	9480	0	3	10	572	4596	3013	1056	230	
PATIENT DAYS										
M	59100	19	8	74	3871	42918	34539	14490	3181	
F	88658	0	20	52	4295	40105	29764	11699	2723	
AVERAGE STAY										
M	9.1	9.5	2.7	5.3	7.3	8.5	9.5	10.9	11.9	
F	9.4	C.O	6.7	5.2	7.5	8.7	9.9	11.1	11.8	
SEPARATION RATE PER 100,000 POPULATION										
M	114.1	C.S	0.3	0.7	34.9	210.6	265.8	180.0	107.5	
F	101.0	C.O	0.4	0.5	38.0	192.4	223.5	135.5	78.3	
PATIENT DAY RATE PER 100,000 POPULATION										
M	1043	9	1	4	255	1786	2525	1964	1281	
F	944	0	2	3	285	1679	2208	1501	927	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	10523	2	3	13	459	5159	3510	1311	256	
F	9105	C	3	10	494	4659	2825	1009	206	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	96153	21	9	80	3356	43746	33344	14304	3053	
F	85143	C	18	58	3705	40659	27904	11176	2443	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	110	50	16	76	111	113	113	104	116	
F	100	C	27	53	82	101	105	105	106	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	108	72	8	70	112	113	110	103	101	
F	100	0	39	57	85	101	102	101	101	

		ADULTS AND CHILDREN, BY AGE IN YEARS							
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	2215	1	4	16	78	463	642	723	288
F	4310	0	2	14	230	1258	1313	1076	417
PATIENT DAYS									
M	35620	2	33	210	893	5749	9326	12162	7245
F	69490	0	32	162	2680	16942	20067	20540	9067
AVERAGE STAY									
M	16.1	2.0	8.2	13.1	11.4	12.4	14.5	16.8	25.2
F	16.1	C.0	16.0	11.6	11.7	13.5	15.3	19.1	21.7
SEPARATION RATE PER 100,000 POPULATION									
M	23.3	C.5	0.4	0.8	5.1	19.3	46.9	98.0	115.9
F	45.9	C.C	0.2	0.7	15.3	52.7	97.4	138.1	142.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	375	1	4	10	59	239	682	1648	2917
F	740	0	4	8	178	709	1489	2635	3087
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	2150	1	4	15	68	472	620	714	276
F	4140	C	2	13	199	1275	1231	1028	37-
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	34571	2	37	201	777	5854	9006	12003	6953
F	66743	C	35	154	2314	17169	18818	19620	8135
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	97	50	400	79	101	96	86	103	122
F	105	C	50	65	114	110	109	92	107
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	100	6	740	116	129	87	84	98	176
F	109	C	73	108	115	112	109	103	108

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44		
SEPARATIONS DURING YEAR								
M	8218	140	973	3232	838	869	884	421
F	7745	120	793	2976	951	1185	607	313
PATIENT DAYS								
M	77322	1454	7258	16882	5100	9013	16189	8509
F	75944	1366	5825	15611	6540	13057	11156	10253
AVERAGE STAY								
M	9.4	10.4	7.5	5.2	6.1	10.4	18.3	20.2
F	9.8	11.4	7.3	5.2	6.9	11.0	18.4	32.8
SEPARATION RATE PER 100,000 POPULATION								
M	86.5	65.6	108.2	153.2	55.2	36.2	119.8	169.5
F	82.5	59.3	92.7	147.5	63.2	49.6	77.9	106.6
PATIENT DAY RATE PER 100,000 POPULATION								
M	814	681	807	800	336	375	2194	3425
F	808	676	681	774	435	547	1431	3491
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	7977	156	991	3083	726	886	873	404
F	7439	135	811	2837	822	1201	580	231
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	75042	1620	7394	16096	4422	9185	15980	3164
F	72876	1535	5960	14888	5655	13246	10655	9200
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	106	81	99	101	99	109	125	127
F	104	89	98	98	89	118	121	105
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	107	77	100	95	88	99	135	133
F	109	102	87	92	88	131	113	123

		ADULTS AND CHILDREN, BY AGE IN YEARS								
		1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +		
SEX	ALL AGES	UNDER 1	SEPARATIONS DURING YEAR							
			11797	5194	1748	1497	675	496	300	
M	27763	6056	8802	5057	2607	1759	793	573	293	
F	24476	4592								
		PATIENT DAYS								
M	158494	45099	63449	22471	8192	7571	4766	4057	2889	
F	139815	32634	48731	22191	12026	9979	5538	4951	3765	
		AVERAGE STAY								
M	5.7	7.4	5.4	4.3	4.7	5.1	7.1	8.2	9.6	
F	5.7	7.1	5.5	4.4	4.6	5.7	7.0	8.6	12.8	
		SEPARATION RATE PER 100,000 POPULATION								
M	292.3	2836.5	1311.5	246.3	115.1	62.3	49.3	67.2	120.8	
F	260.6	2271.0	1028.4	250.6	173.3	73.6	58.8	73.5	99.8	
		PATIENT DAY RATE PER 100,000 POPULATION								
M	1669	21124	7054	1065	540	315	348	550	1163	
F	1489	16139	5694	1100	799	418	411	635	1282	
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	26949	6748	12016	4955	1515	1526	652	490	288	
F	23508	5157	9001	4820	2253	1783	744	547	263	
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	153863	50250	64630	21428	7107	7716	4596	4006	2772	
F	134298	36648	49836	21159	10387	10122	5194	4728	3378	
		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	109	120	118	113	100	96	99	103	121	
F	106	116	118	113	98	94	83	102	101	
		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	102	117	108	103	96	90	104	84	120	
F	100	112	111	102	95	89	79	94	117	

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	7784	777	1267	1385	804	1149	920	863	619
F	8485	664	1012	1381	1141	1496	1073	1024	694
				PATIENT DAYS					
M	50860	6451	7416	7487	3675	6048	5792	7322	6669
F	60549	5415	6225	6583	5809	9432	8149	9352	9584
				AVERAGE STAY					
M	6.5	8.3	5.9	5.4	4.6	5.3	6.3	8.5	10.8
F	7.1	8.2	6.2	4.8	5.1	6.3	7.6	9.1	13.8
				SEPARATION RATE PER 100,000 POPULATION					
M	82.0	363.9	140.9	65.7	53.0	47.8	67.3	117.0	249.2
F	90.4	328.4	118.2	68.4	75.8	62.6	79.6	131.4	236.3
				PATIENT DAY RATE PER 100,000 POPULATION					
M	536	3022	824	355	242	252	423	592	2685
F	645	2678	727	326	386	395	605	1200	3263
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	7556	866	1291	1321	697	1171	888	852	594
F	8150	746	1035	1316	986	1516	1006	978	623
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	49413	7189	7550	7143	3185	6172	5586	7225	6400
F	58175	6081	6363	6271	5018	9565	7646	8535	8599
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	85	104	96	80	75	79	87	90	85
F	78	98	85	76	65	78	81	81	80
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	87	111	94	87	74	81	81	94	85
F	80	109	90	71	67	83	84	81	70

ADULTS AND CHILDREN, BY AGE IN YEARS									
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	52955	11954	14057	6522	2050	4136	4560	5752	4924
F	43449	8502	11186	5553	1892	4781	3731	4125	3679
PATIENT DAYS									
M	646958	144161	139237	56753	17957	41064	59564	93039	95183
F	510195	57806	109462	48354	16883	50535	46932	64704	75519
AVERAGE STAY									
M	12.0	12.1	9.9	8.7	8.8	9.9	13.1	16.2	19.3
F	11.7	11.5	9.8	8.7	8.9	10.6	12.6	15.7	20.5
SEPARATION RATE PER 100,000 POPULATION									
M	568.1	5599.1	1562.8	309.2	135.0	172.1	333.4	779.6	1982.3
F	462.7	4204.7	1306.9	275.2	125.7	200.1	276.8	529.3	1252.6
PATIENT DAY RATE PER 100,000 POPULATION									
M	6812	67523	15479	2691	1183	1709	4355	12610	38318
F	5433	48371	12789	2396	1122	2115	3482	8302	25713
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	52373	12319	14318	6222	1777	4216	4403	5678	4725
F	41721	5548	11439	5293	1635	4846	3498	3541	3301
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	627951	160623	141820	54143	15570	41860	57511	91842	91333
F	490021	105840	111933	46088	14586	51217	44004	61815	67759
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	104	112	114	115	88	104	98	103	107
F	101	108	110	111	93	99	98	101	103
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	103	113	114	113	87	105	101	104	99
F	100	109	110	106	92	100	97	102	97

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	34732	7471	9175	3127	833	1988	4030	5469	2639
F	25228	4810	6211	2510	1379	3198	2990	2755	1375
PATIENT DAYS									
M	378899	71109	66167	20276	5786	16481	51242	55330	52508
F	241237	42052	45544	17150	10117	28372	34607	37867	25528
AVERAGE STAY									
M	10.9	5.5	7.2	6.5	6.9	8.3	12.7	17.4	19.9
F	9.6	8.7	7.3	6.8	7.3	8.9	11.6	13.7	18.6
SEPARATION RATE PER 100,000 POPULATION									
M	365.7	3455.3	1020.0	148.3	54.9	82.7	294.6	741.3	1062.4
F	268.7	2378.8	725.7	124.4	91.7	133.9	221.8	353.5	468.2
PATIENT DAY RATE PER 100,000 POPULATION									
M	3990	33306	7356	961	381	686	3746	12921	21138
F	2569	20797	5321	850	672	1188	2568	4858	8692
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	33713	8324	9345	2983	722	2026	3891	5399	2532
F	24231	5402	6351	2393	1192	3242	2804	2632	1234
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	367834	79228	67397	19335	5015	16803	49469	94107	50384
F	231707	47226	46571	16350	8736	28769	32454	36172	22905
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	111	113	117	110	90	107	124	125	120
F	104	103	114	105	93	106	112	121	107
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	114	116	118	108	91	101	127	124	119
F	106	104	114	101	94	106	117	120	107

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74		
			SEPARATIONS DURING YEAR							
M	94134	265	31657	49849	7072	4791	434	58	8	
F	97040	133	24860	52681	13460	5202	579	118	7	
			PATIENT DAYS							
M	198417	808	60805	97813	21042	15876	1622	359	92	
F	215863	517	46933	105834	41334	18246	2325	650	24	
			AVERAGE STAY							
M	2.1	3.0	1.9	2.0	3.0	3.3	3.7	6.2	11.5	
F	2.2	3.9	1.9	2.0	3.1	3.5	4.0	5.5	3.4	
			SEPARATION RATE PER 100,000 POPULATION							
M	991.2	124.1	3519.4	2363.5	465.8	199.4	31.7	7.9	3.2	
F	1033.4	65.8	2904.5	2610.7	894.6	217.7	43.0	15.1	2.4	
			PATIENT DAY RATE PER 100,000 POPULATION							
M	2089	378	6760	4638	1386	661	119	49	37	
F	2299	256	5483	5245	2747	764	173	83	8	
			EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	91373	295	32245	47554	6130	4884	419	57	8	
F	93204	149	25421	50217	11630	5273	543	113	6	
			EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	192583	899	61936	93317	18242	16190	1571	357	88	
F	207355	581	47989	100889	35712	18501	2186	618	21	
			CASE RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	99	82	103	96	111	97	95	74	67	
F	98	72	102	96	107	96	78	93	40	
			DAY RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	98	61	105	98	82	96	85	64	60	
F	98	70	104	98	106	74	77	92	19	

		ADULTS AND CHILDREN, BY AGE IN YEARS							
		1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +	
SEX	ALL AGES	UNDER 1	SEPARATIONS DURING YEAR						
M	29758	859	1661	2338	4781	7645	5507	4982	1985
F	19253	638	1136	1795	3239	5675	3265	2343	1162
		PATIENT DAYS							
M	308800	11044	18428	16927	26903	50393	58219	84659	42227
F	202998	7502	11928	13114	19995	49163	35321	34957	30618
		AVERAGE STAY							
M	10.4	12.5	11.1	7.2	5.6	6.6	10.6	17.0	21.3
F	10.5	12.4	10.5	7.3	6.2	8.7	10.8	14.9	26.3
		SEPARATION RATE PER 100,000 POPULATION							
M	313.3	402.3	184.7	110.9	314.9	318.2	402.6	675.3	799.1
F	205.0	315.5	132.7	89.0	215.3	237.5	242.2	300.6	395.6
		PATIENT DAY RATE PER 100,000 POPULATION							
M	3251	5173	2049	803	1772	2097	4256	11475	17000
F	2162	2908	1394	650	1329	2058	2621	4485	10425
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	28385	957	1692	2230	4144	7793	5317	4918	1905
F	18492	717	1162	1711	2799	5752	3061	2238	1043
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	259706	12305	18773	16156	23323	51363	56203	83576	40521
F	194958	8874	12201	12503	17277	49837	33123	33355	27472
		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	105	111	119	93	102	103	105	108	116
F	100	109	125	94	94	103	96	98	102
		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	104	110	133	95	92	103	101	110	103
F	102	112	129	91	89	114	98	88	106

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	13067	65	1030	2733	3641	3513	1517	491	73
F	17738	50	1109	3194	5387	5452	1978	483	85
PATIENT DAYS									
M	27888	322	2116	5163	7177	7350	3686	1682	392
F	37773	237	2348	5842	10724	11712	4963	1580	367
AVERAGE STAY									
M	2.1	4.7	2.1	1.9	2.0	2.1	2.4	3.4	5.4
F	2.1	4.7	2.1	1.8	2.0	2.1	2.5	3.3	4.3
SEPARATION RATE PER 100,000 POPULATION									
M	137.6	32.3	114.5	129.6	239.8	146.2	110.9	66.5	29.4
F	188.9	24.7	129.6	158.3	358.0	228.2	146.8	62.0	28.9
PATIENT DAY RATE PER 100,000 POPULATION									
M	294	151	235	245	473	306	269	228	158
F	402	117	274	290	713	490	368	203	125
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	12684	77	1049	2607	3156	3581	1465	485	70
F	17027	56	1134	3045	4655	5526	1855	461	76
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	27104	359	2153	4929	6226	7495	3552	1661	377
F	36258	266	2398	5578	9269	11866	4651	1512	329
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	102	96	91	97	101	109	101	90	89
F	98	75	101	93	97	97	102	98	94
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	99	54	94	96	101	104	96	84	83
F	96	79	115	89	94	94	99	88	91

ADULTS AND CHILDREN, BY AGE IN YEARS									
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	31136	8	26	252	1595	10388	10464	6326	2077
F	12932	1	21	197	812	4138	4270	2436	1057
PATIENT DAYS									
M	449204	98	235	2325	16995	123547	152782	110291	42931
F	194068	22	161	1836	8544	53196	64128	43113	23068
AVERAGE STAY									
M	14.4	12.2	9.0	9.2	10.7	11.9	14.6	17.4	20.7
F	15.0	22.0	7.7	9.3	10.5	12.9	15.0	17.7	21.8
SEPARATION RATE PER 100,000 POPULATION									
M	327.8	3.7	2.9	11.9	105.0	432.3	765.0	857.4	836.2
F	137.7	0.5	2.5	9.8	54.0	173.2	316.8	312.5	359.9
PATIENT DAY RATE PER 100,000 POPULATION									
M	4730	46	26	110	1119	5142	11170	14949	17293
F	2067	11	19	91	568	2227	4758	5532	7854
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	30223	9	26	240	1383	10589	10103	6245	1993
F	12421	1	21	188	702	4194	4004	2327	948
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	436054	109	238	2213	14728	125947	147508	108878	41195
F	186430	25	166	1750	7384	53929	60130	41190	20697
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	96	35	68	94	95	95	98	100	104
F	98	25	88	89	97	99	96	97	104
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	95	32	44	88	92	94	98	98	99
F	97	43	61	88	96	100	96	94	95

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	14357	346	409	828	1382	5153	3608	1870	761
F	13532	271	368	881	1981	4556	2914	1777	784
PATIENT DAYS									
M	111128	3001	2073	3643	7868	36488	30281	18886	8888
F	114862	2266	1780	4071	12434	36505	26584	19224	11998
AVERAGE STAY									
M	7.7	8.7	5.1	4.4	5.7	7.1	8.4	10.1	11.7
F	8.5	8.4	4.8	4.6	6.3	8.0	9.1	10.8	15.3
SEPARATION RATE PER 100,000 POPULATION									
M	151.2	162.1	45.5	39.3	91.0	214.4	263.8	253.5	306.4
F	144.1	134.0	43.0	43.7	131.7	190.7	216.2	228.0	266.9
PATIENT DAY RATE PER 100,000 POPULATION									
M	1170	1406	230	173	518	1518	2214	2560	3578
F	1223	1121	208	202	826	1528	1972	2467	4085
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	13936	386	417	790	1198	5253	3483	1846	730
F	12997	304	376	840	1712	4618	2732	1698	703
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	107861	3345	2107	3481	6818	37181	29237	18645	8528
F	110307	2546	1820	3886	10738	37002	24922	18369	10765
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	113	110	128	116	122	119	114	99	113
F	116	107	110	125	113	124	109	108	118
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	107	98	115	117	121	116	107	98	105
F	116	91	103	120	108	124	110	107	136

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS						75 +
				5 - 14	15 - 24	25 - 44	45 - 59	60 - 74		
SEPARATIONS DURING YEAR										
M	26648	18	668	10307	7573	5383	1817	685	197	
F	23017	11	466	8638	8418	3771	1079	471	163	
PATIENT DAYS										
M	205573	154	6733	72951	52266	41682	18762	9513	3512	
F	177589	91	4263	61182	59059	30973	12130	7040	2851	
AVERAGE STAY										
M	7.7	8.6	10.1	7.1	6.9	7.7	10.3	13.9	17.8	
F	7.7	8.3	9.1	7.1	7.0	8.2	11.2	14.9	17.5	
SEPARATION RATE PER 100,000 POPULATION										
M	280.6	8.4	74.3	488.7	498.7	224.0	132.8	92.8	79.3	
F	245.1	5.4	54.4	428.1	559.5	157.8	80.1	60.4	55.5	
PATIENT DAY RATE PER 100,000 POPULATION										
M	2165	72	749	3459	3442	1735	1372	1289	1414	
F	1891	45	498	3032	3925	1296	900	503	971	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	25867	20	680	9832	6564	5487	1754	676	189	
F	22107	12	477	8234	7273	3822	1012	450	146	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	199589	171	6862	69595	45303	42497	18118	9388	3370	
F	170556	102	4359	58321	51026	31384	11374	6724	2559	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	93	95	98	94	91	85	92	82	83	
F	83	60	88	83	77	81	93	80	75	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	90	102	106	92	87	83	86	79	85	
F	81	53	88	82	74	79	90	82	44	

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
				5 - 14	15 - 24	25 - 44	45 - 59				
SEPARATIONS DURING YEAR											
M	49866	3250	5324	4176	3224	9978	11699	9212	3003		
F	16893	827	1220	970	570	4376	4339	3394	1197		
PATIENT DAYS											
M	422899	23357	27228	21906	22569	79102	109349	100151	39237		
F	190520	5771	6309	4870	4330	44412	55566	49715	19547		
AVERAGE STAY											
M	3.5	7.2	5.1	5.2	7.0	7.9	9.3	10.9	13.1		
F	11.3	7.0	5.2	5.0	7.6	10.1	12.8	14.6	16.3		
SEPARATION RATE PER 100,000 POPULATION											
M	525.0	1522.2	591.9	198.0	212.3	415.2	855.3	1248.6	1208.9		
F	179.9	409.0	142.5	48.1	37.9	183.2	321.9	435.5	407.6		
PATIENT DAY RATE PER 100,000 POPULATION											
M	4453	10940	3027	1039	1486	3292	7995	13574	15796		
F	2029	2854	737	241	288	1859	4123	6379	6655		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	48404	3621	5423	3984	2795	10171	11295	9094	2332		
F	16225	529	1248	925	493	4436	4068	3242	1074		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	410517	26024	27734	20905	19558	80633	105580	98864	37651		
F	183003	6481	6450	4636	3744	45018	52105	47497	17537		
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	107	118	106	103	96	114	110	109	106		
F	106	101	93	109	81	102	113	122	107		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	104	117	102	91	89	111	109	106	99		
F	105	87	92	94	74	102	111	120	93		

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS								75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74		
SEPARATIONS DURING YEAR										
M	4176	218	234	409	210	527	800	957	821	
F	5009	122	118	247	273	1069	1157	1084	939	
PATIENT DAYS										
M	48790	2402	1670	2898	2126	5572	9299	12604	12219	
F	70010	1387	707	1792	2392	12785	16526	18310	16111	
AVERAGE STAY										
M	11.7	11.0	7.1	7.1	10.1	10.6	11.6	13.2	14.9	
F	14.0	11.4	6.0	7.3	8.8	12.0	14.3	16.9	17.2	
SEPARATION RATE PER 100,000 POPULATION										
M	44.0	102.1	26.0	19.4	13.8	21.9	58.5	129.7	330.5	
F	53.3	60.3	13.8	12.2	18.1	44.7	85.8	139.1	319.7	
PATIENT DAY RATE PER 100,000 POPULATION										
M	514	1125	186	137	140	232	680	1708	4919	
F	746	686	83	89	159	535	1226	2349	5486	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	4054	243	238	390	182	537	772	945	738	
F	4811	137	121	235	236	1084	1085	1036	843	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	47385	2676	1704	2756	1843	5683	8980	12440	11725	
F	67284	1558	726	1712	2067	12956	15494	17490	14457	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	93	86	79	86	88	88	97	95	108	
F	95	82	69	85	79	93	101	100	96	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	94	106	85	97	102	88	81	92	114	
F	98	111	71	101	87	96	106	94	93	

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	25445	5303	7256	2898	1244	1804	1234	977	729
F	25127	7483	5908	2526	1974	2772	1837	1583	1044
				PATIENT DAYS					
M	191305	88841	51147	11892	5225	10159	8336	8136	7569
F	194678	71261	40479	10882	9302	20024	15002	15232	12496
				AVERAGE STAY					
M	7.5	5.5	7.0	4.1	4.2	5.6	6.8	8.3	10.4
F	7.7	5.5	6.9	4.3	4.7	7.2	8.2	9.6	12.0
				SEPARATION RATE PER 100,000 POPULATION					
M	267.9	4357.4	806.7	137.4	81.9	75.1	90.2	132.4	293.5
F	267.6	3700.8	690.3	125.2	131.2	116.0	136.3	203.1	355.5
				PATIENT DAY RATE PER 100,000 POPULATION					
M	2014	41612	5686	564	344	423	609	1103	3047
F	2073	35243	4729	539	618	838	1113	1954	4255
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	24699	10365	7391	2765	1078	1839	1191	964	700
F	24134	8404	6041	2408	1706	2810	1722	1512	937
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	185668	58986	52096	11348	4528	10361	8042	8033	7263
F	186571	80029	41390	10368	8034	20293	14066	14549	11213
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	107	113	120	113	111	112	97	101	121
F	106	115	120	104	95	111	106	114	113
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	100	106	108	108	105	115	103	107	130
F	104	110	116	101	95	121	98	117	113

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	4836	24	57	104	290	860	1190	1473	838	
F	7020	22	31	80	338	1048	1582	2350	1569	
PATIENT DAYS										
M	77952	282	551	1719	5823	14303	17949	21474	15851	
F	119503	449	304	1722	6483	17797	22493	36741	33514	
AVERAGE STAY										
M	16.1	11.7	9.7	16.5	20.1	16.6	15.1	14.6	18.9	
F	17.0	20.4	9.8	21.5	19.2	17.0	14.2	15.6	21.4	
SEPARATION RATE PER 100,000 POPULATION										
M	50.9	11.2	6.3	4.9	19.1	35.8	87.0	195.6	337.4	
F	74.8	10.9	3.6	4.0	22.5	43.9	117.4	301.5	534.2	
PATIENT DAY RATE PER 100,000 POPULATION										
M	821	132	61	82	383	595	1312	2911	6381	
F	1273	222	36	85	431	745	1669	4714	11411	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	4694	27	58	99	251	877	1149	1454	804	
F	6742	25	32	76	292	1062	1483	2245	1408	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	75687	314	559	1650	5041	14574	17326	21202	15209	
F	114816	504	315	1635	5603	18041	21092	35100	30070	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	106	87	104	130	101	114	111	104	97	
F	109	156	107	88	109	103	112	106	109	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	108	81	126	165	93	116	113	102	108	
F	106	142	80	131	131	99	107	105	96	

1965
DIAGNOSIS 60

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	4176	28	35	121	151	1035	1557	1002	247
F	2972	23	22	153	226	832	918	597	201
PATIENT DAYS									
M	85159	764	617	1417	1924	16680	32120	25247	6390
F	60090	610	383	1870	2619	13392	21108	14406	5702
AVERAGE STAY									
M	20.4	27.3	17.6	11.7	12.7	16.1	20.6	25.2	25.9
F	20.2	26.5	17.4	12.2	11.6	16.1	23.0	24.1	28.4
SEPARATION RATE PER 100,000 POPULATION									
M	44.0	13.1	3.9	5.7	9.9	43.1	113.8	135.8	99.4
F	31.6	11.4	2.6	7.6	15.0	34.8	68.1	76.6	68.4
PATIENT DAY RATE PER 100,000 POPULATION									
M	397	358	69	67	127	694	2348	3422	2572
F	640	302	45	93	174	561	1566	1848	1941
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	4054	31	36	115	131	1055	1503	989	237
F	2855	26	22	146	195	843	861	570	180
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	82693	852	632	1348	1672	16999	31007	24923	6131
F	57724	686	394	1789	2262	13585	19791	13760	5115
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	95	84	64	34	52	105	104	109	115
F	84	137	61	43	49	84	94	103	115
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	103	123	72	39	58	109	112	119	73
F	95	107	96	46	60	89	103	111	99

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74		
SEPARATIONS DURING YEAR										
M	18515	56	104	148	474	4792	5880	4946	2075	
F	54699	73	95	247	5196	20165	15161	10150	3612	
PATIENT DAYS										
M	277283	2662	3223	2157	4625	55964	82391	84485	41776	
F	738864	1972	3006	3046	53435	235818	209319	165108	67160	
AVERAGE STAY										
M	15.0	27.7	31.0	14.6	9.8	11.7	14.0	17.1	20.1	
F	13.5	27.0	31.6	12.3	10.3	11.7	13.8	16.3	18.6	
SEPARATION RATE PER 100,000 POPULATION										
M	194.9	45.0	11.6	7.0	31.2	199.4	429.9	670.4	835.3	
F	582.5	36.1	11.1	12.2	345.3	844.0	1124.9	1302.3	1229.8	
PATIENT DAY RATE PER 100,000 POPULATION										
M	2920	1247	358	102	305	2329	6024	11451	16818	
F	7868	575	351	151	3551	9871	15530	21184	22867	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	17972	107	106	141	411	4885	5677	4883	1991	
F	52536	82	97	235	4490	20439	14216	9697	3241	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	269192	2966	3280	2052	4014	57046	79551	83401	40087	
F	709642	2214	3072	2905	46164	239038	196263	157732	60259	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	121	116	103	140	133	129	114	121	132	
F	119	124	111	110	122	128	113	114	117	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	119	137	181	159	122	126	112	119	131	
F	116	115	134	137	122	126	112	108	108	

		ADULTS AND CHILDREN, BY AGE IN YEARS							
		1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +	
		SEPARATIONS DURING YEAR							
M	17397	1315	1603	1371	4831	3787	2475	1269	
F	17785	1236	1438	2179	5123	3675	2407	1240	
		PATIENT DAYS							
M	172465	11267	10127	10391	40204	40020	33153	19218	
F	184708	10221	8493	16437	48677	41571	33453	20899	
		AVERAGE STAY							
M	9.9	8.6	6.3	7.6	8.3	10.6	13.4	15.1	
F	10.4	8.3	5.9	7.5	9.5	11.3	13.9	16.9	
		SEPARATION RATE PER 100,000 POPULATION							
M	183.2	146.2	76.0	90.3	201.0	276.9	335.5	510.9	
F	189.4	144.4	71.3	144.8	214.4	272.7	308.8	422.2	
		PATIENT DAY RATE PER 100,000 POPULATION							
M	1816	1253	480	684	1673	2926	4493	7737	
F	1967	1194	421	1092	2037	3084	4292	7116	
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	16887	1339	1529	1188	4924	3656	2443	1218	
F	17082	1264	1371	1883	5193	3446	2299	1113	
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	167415	11480	9658	9003	40978	38640	32724	18442	
F	177411	10450	8098	14196	49328	38975	31957	18752	
		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	105	108	107	102	106	111	107	111	
F	104	110	102	100	105	104	105	104	
		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	105	105	102	99	107	108	110	106	
F	101	112	91	98	105	99	102	90	

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	5179	28	466	1136	480	1521	933	366	249	
F	3829	28	384	899	444	1054	481	355	184	
PATIENT DAYS										
M	87988	469	11281	21925	8072	16104	11436	8135	10566	
F	66991	561	7957	16293	5738	11336	7944	8270	8892	
AVERAGE STAY										
M	17.0	16.7	24.2	19.3	16.8	10.6	12.3	22.2	42.4	
F	17.5	20.0	20.7	18.1	12.9	10.8	16.5	23.3	48.3	
SEPARATION RATE PER 100,000 POPULATION										
M	54.5	13.1	51.8	53.9	31.6	63.3	68.2	49.6	100.2	
F	40.8	13.8	44.9	44.6	29.5	44.1	35.7	45.5	62.6	
PATIENT DAY RATE PER 100,000 POPULATION										
M	926	220	1254	1040	532	670	836	1103	4254	
F	713	277	930	807	381	474	589	1061	3028	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	5027	31	475	1084	416	1550	901	361	239	
F	2678	31	393	857	384	1068	451	339	165	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	85367	523	11489	20925	7002	16411	11040	8033	10140	
F	64308	629	8140	15523	4953	11478	7444	7900	7979	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	133	70	100	101	98	220	185	96	124	
F	113	100	107	99	95	153	103	111	112	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	109	50	110	95	91	136	120	90	156	
F	102	91	110	102	78	120	85	99	112	

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	5538	165	311	862	509	1099	1024	880	688
F	16197	223	1351	3005	3108	4214	2151	1456	689
PATIENT DAYS									
M	74731	3310	4314	7800	4412	10495	12272	14885	17243
F	173284	3510	15459	24096	22862	38360	26168	26478	16351
AVERAGE STAY									
M	13.5	20.1	13.9	9.0	8.7	9.5	12.0	16.9	25.1
F	10.7	15.7	11.4	8.0	7.4	9.1	12.2	18.2	23.7
SEPARATION RATE PER 100,000 POPULATION									
M	58.3	77.3	34.6	40.9	33.5	45.7	74.9	119.3	277.0
F	172.5	110.3	157.8	148.9	206.6	176.4	159.6	186.8	234.6
PATIENT DAY RATE PER 100,000 POPULATION									
M	787	1550	480	370	291	437	897	2017	6942
F	1845	1736	1806	1194	1519	1606	1942	3397	5567
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	5376	184	317	822	441	1120	989	869	660
F	15557	250	1382	2864	2685	4271	2017	1391	618
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	72553	3687	4398	7444	3830	10704	11846	14690	16547
F	166407	3942	15807	22967	19747	38891	24542	25293	14670
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	106	161	125	110	99	95	106	103	116
F	112	120	133	114	106	109	106	113	111
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	110	170	134	118	97	92	108	97	132
F	114	111	148	116	84	110	109	132	128

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	12482	1	10	68	688	4985	4201	2090	439	
F	5664	0	9	62	703	2253	1510	870	257	
PATIENT DAYS										
M	115625	7	142	698	5598	36848	38148	25658	8526	
F	62563	0	150	742	5529	22609	17474	11714	4345	
AVERAGE STAY										
M	9.3	7.0	14.2	10.3	8.1	7.4	9.1	12.3	19.4	
F	11.0	C.C	16.7	12.0	7.9	10.0	11.6	13.5	16.9	
SEPARATION RATE PER 100,000 POPULATION										
M	131.4	C.5	1.1	3.2	45.3	207.5	307.1	283.3	176.7	
F	60.3	C.C	1.1	3.1	46.7	94.3	112.0	111.6	87.5	
PATIENT DAY RATE PER 100,000 POPULATION										
M	1217	3	16	33	369	1533	2789	3478	3432	
F	666	C	18	37	367	946	1296	1503	1479	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	12116	1	10	65	596	5081	4056	2063	421	
F	5440	C	9	59	607	2284	1416	831	231	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	112194	7	147	664	4857	37549	36831	25331	8180	
F	60069	C	158	712	4771	22909	16378	11191	3897	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	107	100	71	100	100	107	108	114	108	
F	116	0	113	79	106	122	118	113	104	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	103	88	61	104	101	99	105	110	114	
F	129	0	214	95	114	138	130	128	115	

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	14360	308	860	1802	941	2500	2482	3188	2279
F	22126	206	1929	3577	2400	5530	4105	3033	1346
PATIENT DAYS									
M	163792	4689	9351	15906	9362	22441	25416	40265	36362
F	206810	3075	16267	26394	16923	49149	39463	34959	20580
AVERAGE STAY									
M	11.4	15.2	10.9	8.8	9.9	9.0	10.2	12.6	16.0
F	9.3	14.9	8.4	7.4	7.1	8.9	9.6	11.5	15.3
SEPARATION RATE PER 100,000 POPULATION									
M	151.2	144.3	95.6	85.4	62.0	104.0	181.5	432.1	917.5
F	235.6	101.9	225.4	177.3	159.5	231.5	304.6	389.1	458.3
PATIENT DAY RATE PER 100,000 POPULATION									
M	1725	2196	1040	754	617	934	1858	5457	14638
F	2202	1521	1901	1308	1125	2057	2928	4485	7007
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	13939	343	876	1719	816	2548	2396	3147	2187
F	21251	231	1973	3410	2074	5605	3849	2898	1208
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	159026	5224	9529	15170	8121	22877	24536	39745	34891
F	198606	3454	16638	25160	14625	49813	37003	33395	18465
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	106	147	138	113	91	98	97	108	119
F	121	143	164	149	117	111	106	114	119
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	103	140	143	110	84	87	89	106	116
F	118	138	166	148	113	115	107	119	91

1965
DIAGNOSIS 67

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	18253	3	13	16	16	244	2623	9374	5964
F	0	0	0	0	0	0	0	0	0
PATIENT DAYS									
M	371322	6	49	59	175	2287	38550	177864	152332
F	0	0	0	0	0	0	0	0	0
AVERAGE STAY									
M	20.3	2.0	3.8	3.7	10.9	9.4	14.7	19.0	25.5
F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SEPARATION RATE PER 100,000 POPULATION									
M	192.2	1.4	1.4	0.8	1.1	10.2	191.8	1270.5	2401.0
F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	3910	3	5	3	12	95	2818	24107	61325
F	0	0	0	0	0	0	0	0	0
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	17718	3	13	15	14	249	2532	9254	5723
F	0	0	0	0	0	0	0	0	0
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	360459	7	46	60	158	2327	37214	175578	146172
F	0	0	0	0	0	0	0	0	0
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	108	300	1300	150	47	86	107	113	103
F	0	0	0	0	0	0	0	0	0
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	103	21	418	43	60	79	109	104	102
F	0	0	0	0	0	0	0	0	0

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS						60 - 74	75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59		
SEPARATIONS DURING YEAR									
M	9832	1752	2977	2446	991	1048	307	218	93
F	0	C	0	0	0	0	0	0	0
PATIENT DAYS									
M	33136	4591	9263	7505	3589	3994	1552	1407	835
F	0	C	0	0	0	0	0	0	0
AVERAGE STAY									
M	3.4	2.8	3.1	3.1	3.6	3.8	5.1	6.5	9.0
F	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SEPARATION RATE PER 100,000 POPULATION									
M	103.5	820.6	331.0	116.0	65.3	43.6	22.4	29.5	37.4
F	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	349	2338	1030	356	236	166	113	191	336
F	0	C	0	0	0	0	0	0	0
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	9544	1552	3032	2333	859	1068	296	215	89
F	0	C	0	0	0	0	C	0	0
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	32174	5562	9437	7163	3106	4066	1492	1391	801
F	0	C	0	0	0	0	0	0	0
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	84	76	92	89	83	97	96	89	81
F	0	C	0	0	0	0	C	0	0
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	90	80	100	95	83	99	107	82	80
F	0	C	0	0	0	0	0	0	0

1965
DIAGNOSIS 69

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
M	0	C	0	0	0	0	0	0	0
F	34208	S	99	517	8407	19355	4636	962	223
SEPARATIONS DURING YEAR									
M	C	C	0	0	0	0	C	0	0
F	251960	108	660	3330	54625	143717	36377	10073	3070
PATIENT DAYS									
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	7.4	12.C	6.7	6.4	6.5	7.4	7.8	10.5	13.8
AVERAGE STAY									
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	364.3	4.5	11.6	25.6	558.8	810.1	344.C	123.4	75.9
SEPARATION RATE PER 100,000 POPULATION									
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	2683	53	77	165	3631	6016	2699	1292	1045
PATIENT DAY RATE PER 100,000 POPULATION									
M	0	C	0	0	0	0	0	0	0
F	32856	1C	101	493	7264	19618	4347	919	200
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	C	0	0	0	0	0	0	0
F	241989	12C	674	3174	47204	145685	34109	9620	2754
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	C	0	0	0	0	0	0	0
F	99	71	63	90	102	98	102	106	109
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	C	0	0	0	0	0	0	0
F	0	58	46	79	96	95	96	107	112
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	C	0	0	0	0	0	0	0
F	95	58	46	79	96	95	96	107	112

SEX		ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					75 +
				5 - 14	15 - 24	25 - 44	45 - 59	60 - 74		
				SEPARATIONS DURING YEAR						
M		C	C	0	0	0	C	0	0	
F		20734	3	4	6	7243	7574	4817	880	
				PATIENT DAYS						
M		0	C	0	0	0	0	0	0	
F		299925	32	40	85	97408	108874	75480	16106	
				AVERAGE STAY						
M		C.C	C.C	0.0	0.0	0.0	C.0	0.0	0.0	
F		14.5	10.7	10.0	14.2	13.4	14.4	15.7	18.3	
				SEPARATION RATE PER 100,000 POPULATION						
M		0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	
F		220.8	1.5	0.5	0.3	303.2	562.0	618.0	299.6	
				PATIENT DAY RATE PER 100,000 POPULATION						
M		C	C	0	0	0	C	0	0	
F		3154	16	5	4	4077	8078	5684	5434	
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M		0	0	0	0	0	0	0	0	
F		19914	3	4	6	7342	7102	4602	790	
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M		0	C	0	0	0	0	0	0	
F		288078	36	44	77	98729	102087	72105	14451	
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100						
M		0	C	0	0	0	0	0	0	
F		113	C	100	300	121	112	109	104	
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100						
M		0	C	0	0	0	0	0	0	
F		111	C	54	1100	79	110	108	100	

1965
DIAGNOSIS 71

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS				45 - 59	60 - 74	75 +
			1 - 4	5 - 14	15 - 24	25 - 44			
SEPARATIONS DURING YEAR									
M	0	C	0	0	0	0	0	0	0
F	35222	C	0	500	6547	19235	8189	636	115
PATIENT DAYS									
M	C	C	0	0	0	0	C	0	0
F	163413	C	0	2144	28621	89582	38502	3743	821
AVERAGE STAY									
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	C.C	0.0
F	4.6	C.C	0.0	4.3	4.4	4.7	4.7	5.9	7.1
SEPARATION RATE PER 100,000 POPULATION									
M	0.0	C.C	0.0	0.0	0.0	0.0	C.0	C.0	0.0
F	375.1	C.C	0.0	24.8	435.1	805.1	607.6	81.6	39.2
PATIENT DAY RATE PER 100,000 POPULATION									
M	C	C	0	0	0	0	0	0	0
F	1740	C	0	106	1902	3750	2857	480	280
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	C	C	0	0	0	0	0	0	0
F	33830	C	0	477	5657	19497	7678	608	103
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	C	0	0	0	0	0	0	0
F	156937	C	0	2039	24727	90811	36106	3574	738
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	C	C	0	0	0	0	0	0	0
F	106	C	0	102	96	106	118	120	149
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	C	C	0	0	0	0	0	0	0
F	101	C	0	93	93	103	107	111	118

ADULTS AND CHILDREN, BY AGE IN YEARS									
SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	12847	351	946	1218	1409	2994	2885	2227	813
F	29807	30	55	219	4143	16012	8007	1119	222
PATIENT DAYS									
M	108181	2520	5387	7200	9150	20871	24587	25146	13320
F	170149	195	336	1003	19739	88467	48485	9798	2126
AVERAGE STAY									
M	8.4	7.2	5.7	5.9	6.5	7.0	8.5	11.3	16.4
F	5.7	6.5	6.1	4.6	4.8	5.5	6.1	8.8	9.6
SEPARATION RATE PER 100,000 POPULATION									
M	135.3	164.4	105.2	57.7	92.8	124.6	211.2	301.8	327.3
F	317.4	14.8	6.4	10.9	275.4	670.2	554.1	143.6	75.6
PATIENT DAY RATE PER 100,000 POPULATION									
M	1139	1180	599	341	603	869	1798	3408	5362
F	1812	96	39	50	1312	3703	3597	1257	724
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	12470	391	964	1162	1221	3052	2789	2198	780
F	28629	34	56	209	3580	16230	7508	1069	199
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	105003	2807	5488	6861	7937	21285	23744	24821	12781
F	163431	218	341	962	17056	89673	45458	9359	1908
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	106	86	101	106	109	111	108	104	103
F	99	45	90	87	96	95	101	111	123
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	102	88	109	108	101	107	104	100	100
F	96	39	133	77	90	97	97	112	94

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	
SEPARATIONS DURING YEAR								
M	0	C	0	0	0	0	0	0
F	75257	C	0	64	32930	41952	311	0
PATIENT DAYS								
M	C	C	0	0	0	0	0	0
F	331063	C	0	290	137375	191320	2078	0
AVERAGE STAY								
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0
F	4.4	C.C	0.0	4.5	4.2	4.6	6.7	0.0
SEPARATION RATE PER 100,000 POPULATION								
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0
F	801.4	C.C	0.0	3.2	2188.6	1756.0	23.1	0.0
PATIENT DAY RATE PER 100,000 POPULATION								
M	0	C	0	0	0	0	0	0
F	3525	C	0	14	9130	8008	154	0
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	0	C	0	0	0	0	0	0
F	72282	C	0	61	28453	42523	292	0
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	0	C	0	0	0	0	0	0
F	317932	C	0	269	118693	193923	1946	0
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100								
M	0	C	0	0	0	0	0	0
F	54	C	0	115	93	92	90	0
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100								
M	0	C	0	0	0	0	0	0
F	91	C	0	85	91	90	85	0

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
SEPARATIONS DURING YEAR									
M	C	C	0	0	0	0	0	0	0
F	48029	C	0	22	15504	31857	646	0	0
PATIENT DAYS									
M	C	C	0	0	0	0	0	0	0
F	184441	C	0	144	57249	124085	2963	0	0
AVERAGE STAY									
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	3.8	C.C	0.0	6.5	3.7	3.9	4.6	0.0	0.0
SEPARATION RATE PER 100,000 POPULATION									
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	511.5	C.C	0.0	1.1	1030.4	1333.4	47.9	0.0	0.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	0	C	0	0	0	0	0	0	0
F	1964	C	0	7	3805	5194	220	0	0
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	C	0	0	0	0	0	0	0
F	46130	C	0	21	13396	32291	606	0	0
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	C	C	0	0	0	0	0	0	0
F	177140	C	0	135	49466	125779	2780	0	0
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	C	0	0	0	0	0	0	0
F	80	C	0	88	81	80	92	0	0
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	C	0	0	0	0	0	0	0
F	76	C	0	110	76	76	93	0	0

1965
DIAGNOSIS 75

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS						75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	
SEPARATIONS DURING YEAR									
M	0	C	0	0	0	0	0	0	0
F	33687C	C	0	159	143427	192481	802	1	0
PATIENT DAYS									
M	0	0	0	0	0	0	0	0	0
F	1931376	C	0	1023	815679	1109666	5001	7	0
AVERAGE STAY									
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	5.7	C.C	0.0	6.4	5.7	5.8	6.2	7.0	0.0
SEPARATION RATE PER 100,000 POPULATION									
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	3587.3	C.C	0.0	7.9	9532.6	8056.6	59.5	0.1	0.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	0	C	0	0	0	0	0	0	0
F	20567	C	0	51	54212	46447	371	1	0
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0
F	323552	C	0	152	123926	195101	752	1	0
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	C	0	0	0	0	0	0	0
F	185501C	C	0	981	704772	1124769	4689	7	0
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	C	0	0	0	0	0	0	0	0
F	77	C	0	72	75	77	82	14	0
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	0	C	0	0	0	0	0	0	0
F	75	C	0	68	73	74	74	17	0

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	C	C	0	0	0	0	C	0	0
F	63873	C	0	44	26141	37444	244	0	0
				PATIENT DAYS					
M	0	C	0	0	0	0	0	0	0
F	551857	C	0	382	210352	338384	2739	0	0
				AVERAGE STAY					
M	C.C	C.C	C.C	0.0	0.0	0.0	C.C	C.C	0.0
F	8.6	C.C	0.0	8.7	8.0	9.0	11.2	0.0	0.0
				SEPARATION RATE PER 100,000 POPULATION					
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	580.2	C.C	0.0	2.2	1737.4	1567.3	18.1	C.C	0.0
				PATIENT DAY RATE PER 100,000 POPULATION					
M	C	C	0	0	0	0	C	0	0
F	5877	C	0	19	13981	14164	203	0	0
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	0	C	0	0	0	0	0	0	0
F	61348	C	0	42	22587	37954	229	0	0
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	C	C	0	0	0	0	0	0	0
F	530067	C	0	365	181757	342998	2565	0	0
				CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100					
M	C	C	0	0	0	0	0	0	0
F	174	C	0	191	199	159	185	0	0
				DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100					
M	C	C	0	0	0	0	0	0	0
F	167	C	0	202	193	155	183	0	0

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS						75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	
SEPARATIONS DURING YEAR									
M	0	C	0	0	0	0	C	0	0
F	7704	1	0	11	2854	4789	48	1	0
PATIENT DAYS									
M	0	C	0	0	0	0	0	0	0
F	63214	2	0	71	20729	41957	445	10	0
AVERAGE STAY									
M	C.C	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	8.2	2.C	0.0	6.5	7.3	8.8	9.3	10.0	0.0
SEPARATION RATE PER 100,000 POPULATION									
M	0.0	C.C	0.0	0.0	0.0	0.0	C.0	0.0	0.0
F	82.C	C.5	0.0	0.5	189.7	200.5	3.6	0.1	0.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	0	C	0	0	0	0	0	0	0
F	673	1	0	4	1378	1756	33	1	0
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	C	0	0	0	0	0	0	0
F	7399	1	0	10	2466	4854	45	1	0
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	C	0	0	0	0	0	0	0
F	60700	2	0	77	17914	42524	417	7	0
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	0	C	0	0	0	0	0	0	0
F	163	C	0	250	142	175	141	100	0
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	0	C	0	0	0	0	0	0	0
F	141	C	0	73	131	148	111	175	0

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 55	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	15153	783	2545	3469	2377	2912	1734	979	394
F	12267	652	2437	2803	1711	2065	1367	823	369
PATIENT DAYS									
M	119748	8455	21579	21403	13508	20478	16463	12202	5620
F	100739	7257	20557	17342	9284	15110	14285	11093	5771
AVERAGE STAY									
M	7.9	10.8	8.5	6.2	5.7	7.0	9.5	12.5	14.3
F	8.2	10.5	8.4	6.2	5.4	7.3	10.4	13.5	15.6
SEPARATION RATE PER 100,000 POPULATION									
M	160.0	366.7	282.9	164.5	156.5	121.2	126.8	132.7	158.6
F	130.6	342.2	284.7	138.9	113.7	86.4	101.4	105.6	125.6
PATIENT DAY RATE PER 100,000 POPULATION									
M	1261	3579	2399	1015	890	852	1204	1654	2262
F	1073	3605	2402	859	617	632	1060	1423	1965
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	14747	872	2592	3309	2060	2968	1674	966	378
F	11782	777	2492	2672	1478	2093	1282	786	331
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	116250	5465	21980	20422	11714	20869	15900	12047	5392
F	56778	8155	21023	16523	8021	15305	13396	10595	5178
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	83	85	95	83	76	79	85	91	79
F	84	83	98	87	76	74	87	87	94
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	85	72	101	84	77	86	93	91	78
F	86	72	102	90	73	81	96	87	76

1965
DIAGNOSIS 79

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	14828	1278	1410	2310	2587	2712	2079	1588	864	
F	16058	849	1141	2158	2939	3764	2696	1765	746	
PATIENT DAYS										
M	175264	18123	16541	16773	18411	28489	32597	26973	17357	
F	182733	10933	12481	16965	22942	39484	33840	28082	18006	
AVERAGE STAY										
M	11.8	14.2	11.7	7.3	7.1	10.5	15.7	17.0	20.1	
F	11.4	12.9	10.9	7.9	7.8	10.5	12.6	15.9	24.1	
SEPARATION RATE PER 100,000 POPULATION										
M	156.1	598.6	156.8	109.5	170.4	112.9	152.0	215.2	347.8	
F	171.0	419.9	133.3	106.9	195.3	157.5	200.0	226.5	254.0	
PATIENT DAY RATE PER 100,000 POPULATION										
M	1845	8489	1839	795	1213	1186	2383	3656	6988	
F	1946	5407	1458	841	1525	1653	2511	3603	6131	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	14393	1424	1436	2204	2242	2764	2007	1568	829	
F	15423	953	1167	2057	2539	3815	2528	1686	669	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	170089	20194	16849	15995	15965	29050	31469	26628	16656	
F	175517	12278	12761	16177	19825	40029	31733	26827	16156	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	94	108	104	83	83	96	104	97	111	
F	94	102	114	87	91	93	90	95	97	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	97	101	98	88	93	99	118	89	100	
F	95	85	101	96	98	100	93	95	92	

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59		60 - 74
			SEPARATIONS DURING YEAR						
M	17613	29	219	772	904	4089	5225	4370	2005
F	22125	27	191	740	1147	4459	6263	6023	3275
			PATIENT DAYS						
M	366936	516	3314	10179	10981	64964	101687	101572	73323
F	620876	349	3156	10656	13591	75242	142475	190918	184489
			AVERAGE STAY						
M	20.8	17.8	15.1	13.2	12.1	15.9	19.5	23.3	36.6
F	28.1	12.9	16.5	14.4	11.8	16.9	22.7	31.7	56.3
			SEPARATION RATE PER 100,000 POPULATION						
M	185.5	13.6	24.3	36.6	59.5	170.2	382.0	592.3	807.2
F	235.5	13.4	22.3	36.7	76.2	186.6	464.7	772.8	1115.1
			PATIENT DAY RATE PER 100,000 POPULATION						
M	3864	242	368	483	723	2704	7434	13821	29518
F	6612	173	369	528	903	3149	10571	24496	62815
			EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	17097	32	223	736	784	4168	5045	4314	1924
F	21250	30	195	705	991	4520	5873	5754	2938
			EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	356218	576	3372	9718	9516	66231	58171	100662	70358
F	596360	393	3230	10156	11739	76257	133593	182393	165531
			CASE RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	103	65	109	99	88	101	105	107	106
F	107	103	98	92	96	104	106	109	111
			DAY RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	105	92	101	107	84	103	122	100	102
F	104	78	81	106	98	98	109	105	96

SEX		ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS										
SEPARATIONS DURING YEAR										
M	11379	1	2	18	510	5743	3887	1061	157	
F	8633	0	1	31	483	4075	2953	917	173	
PATIENT DAYS										
M	188173	12	41	246	7173	91844	67172	18750	2935	
F	156685	0	9	394	6883	70741	56012	18592	4054	
AVERAGE STAY										
M	16.5	12.0	20.5	13.7	14.1	16.0	17.3	17.7	18.7	
F	18.1	C.C	9.0	12.7	14.3	17.4	19.0	20.3	23.4	
SEPARATION RATE PER 100,000 POPULATION										
M	119.8	C.5	0.2	0.9	33.6	239.0	284.2	143.8	63.2	
F	91.9	C.C	0.1	1.5	32.1	170.6	219.1	117.7	58.9	
PATIENT DAY RATE PER 100,000 POPULATION										
M	1981	6	5	12	472	3822	4911	2541	1182	
F	1669	0	1	20	457	2961	4156	2385	1380	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	11045	1	2	17	442	5854	3753	1047	151	
F	8292	0	1	30	417	4130	2769	876	155	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	182626	14	46	241	6212	93615	64853	18507	2817	
F	150533	C	9	385	5941	71704	52522	17758	3637	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	101	C	50	131	79	99	110	111	130	
F	110	0	33	200	89	106	119	127	128	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	99	C	121	96	72	96	109	109	133	
F	107	0	13	238	82	101	117	124	146	

1965
DIAGNOSIS 82

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS						60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59				
SEPARATIONS DURING YEAR											
M	22326	333	1130	3540	3789	6195	4442	2238	659		
F	23099	205	778	2848	3305	5768	5582	3267	1346		
PATIENT DAYS											
M	320244	6751	17821	57142	42569	70457	62895	41330	21235		
F	346715	3521	12233	37788	33324	59342	71224	66279	62604		
AVERAGE STAY											
M	14.3	20.4	15.8	16.1	11.2	11.4	14.2	18.5	32.2		
F	15.0	19.1	15.7	13.3	10.1	10.3	12.8	20.3	46.5		
SEPARATION RATE PER 100,000 POPULATION											
M	235.1	156.0	125.6	167.8	249.5	257.8	324.8	303.3	265.3		
F	246.0	101.4	90.9	141.1	219.7	241.4	414.2	419.2	458.3		
PATIENT DAY RATE PER 100,000 POPULATION											
M	3372	3181	1981	2709	2804	2932	4599	5602	8549		
F	3692	1939	1429	1873	2215	2484	5284	8504	21316		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	21671	371	1151	3377	3284	6315	4289	2209	632		
F	22186	230	796	2715	2856	5847	5234	3121	1208		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	310861	7567	18150	54505	36906	71816	60733	40801	20377		
F	332995	4403	12507	36028	28796	60153	66778	63319	56172		
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	112	80	94	107	115	112	116	118	122		
F	115	88	103	103	111	119	118	116	129		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	104	56	94	101	106	104	113	92	128		
F	111	88	109	88	103	116	97	109	158		

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	16477	2935	3376	5264	1582	1283	706	275	56
F	13837	2732	2859	2909	1995	2199	792	282	69
PATIENT DAYS									
M	228442	72954	46679	55052	20588	16750	10954	4552	913
F	217278	55314	55633	39013	21316	26931	12519	5334	1218
AVERAGE STAY									
M	13.9	18.5	13.8	10.5	13.0	13.1	15.5	16.6	16.3
F	15.7	20.2	19.5	13.4	10.7	12.2	15.8	18.9	17.7
SEPARATION RATE PER 100,000 POPULATION									
M	173.5	1843.1	375.3	249.6	104.2	53.4	51.6	37.3	22.5
F	147.3	1251.1	334.0	144.2	132.6	92.0	58.8	36.2	23.5
PATIENT DAY RATE PER 100,000 POPULATION									
M	2405	34170	5189	2610	1356	697	801	617	368
F	2314	27356	6500	1933	1417	1127	929	684	415
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	15954	4384	3439	5022	1371	1308	682	271	54
F	13290	3068	2924	2773	1724	2229	743	269	62
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	221714	81283	47542	52513	17847	17072	10578	4494	877
F	208708	62120	56890	37182	18421	27292	11740	5093	1094
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	113	115	125	118	114	105	122	95	79
F	112	104	116	120	116	133	121	103	74
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	100	113	109	105	89	89	120	79	56
F	109	108	131	107	104	129	110	105	67

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	
M	5155	5073	62	9	5	5	1	0
F	3860	3806	27	18	4	3	2	0
SEPARATIONS DURING YEAR								
M	70804	69706	871	114	57	54	2	0
F	51975	51320	316	185	43	30	81	0
PATIENT DAYS								
M	13.7	13.7	14.0	12.7	11.4	10.8	2.0	0.0
F	13.5	13.5	11.7	10.3	10.7	10.0	40.5	0.0
AVERAGE STAY								
M	54.3	2376.1	6.9	0.4	0.3	0.2	0.1	0.0
F	41.1	1882.3	3.2	0.9	0.3	0.1	0.1	0.0
SEPARATION RATE PER 100,000 POPULATION								
M	746	32649	97	5	4	2	0	0
F	553	25381	37	9	3	1	6	0
PATIENT DAY RATE PER 100,000 POPULATION								
M	5004	5652	63	9	4	5	1	0
F	3707	4274	28	17	3	3	2	0
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	68773	77665	889	101	53	49	0	0
F	49877	57635	324	173	39	24	76	0
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	72	83	45	33	67	125	100	0
F	65	77	22	57	43	23	67	0
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	74	86	49	33	39	78	0	0
F	64	76	22	23	76	21	136	0
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100								

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	36250	1605	3512	6515	3665	7982	6066	4353	2552
F	36721	1258	2927	6064	6003	9353	5597	3560	1919
PATIENT DAYS									
M	266588	14121	24010	35838	19663	48573	44226	38002	42555
F	298691	11275	18989	33238	34206	69563	48622	41192	41602
AVERAGE STAY									
M	7.4	8.8	6.8	5.5	5.4	6.1	7.3	8.7	16.7
F	8.1	8.7	6.5	5.5	5.7	7.4	8.7	11.6	21.7
SEPARATION RATE PER 100,000 POPULATION									
M	381.7	751.8	390.4	308.9	241.4	332.2	443.5	590.0	1027.4
F	391.0	641.9	342.0	300.5	399.0	391.5	415.3	456.8	653.4
PATIENT DAY RATE PER 100,000 POPULATION									
M	2811	6614	2669	1699	1295	2021	3233	5151	17132
F	3181	5578	2219	1647	2273	2912	3608	5285	14165
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	35187	1788	3577	6215	3177	8136	5857	4297	2449
F	35269	1458	2993	5780	5187	9480	5248	3401	1722
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	259143	15733	24454	34184	17044	49502	42694	37516	40835
F	286506	12666	19421	31680	29550	70518	45597	39351	37328
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	114	122	120	124	114	120	112	104	101
F	112	115	114	119	110	118	112	102	89
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	96	111	127	124	103	110	89	84	75
F	94	115	116	114	103	109	100	83	58

"CANADA"

1965
DIAGNOSIS 86

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	28133	503	2765	6710	7814	6171	2475	1203	492	
F	12189	411	1913	2896	2453	2131	1220	724	441	
PATIENT DAYS										
M	204958	3087	15808	34361	50447	51074	28489	14543	7149	
F	93119	2488	10735	13720	17856	17473	14085	9312	7450	
AVERAGE STAY										
M	7.3	6.1	5.7	5.1	6.5	8.3	11.5	12.1	14.5	
F	7.6	6.1	5.6	4.7	7.3	8.2	11.5	12.9	16.9	
SEPARATION RATE PER 100,000 POPULATION										
M	296.2	235.6	307.4	318.1	514.6	256.8	180.9	163.1	198.1	
F	129.8	203.3	223.5	143.5	163.0	89.2	90.5	92.9	150.2	
PATIENT DAY RATE PER 100,000 POPULATION										
M	2158	1446	1757	1629	3322	2126	2083	1971	2873	
F	992	1230	1254	680	1187	731	1045	1195	2537	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	27308	560	2816	6401	6773	6290	2390	1188	472	
F	11707	462	1956	2761	2119	2160	1144	692	396	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	198944	3440	16098	32775	43723	52074	27507	14355	6860	
F	89472	2793	10975	13080	15431	17702	13206	8898	6686	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	116	124	114	117	115	110	110	107	131	
F	113	126	114	111	111	111	119	113	130	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	114	94	118	119	112	107	122	101	138	
F	111	105	134	106	103	104	129	115	87	

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	8696	4	64	304	1485	2513	2063	1479	784	
F	5920	1	31	242	820	1079	1232	1302	1213	
PATIENT DAYS										
M	173981	89	873	3844	35104	48872	36839	27448	20912	
F	139577	13	340	3291	15200	21341	23999	34926	40457	
AVERAGE STAY										
M	20.0	22.3	13.6	12.6	23.6	19.4	17.9	18.6	26.7	
F	23.6	13.0	11.0	13.6	18.5	19.8	19.5	26.8	33.4	
SEPARATION RATE PER 100,000 POPULATION										
M	91.6	1.9	7.1	14.4	97.8	104.6	150.8	200.5	315.6	
F	63.0	0.5	3.6	12.0	54.5	45.2	91.4	167.1	413.0	
PATIENT DAY RATE PER 100,000 POPULATION										
M	1832	42	97	182	2312	2034	2693	3720	8419	
F	1486	6	40	163	1010	893	1781	4481	13778	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	8441	4	65	290	1287	2562	1992	1460	752	
F	5686	1	32	231	709	1094	1155	1244	1088	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	168890	100	889	3662	30430	49820	35563	27094	20067	
F	134028	14	350	3135	13130	21625	22508	33365	36308	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	104	133	112	77	106	101	104	109	112	
F	108	20	91	102	114	103	108	106	104	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	103	500	128	74	105	95	103	102	126	
F	110	11	102	69	92	104	111	123	106	

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
SEPARATIONS DURING YEAR									
M	17823	56	993	7319	3361	2968	1699	997	430
F	13767	41	751	3749	817	1391	2504	2508	1506
PATIENT DAYS									
M	101657	568	4335	25342	17947	19304	14249	11251	8661
F	95656	454	3279	12704	4681	8143	14443	24686	27266
AVERAGE STAY									
M	5.7	10.1	4.4	3.5	5.3	6.5	8.4	11.3	20.1
F	6.9	11.1	4.4	3.4	5.7	5.9	5.8	8.5	17.0
SEPARATION RATE PER 100,000 POPULATION									
M	187.7	26.2	110.4	347.0	221.4	123.5	124.2	135.1	173.1
F	146.6	20.3	87.7	185.8	54.3	58.2	185.8	373.1	546.8
PATIENT DAY RATE PER 100,000 POPULATION									
M	1070	266	482	1202	1182	803	1042	1525	3487
F	1019	225	383	630	311	341	1072	3167	9284
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	17300	62	1011	6982	2913	3025	1640	984	413
F	13223	46	763	3574	706	1410	2348	2778	1441
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	98642	633	4416	24184	15557	19668	13760	11107	8311
F	51907	511	3352	12118	4043	8258	13548	23581	24465
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	92	105	91	88	92	93	93	95	88
F	93	75	87	91	89	92	93	92	96
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	96	111	103	93	97	90	100	85	125
F	101	52	91	97	93	103	98	101	98

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS						
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	6377	106	603	1099	753	661	580	961	1614
F	9867	106	300	430	195	276	862	2488	5210
PATIENT DAYS									
M	272967	2398	17740	35090	29640	26059	22343	49858	89839
F	537810	1756	7897	15186	8209	11135	35056	122380	336151
AVERAGE STAY									
M	42.8	22.6	29.4	31.9	39.4	39.4	38.5	51.9	55.7
F	54.5	16.9	26.3	35.3	42.1	40.3	40.7	45.2	64.5
SEPARATION RATE PER 100,000 POPULATION									
M	67.1	45.6	67.0	52.1	49.6	27.5	42.4	130.3	649.8
F	105.1	52.4	35.1	21.3	13.0	11.6	64.0	315.2	1773.9
PATIENT DAY RATE PER 100,000 POPULATION									
M	2874	1123	1972	1664	1952	1084	1633	6758	36167
F	5727	888	923	753	546	466	2601	15702	114454
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	6190	118	614	1048	653	674	560	949	1549
F	9477	119	307	410	168	280	808	2377	4675
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	264951	2671	18068	33480	25692	26551	21565	49221	86206
F	516538	2016	8078	14484	7098	11285	32871	116914	301610
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	113	131	109	106	126	114	97	110	121
F	109	121	107	108	114	95	103	102	107
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	113	143	107	109	124	117	92	111	117
F	106	103	105	115	122	103	114	103	98

1965
DIAGNOSIS 90

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				ADULTS AND CHILDREN, BY AGE IN YEARS					
				SEPARATIONS DURING YEAR					
M	14811	12	400	2490	3454	4420	2501	1179	355
F	8588	12	240	1242	1029	1766	2022	1592	635
				PATIENT DAYS					
M	200072	138	2771	19197	41232	59502	40884	25339	11009
F	142501	106	1503	8393	11598	22249	33244	39091	26317
				AVERAGE STAY					
M	13.5	11.5	6.9	7.7	11.9	13.5	16.3	21.5	31.0
F	16.6	8.8	6.3	6.8	11.3	12.6	16.4	24.6	38.4
				SEPARATION RATE PER 100,000 POPULATION					
M	155.9	5.6	44.5	118.1	227.5	183.9	182.8	159.8	142.9
F	91.5	5.5	28.0	61.5	68.4	73.9	150.0	204.3	233.2
				PATIENT DAY RATE PER 100,000 POPULATION					
M	2107	65	308	910	2715	2476	2989	3434	4432
F	1517	52	176	416	771	931	2467	5016	8961
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	14377	13	407	2375	2994	4505	2415	1164	341
F	8248	13	245	1184	889	1790	1896	1521	615
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	194242	155	2822	18309	35734	60646	39472	25011	10564
F	126824	118	1540	8002	10023	22545	31177	37348	23614
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	97	100	92	98	102	95	92	89	100
F	96	100	88	90	104	84	104	101	90
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	92	53	117	96	102	90	90	74	112
F	94	50	85	83	103	80	110	98	80

1965
DIAGNOSIS 51

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	17465	15	124	1154	4142	7262	3293	1138	337
F	8036	18	126	742	1661	2473	1643	890	483
PATIENT DAYS									
M	147434	205	622	5912	27970	64442	32337	11933	4013
F	71653	145	1226	4139	11682	23006	16404	8875	6176
AVERAGE STAY									
M	8.4	13.7	5.0	5.1	6.8	8.9	9.8	10.5	11.9
F	8.9	8.1	9.7	5.6	7.0	9.3	10.0	10.0	12.8
SEPARATION RATE PER 100,000 POPULATION									
M	183.9	7.0	13.8	54.7	272.8	302.2	240.8	154.2	135.7
F	85.6	8.5	14.7	36.8	110.4	103.5	121.9	114.2	164.5
PATIENT DAY RATE PER 100,000 POPULATION									
M	1552	56	69	280	1842	2682	2364	1617	1616
F	763	72	143	205	776	963	1217	1139	2103
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	16953	17	126	1101	3590	7402	3179	1123	323
F	7718	20	129	707	1435	2507	1541	850	433
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	143077	228	632	5634	24244	65692	31218	11777	3852
F	68818	163	1252	3943	10088	23320	15380	8481	5542
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	109	74	73	87	102	112	116	117	116
F	106	83	111	94	103	109	110	95	103
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	114	57	56	97	106	114	119	138	130
F	111	201	221	109	100	116	112	100	100

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS								
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +	
SEPARATIONS DURING YEAR										
M	3020	3	93	524	815	828	440	249	68	
F	948	1	42	210	209	199	163	86	38	
PATIENT DAYS										
M	44070	4	899	6097	10772	11966	7977	5098	1257	
F	14039	2	369	2681	2634	3083	2988	1587	695	
AVERAGE STAY										
M	14.6	1.3	9.7	11.6	13.2	14.5	18.1	20.5	18.5	
F	14.8	2.0	8.8	12.8	12.6	15.5	18.3	18.5	18.3	
SEPARATION RATE PER 100,000 POPULATION										
M	31.3	1.4	10.3	24.8	53.7	34.5	32.2	33.7	27.4	
F	10.1	0.5	4.9	10.4	13.9	8.3	12.1	11.0	12.9	
PATIENT DAY RATE PER 100,000 POPULATION										
M	464	2	100	289	709	498	583	691	506	
F	150	1	43	133	175	129	222	204	237	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	2931	3	95	500	706	844	425	246	65	
F	911	1	43	200	181	202	153	82	34	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	42776	5	916	5815	9332	12198	7699	5033	1206	
F	13529	2	376	2558	2275	3124	2806	1519	625	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	134	60	127	122	135	134	124	168	135	
F	140	25	148	156	155	109	150	124	155	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	140	11	112	115	143	126	142	206	198	
F	144	8	167	175	155	120	139	119	184	

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74		
SEPARATIONS DURING YEAR										
M	7137	306	1872	1207	1118	1494	677	299	164	
F	3786	226	1255	618	409	587	363	204	124	
PATIENT DAYS										
M	117155	4970	28408	22552	14058	21835	12441	8030	4861	
F	64636	3249	18737	12436	5728	8892	6501	5673	3420	
AVERAGE STAY										
M	16.4	16.2	15.2	18.7	12.6	14.6	18.4	26.9	29.6	
F	17.1	14.4	14.9	20.1	14.0	15.1	17.9	27.8	27.6	
SEPARATION RATE PER 100,000 POPULATION										
M	75.1	143.3	208.1	57.2	73.6	62.2	49.5	40.5	66.0	
F	40.3	111.8	146.6	30.6	27.2	24.6	26.9	26.2	42.2	
PATIENT DAY RATE PER 100,000 POPULATION										
M	1234	2328	3158	1069	926	909	910	1088	1957	
F	688	1607	2189	616	381	372	482	728	1164	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	6928	341	1907	1151	969	1523	654	295	157	
F	3636	254	1283	589	353	595	340	195	111	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	113761	5538	28934	21508	12188	22265	12017	7924	4665	
F	62053	3649	19159	11849	4953	9008	6091	5421	3067	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	105	127	108	113	105	97	106	107	112	
F	98	125	100	100	92	96	109	93	101	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	107	152	113	108	105	97	108	110	113	
F	99	118	91	114	115	102	90	115	95	

1965
DIAGNOSIS 94

"CANADA"

		ADULTS AND CHILDREN, BY AGE IN YEARS											
		1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +					
		SEPARATIONS DURING YEAR											
SEX	ALL AGES	623	8020	10255	13825	15294	7938	4245	1684				
		443	5734	5782	6412	8477	4869	3069	1966				
		PATIENT DAYS											
M	403667	3790	33404	54287	73279	100023	66391	51362	21131				
F	240739	2705	21639	26175	31466	54607	42141	34294	27712				
		AVERAGE STAY											
M	6.5	6.1	4.2	5.3	5.3	6.5	8.4	12.1	12.5				
F	6.6	6.1	3.8	4.5	4.9	6.4	8.7	11.2	14.1				
		SEPARATION RATE PER 100,000 POPULATION											
M	651.6	291.8	891.6	486.2	910.5	636.5	580.3	575.4	677.9				
F	391.4	219.1	669.9	286.5	426.2	354.8	361.3	393.8	669.4				
		PATIENT DAY RATE PER 100,000 POPULATION											
M	4250	1775	3714	2574	4826	4163	4854	6962	8507				
F	2564	1338	2528	1297	2091	2286	3127	4400	9435				
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	60069	694	8169	9783	11984	15590	7664	4191	1616				
F	35299	458	5864	5512	5540	8592	4565	2932	1764				
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	391803	4222	34028	51789	63519	101967	64100	50706	20277				
F	221256	3038	22126	24948	27184	55358	39518	32762	24863				
		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	102	95	101	97	99	99	106	115	120				
F	110	103	101	102	110	116	113	117	117				
		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	106	101	96	96	99	104	114	123	119				
F	115	117	98	99	113	119	124	121	113				

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
				5 - 14	15 - 24	25 - 44	45 - 59			
				SEPARATIONS DURING YEAR						
M	534	80	22	66	52	123	114	57	20	
F	524	61	24	45	88	153	102	43	8	
				PATIENT DAYS						
M	2126	498	85	275	158	415	438	181	76	
F	1568	346	106	151	237	399	218	90	21	
				AVERAGE STAY						
M	4.0	6.2	3.9	4.2	3.0	3.4	3.8	3.2	3.8	
F	3.0	5.7	4.4	3.4	2.7	2.6	2.1	2.1	2.6	
				SEPARATION RATE PER 100,000 POPULATION						
M	5.6	37.5	2.4	3.1	3.4	5.1	8.3	7.7	8.1	
F	5.6	30.2	2.8	2.2	5.8	6.4	7.6	5.5	2.7	
				PATIENT DAY RATE PER 100,000 POPULATION						
M	22	233	9	13	10	17	32	25	31	
F	17	171	12	7	16	17	16	12	7	
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	518	89	22	63	45	125	110	56	19	
F	503	69	25	43	76	155	96	41	7	
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	2028	554	82	262	132	416	423	182	74	
F	1533	388	105	135	208	412	202	89	18	
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	129	371	110	170	125	126	96	95	158	
F	104	363	139	154	45	101	163	164	70	
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	201	637	111	252	161	178	201	102	180	
F	119	408	244	175	78	121	163	50	11	

1965
DIAGNOSIS 98

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	8776	290	336	828	1133	1948	1680	1690	871
F	10380	316	312	601	1469	2514	1512	2101	1555
				PATIENT DAYS					
M	175085	3876	4270	11813	17929	33147	36513	40889	26648
F	247856	4663	4658	10414	12381	29114	38541	74847	73238
				AVERAGE STAY					
M	20.0	13.4	12.7	14.3	15.8	17.0	21.7	24.2	30.6
F	23.9	14.8	14.9	17.3	8.4	11.6	25.5	35.6	47.1
				SEPARATION RATE PER 100,000 POPULATION					
M	92.4	135.8	37.4	39.3	74.6	81.1	122.8	229.1	350.6
F	110.5	156.3	36.5	29.8	97.6	105.2	112.2	269.6	529.5
				PATIENT DAY RATE PER 100,000 POPULATION					
M	1844	1815	475	560	1181	1379	2669	5542	10728
F	2639	2306	544	516	823	1219	2860	9603	24936
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	8519	323	342	790	982	1986	1622	1668	836
F	9970	355	319	573	1269	2548	1418	2007	1395
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	169596	4318	4352	11267	15544	33777	35246	40364	25571
F	238021	5236	4761	9925	10699	29520	36144	71502	65712
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	138	88	125	129	144	148	142	136	158
F	135	150	117	131	119	136	126	135	159
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	195	206	120	228	227	180	235	195	188
F	168	335	197	193	150	172	143	161	171

NOTES: TABLE 6

Hospitalized patients may be classified as PLAN or NON-PLAN according to the responsibility for payment of hospitalization costs as outlined in Table 1. Basically Table 6 presents combined data from nine provinces (Newfoundland, Prince Edward Island, New Brunswick, Quebec, Ontario, Manitoba, Saskatchewan, Alberta and British Columbia) and two territories (Yukon and Northwest Territories) concerning in-patients separated from general hospitals and chronic hospitals (including patients hospitalized out-of-province or out-of-territory) who were insured under a provincial or territorial hospital insurance plan.

Because of differences in reporting procedures in the various provinces, Table 6 excludes "newborns" in all diagnoses. In addition, Table 6 should not be considered as an exact representation of the combined experience of provincial and territorial plans because of the inclusion, in data provided by some provinces, of NON-PLAN separations and patient-days, and the exclusion in some provinces of certain categories of PLAN separations and patient-days.

The provinces and territories have added to, or deleted from, the basic PLAN data as follows:

NEWFOUNDLAND: - Includes some Non-Plan separations and patient-days.

PRINCE EDWARD ISLAND: - Also includes all Non-Plan separations and patient-days.

QUEBEC: - Includes all Non-Plan separations and patient-days.

ONTARIO: - Data are based on "claims processed" during the year and include out-of-province residents hospitalized in Ontario hospitals, as well as insured Ontario residents hospitalized in out-of-province hospitals. Totals also include all patients hospitalized in Federal (including D.V.A.) hospitals for whom the Ontario Hospital Services Commission was responsible for payment. Totals exclude patients in D.V.A. hospitals for whom the Department of Veterans Affairs was responsible. Also note (2) below.

MANITOBA: - Includes Non-Plan separations and patient-days but excludes non-residents.

SASKATCHEWAN: - Excludes Provincial Plan separations from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.

ALBERTA: - Includes Non-Plan separations and patient-days but excludes non-residents.

BRITISH COLUMBIA: - Excludes out-of-province hospitalization.

(2) Changes in coding procedures in Ontario for 1965 as compared to 1963 resulted in more separations coded to "Delivery with specified complications" (Diag. 75) and fewer separations added to "Delivery without mention of complications" (Diag. 76).

TABLE 7(a) NUMBER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES⁽¹⁾, 1965

NO.	CANADIAN LIST OF 98 CATEGORIES	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
29	Psychoses					20508						50	
30	Psychoneurotic disorders												135
35	Diseases and conditions of the eye												
38	Arteriosclerotic and degenerative heart disease	1250	713	4120	3814	26488	40303	5883	5934	7489	10401		
46	Acute upper respiratory infections	1442	337		2452				5387	7147	5366		
48	Pneumonia	2822	1275	4634	3747	17199	32286	7437	9782	10832	10958	206	941
49	Bronchitis	1596	536	2255				4683	6993	8033	6458	106	238
50	Hypertrophy of tonsils and adenoids	1995	626	5552	5680	45551	80249	7802	11753	17039	20185	114	195
52	Diseases of teeth and supporting structure												155
55	Appendicitis	1266	315	2297			18046						
56	Hernia of abdominal cavity			1904	1858	16690	28147	3502			6264		
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		328		2148			3452	5336	6791	5109	63	208
61	Diseases of gallbladder and pancreas			2226	2437	25125	22359	4279	5310	6646	5867		
73	Complications of pregnancy	2834	772	3151	2734	19437	26202	3829	5238	6476	7461	72	232
74	Abortion	1368				15169							
75	Delivery without mention of complications	12333	2515	15199	12778	112282	104546(2)	17749	18470	27828	27381	402	807
76	Delivery with specified complications	1404					38926(2)						197
78	Infection of skin and subcutaneous tissue											66	153
85	Symptoms, senility and ill-defined conditions		713	3602	2982	22906	19771	6058	6478	6818			
86	Fracture of or involving skull or face bones, and head injury, except open wound, contusion and haematoma of scalp											51	
91	Dislocation without fracture, and sprains and strains of joints and adjacent muscles											46	

See Footnotes on next page.

(1) All of the reporting provinces include Provincial Plan in-patients in Table 7, as well as out-of-province hospitalization, with the following exceptions: -

Nfld: - Includes some Non-Plan separations and patient-days.

P.E.I.: - Also includes all Non-Plan separations and patient-days.

N.S.: - Excludes out-of-province hospitalization.

Que.: - Includes all Non-Plan separations and patient-days.

Ont.: - Data are based on "claims processed" during the year and include out-of-province residents hospitalized in Ontario hospitals, as well as insured Ontario residents hospitalized in out-of-province hospitals. Totals also include all patients hospitalized in Federal (including D.V.A.) hospitals for whom the Ontario Hospital Services Commission was responsible for payment. Totals exclude patients in D.V.A. hospitals for whom the Department of Veterans Affairs was responsible. Also note (2) below.

Man.: - Includes Non-Plan separations and patient-days but excludes non-residents.

Sask.: - Excludes Provincial Plan separations from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.

Alta.: - Includes Non-Plan separations and patient-days but excludes non-residents.

B.C.: - Excludes out-of-province hospitalization.

(2) Changes in coding procedures in Ontario for 1965 as compared to 1963 resulted in more separations coded to "Delivery with specified complications" (Diag. 75) and fewer separations added to "Delivery without mention of complications" (Diag. 76).

TABLE 7(b) RANK ORDER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES⁽¹⁾, 1965
 (1) See footnotes, Table 7(a), for details

NO.	CANADIAN LIST OF 98 CATEGORIES	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
29	Psychoses											9	
30	Psychoneurotic disorders					6							
35	Diseases and conditions of the eye												10
38	Arteriosclerotic and degenerative heart disease	10	5	4	3	3	3	5	6	5	4		
46	Acute upper respiratory infections	6	8		7				7	6	9		
48	Pneumonia	3	2	3	4	8	5	3	3	3	3	2	1
49	Bronchitis	5	7	8				6	4	4	6	4	3
50	Hypertrophy of tonsils and adenoids	4	6	2	2	2	2	2	2	2	2	3	7
52	Diseases of teeth and supporting structure												8
55	Appendicitis	9	10	7			10						
56	Hernia of abdominal cavity			10	10	9	6	9			7		
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		9		9			10	8	8	10	7	5
61	Diseases of gallbladder and pancreas			9	8	4	8	7	9	9	8		
73	Complications of pregnancy	2	3	6	6	7	7	8	10	10	5	5	4
74	Abortion	8				10							
75	Delivery without mention of complications	1	1	1	1	1	1	1	1	1	1	1	2
76	Delivery with specified complications	7					4						6
78	Infection of skin and subcutaneous tissue											6	9
85	Symptoms, senility and ill-defined conditions												
86	Fracture of or involving skull or face bones, and head injury, except open wound, contusion and haematoma of scalp	4		5	5	5	9	4	5	7			
91	Dislocation without fracture, and sprains and strains of joints and adjacent muscles										8	10	

TABLE 7(c) PATIENT-DAYS CORRESPONDING TO THE TOP TEN DIAGNOSES BASED ON SEPARATIONS, BOTH SEXES AND ALL AGES,
TEN PROVINCES AND TWO TERRITORIES⁽¹⁾, 1965

(1) See footnotes, Table 7(a)

NO.	CANADIAN LIST OF 98 CATEGORIES	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
29	Psychoses					350814						424	
30	Psychoneurotic disorders												1944
35	Diseases and conditions of the eye												
38	Arteriosclerotic and degenerative heart disease	21877	15601	73301	71978	766159	1072958	110700	110608	182747	186835		
46	Acute upper respiratory infections	7987	1900		16316				29918	38053	31125		
48	Pneumonia	28758	12907	53549	46150	268095	384297	72888	102370	108372	122726	2050	9333
49	Bronchitis	15475	4059	23771				42861	57214	66428	56651	603	1817
50	Hypertrophy of tonsils and adenoids	7307	1808	14874	19750	96376	154160	16049	28145	43493	45930	392	917
52	Diseases of teeth and supporting structure												304
55	Appendicitis	12081	2528	20331			131974	30220			55854		
56	Hernia of abdominal cavity			19981	20826	170758	238458						
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		2125		14291			20505	35797	43245	33705	410	1541
61	Diseases of gallbladder and pancreas			33421	32378	372397	323895	51444	65943	74624	77387		
73	Complications of pregnancy	13498	2451	12719	9720	91728	114906	13680	21916	26240	35698	271	1074
74	Abortion	5877				64010							
75	Delivery without mention of complications	67328	15098	87961	70280	603414	603886	104298	112247	180545	168358	2387	4786
76	Delivery with specified complications	13467					329177						1677
78	Infection of skin and subcutaneous tissue											554	2438
85	Symptoms, senility, and ill-defined conditions												
86	Fracture of or involving skull or face bones, and head injury, except open wound, contusion and haematoma of scalp		5566	26225	23598	228541	135360	43554	38375	49634			513
91	Dislocation without fracture, and sprains and strains of joints and adjacent muscles											600	

TABLE 7(d) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN)
INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See footnotes Table 7(a)

NEWFOUNDLAND

NO.	DIAGNOSIS	ALL AGES												65 - 74												75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		UNDER 1						1 - 4						5 - 14						15 - 24							25 - 44						45 - 64						65 - 74																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		T	M	F	M	F	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F

.. Less than 0.05

TABLE 7(e) HOSPITALIZATION FOR THE TEN MOS, COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN (1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See footnotes Table 7(a)

PRINCE EDWARD ISLAND

NO.	DIAGNOSIS	ALL AGES																25 - 44																45 - 64																65 - 74																75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+		UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+		UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	T	M	F	M	F	M	F	M	F	M	F	M	F	T	M	F	M	F	M	F	T	M	F	M	F	T	M	F	M	F																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Separations																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
75	2,515	-	2,515	-	-	-	-	-	-	-	-	-	-	-	-	-	1,052	-	1,445	-	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 7(f) - HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, ALL AGES, BY SEX, FOR PROVINCIAL PLAN (1) IN-PATIENTS
(EXCLUDING NEWBORN) HOSPITALIZED IN THE PROVINCE, 1965

(1) See footnotes Table 7(a)

NOVA SCOTIA

NO.	DIAGNOSIS	Separations			Patient-days			Average days stay of Separations		
		T	M	F	T	M	F	T	M	F
75	Delivery without mention of complications	15199	-	15199	87961	-	87961	5.8	-	5.8
50	Hypertrophy of tonsils and adenoids	5552	2611	2941	14874	6566	8308	2.7	2.5	2.8
48	Pneumonia	4634	2608	2026	53549	30580	22969	11.6	11.7	11.3
38	Arteriosclerotic and degenerative heart disease	4120	2509	1611	73301	43704	29597	17.8	17.4	18.4
85	Symptoms, senility, and ill-defined conditions	3602	1853	1749	26225	13683	12542	7.3	7.4	7.2
73	Complications of pregnancy	3151	-	3151	12719	-	12719	4.0	-	4.0
55	Appendicitis	2297	1137	1160	20331	10363	9968	8.9	9.1	8.6
49	Bronchitis	2255	1419	836	23771	15962	7809	10.5	11.2	9.3
61	Disease of gallbladder and pancreas	2226	539	1687	33421	9493	23928	15.0	17.6	14.2
56	Hernia of abdominal cavity	1904	Not available	Not available	19981	Not available	Not available	10.5	Not available	Not available
		Separations			Patient-days					
		per 1,000 population			per 1,000 population					
75	Delivery without mention of complications	20.0	-	40.5	116	-	235			
50	Hypertrophy of tonsils and adenoids	7.3	6.8	7.8	20	17	22			
48	Pneumonia	6.1	6.8	5.4	70	79	61			
38	Arteriosclerotic and degenerative heart disease	5.4	6.5	4.3	96	113	79			
85	Symptoms, senility, and ill-defined conditions	4.7	4.8	4.7	34	35	33			
73	Complications of pregnancy	4.1	-	8.4	17	-	34			
55	Appendicitis	3.0	2.9	3.1	27	27	27			
49	Bronchitis	3.0	3.7	2.2	31	41	21			
61	Disease of gallbladder and pancreas	2.9	1.4	4.5	44	25	64			
56	Hernia of abdominal cavity	2.5	Not available	Not available	26	Not available	Not available			

TABLE 7(g) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See footnotes Table 7 (a)

NEW BRUNSWICK

187

NO.	DIAGNOSIS	ALL AGES												SEPARATIONS per 1,000 population																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		UNDER 1						1 - 4						5 - 14						15 - 24						25 - 44						45 - 64						65 - 74						75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		T	M	F	M	F	M	T	M	F	M	F	M	T	M	F	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M

... Less than 0.05

TABLE 7(g) Cont'd

NO.	DIAGNOSIS	ALL AGES										UNDER 1										5 - 14										15 - 24										25 - 44										45 - 64										65 - 74										75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M

TABLE 7(h) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See footnotes, Table 7(a) for details

QUEBEC

NO. DIAGNOSIS	ALL AGES																75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	UNDER 1				1 - 4				5 - 14				15 - 24				25 - 44				45 - 64				65 - 74				75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
<u>Separations</u>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
75 Delivery without mention of complications	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-	112282	-

.. Less than 0.05

TABLE 7(h) cont'd

NO.	DIAGNOSIS	ALL AGES												Patient-days												Average days stay of separations																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		UNDER 1				1 - 4				5 - 14				15 - 24				25 - 44				45 - 64				65 - 74				75 +																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M

.. Less than 0.5

TABLE 7 (i) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN (1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See footnotes Table 7(a)

ONTARIO

NO.	DIAGNOSIS	ALL AGES										SEPARATIONS										SEPARATIONS per 1,000 population										
		UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+		UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+
		T*	M*	F*	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
75	Delivery without mention of complications (2)	104546	-	104546	-	-	-	-	46	-	44510	-	59575	-	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Hypertrophy of tonsils and adenoids	80249	40239	40010	66	30	15324	12105	19628	20639	2705	4758	2261	2188	233	260	12	19	12	19	12	19	12	19	12	19	12	19	12	19	12	19
38	Arteriosclerotic and degenerative heart disease	40303	24174	16129	7	6	24	16	42	45	52	42	2001	556	10596	4754	5987	4775	5307	5831	5307	5831	5307	5831	5307	5831	5307	5831	5307	5831	5307	5831
76	Delivery with specified complications (2)	38926	-	38926	-	-	-	-	26	-	16746	-	-	22024	-	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	Pneumonia	32286	18178	14108	3336	2287	4677	3404	2340	1879	633	605	1420	1679	2452	1797	1513	1017	1765	1401	1765	1401	1765	1401	1765	1401	1765	1401	1765	1401	1765	1401
56	Hernia of abdominal cavity	28147	21144	7003	1232	304	2191	493	1598	370	1227	209	4500	1837	6937	2365	2304	934	1110	476	1110	476	1110	476	1110	476	1110	476	1110	476	1110	476
73	Complications of pregnancy	26202	-	26202	-	-	-	-	27	-	11752	-	-	14318	-	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diseases of gallbladder and pancreas	22359	5753	16606	36	25	30	32	54	47	137	1433	1441	5955	2455	5775	990	2087	586	1208	586	1208	586	1208	586	1208	586	1208	586	1208	586	1208
85	Symptoms, senility, and ill-defined conditions	19771	10038	9733	430	358	1054	870	1812	1772	1041	1504	2454	2593	2055	1752	638	453	505	403	505	403	505	403	505	403	505	403	505	403	505	403
55	Appendicitis	18046	9538	8508	11	7	228	163	3444	2959	2674	3062	2129	1550	810	570	145	111	70	62	70	62	70	62	70	62	70	62	70	62	70	62
75	Delivery without mention of complications (2)	15.5	-	31.2	-	-	-	-	0.1	-	90.4	-	-	67.3	-	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Hypertrophy of tonsils and adenoids	11.9	11.9	11.9	0.9	0.4	48.9	40.3	27.5	30.4	5.3	9.7	2.5	2.5	0.4	0.4	0.1	0.1
38	Arteriosclerotic and degenerative heart disease	6.0	7.2	4.8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2.2	0.6	16.9	7.6	37.6	25.9	61.4	48.9	61.4	48.9	61.4	48.9	61.4	48.9	61.4	48.9	61.4	48.9	61.4	48.9
76	Delivery with specified complications (2)	5.8	-	11.6	-	-	-	-	..	-	34.0	-	-	24.9	-	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	Pneumonia	4.8	5.4	4.2	44.2	31.9	14.9	11.3	3.3	2.8	1.2	1.2	1.6	1.9	3.9	2.9	9.5	5.5	20.4	11.7	20.4	11.7	20.4	11.7	20.4	11.7	20.4	11.7	20.4	11.7	20.4	11.7
56	Hernia of abdominal cavity	4.2	6.3	2.1	16.3	4.2	7.0	1.6	2.2	0.5	2.4	0.4	5.1	2.1	11.1	3.8	14.5	5.1	12.8	4.0	12.8	4.0	12.8	4.0	12.8	4.0	12.8	4.0	12.8	4.0	12.8	4.0
73	Complications of pregnancy	3.9	-	7.8	-	-	-	-	..	-	23.9	-	-	16.2	-	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diseases of gallbladder and pancreas	3.3	1.7	4.9	0.5	0.3	0.1	0.1	0.1	0.1	0.3	2.9	1.6	6.7	3.9	9.3	6.2	11.3	6.8	10.1	6.8	10.1	6.8	10.1	6.8	10.1	6.8	10.1	6.8	10.1	6.8	10.1
85	Symptoms, senility, and ill-defined conditions	2.9	3.0	2.9	5.7	5.0	3.4	2.9	2.5	2.6	2.0	3.1	2.8	2.9	3.3	2.8	4.0	2.5	5.8	3.4	5.8	3.4	5.8	3.4	5.8	3.4	5.8	3.4	5.8	3.4	5.8	3.4
55	Appendicitis	2.7	2.8	2.5	0.1	0.1	0.7	0.5	4.8	4.4	5.2	6.2	2.4	1.8	1.3	0.9	0.9	0.6	0.8	0.5	0.8	0.5	0.8	0.5	0.8	0.5	0.8	0.5	0.8	0.5	0.8	0.5

.. Less than 0.05

(2) Changes in coding procedures in Ontario for 1965 as compared to 1963 resulted in more separations coded to "Delivery with specified complications" and fewer separations added to "Delivery without mention of complications".

TABLE (i) Cont'd

NO.	DIAGNOSIS	ALL AGES						Patient-days						65 - 74						75+					
		T*	M*	F*	M	F	1 - 4	5 - 14	M	F	15 - 24	M	F	25 - 44	M	F	45 - 64	M	F	65 - 74	M	F	75+		
5	(2)	603886	-	603886	-	-	-	-	-	295	-	256323	-	344872	-	1151	-	-	-	-	-	-	-	-	
50	Delivery without mention of complications	154160	75396	78764	197	97	25629	20010	33271	35701	7915	14346	7336	7493	903	963	121	115	4	12	-	-	-		
38	Hypertrophy of tonsils and adenoids																								
	Arteriosclerotic and degenerative heart disease	1072958	565104	507854	94	105	292	358	318	573	854	583	38737	10485	221525	110841	138672	130314	162461	253006	-	-	-		
76	Delivery with specified complications (2)	329177	-	329177	-	-	-	-	-	227	-	132063	-	195489	-	1265	-	-	-	-	-	-	-		
48	Pneumonia	384297	216635	167662	37167	24367	44233	32014	20352	16160	5698	5825	15051	18808	35190	25661	25199	17120	33323	27336	-	-	-		
56	Hernia of abdominal cavity	238458	160781	77677	7241	1882	9534	2139	7649	1653	7757	1468	32044	18061	59581	30390	23416	13433	13251	8518	-	-	-		
73	Complications of pregnancy	114906	-	114906	-	-	-	-	-	122	-	48704	-	65482	-	479	-	-	-	-	-	-	-		
61	Diseases of gallbladder and pancreas	323895	89907	233988	900	519	554	708	878	557	1415	14997	17344	70177	37188	83042	18604	37663	12746	25803	-	-	-		
85	Symptoms, senility, and ill-defined conditions	135360	65085	70275	3298	2669	6725	5164	9446	9795	5358	8490	14358	19202	14293	15294	4954	4948	6368	4551	-	-	-		
55	Appendicitis	131974	69655	62319	110	40	2154	1217	22464	19442	17183	20225	15705	12015	8502	6526	2175	1735	1182	936	-	-	-		
Patient-days per 1,000 population																									
75	(2)	90	-	180	-	-	-	-	-	521	-	390	-	2	-	2	-	-	-	-	-	-	-		
50	Delivery without mention of complications	23	22	23	3	1	82	67	47	53	16	29	8	8	1	2	1	1	1	1	1	1	1		
38	Hypertrophy of tonsils and adenoids																								
	Arteriosclerotic and degenerative heart disease	159	167	151	1	1	1	1	1	1	2	1	44	12	353	178	870	707	1880	2121	-	-	-		
76	Delivery with specified complications (2)	49	-	98	-	-	-	-	-	268	-	221	-	2	-	2	-	-	-	-	-	-	-		
48	Pneumonia	57	64	50	493	340	141	107	28	24	11	12	17	21	56	41	158	93	386	229	-	-	-		
56	Hernia of abdominal cavity	35	48	23	96	26	30	7	11	2	15	3	36	20	95	49	147	73	153	71	-	-	-		
73	Complications of pregnancy	17	-	34	-	-	-	-	-	99	-	74	-	1	-	1	-	-	-	-	-	-	-		
61	Diseases of gallbladder and pancreas	48	27	70	12	7	2	2	1	1	3	30	20	79	59	133	117	204	148	216	-	-	-		
85	Symptoms, senility, and ill-defined conditions	20	19	21	44	37	21	17	13	14	11	17	16	22	23	24	31	27	74	38	-	-	-		
55	Appendicitis	20	21	19	1	1	7	4	31	29	34	41	18	14	14	10	14	9	14	8	-	-	-		
Average days stay of separations																									
75	(2)	5.8	-	5.8	-	-	-	-	-	6.4	-	5.8	-	5.8	-	5.9	-	-	-	-	-	-	-		
50	Delivery without mention of complications	1.9	1.9	2.0	3.0	3.2	1.7	1.7	1.7	1.7	2.9	3.0	3.2	3.4	3.9	3.7	10.1	6.1	2.0	3.0	-	-	-		
38	Hypertrophy of tonsils and adenoids																								
	Arteriosclerotic and degenerative heart disease	26.6	23.4	31.5	13.4	18.0	12.2	22.4	7.6	12.7	16.4	13.9	19.4	18.9	20.9	23.3	23.2	27.3	30.6	43.4	-	-	-		
76	Delivery with specified complications (2)	8.5	-	8.5	-	-	-	-	-	8.7	-	7.9	-	8.9	-	11.3	-	-	-	-	-	-	-		
48	Pneumonia	11.9	11.9	11.9	11.1	10.7	9.5	9.4	8.7	8.6	9.0	9.6	10.6	11.2	14.4	14.3	16.7	16.8	18.9	19.5	-	-	-		
56	Hernia of abdominal cavity	8.5	7.6	11.1	5.9	6.2	4.4	4.3	4.8	4.5	6.3	7.0	7.1	9.8	8.6	12.8	10.2	14.4	11.9	17.9	-	-	-		
73	Complications of pregnancy	4.4	-	4.4	-	-	-	-	-	4.5	-	4.1	-	4.6	-	6.4	-	-	-	-	-	-	-		
61	Diseases of gallbladder and pancreas	14.5	15.6	14.1	2.5	20.8	18.5	22.1	16.3	11.9	10.3	10.5	12.0	11.8	15.1	14.4	18.8	18.0	21.8	21.4	-	-	-		
85	Symptoms, senility, and ill-defined conditions	6.8	6.5	7.2	7.7	7.5	6.4	5.9	5.2	5.5	5.1	5.6	5.8	7.4	7.0	8.7	7.8	10.9	12.6	11.3	-	-	-		
55	Appendicitis	7.3	7.3	7.3	10.0	5.7	9.4	7.5	6.5	6.6	6.4	6.6	7.4	7.8	10.5	11.4	15.0	15.6	16.9	15.1	-	-	-		

(1) Includes: a) Ontario residents hospitalized in Ontario hospitals (active and convalescent hospitals and units only)

b) Insured Ontario residents hospitalized in out-of-province hospitals

c) Out-of-province residents hospitalized in Ontario hospitals

d) All patients who were discharged or died in hospitals

(*) Total also includes separations with age group not specified.

.. Less than 0.5

TABLE 7(j) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See footnotes Table 7(a)

MANITOBA

NO.	DIAGNOSIS	ALL AGES												SEPARATIONS PER 1,000 POPULATION																									
		UNDER 1						5 - 14						15 - 24						25 - 44						45 - 64						65 - 74						75+	
		T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F	T	M	F							
75	17749	-	17749	-	-	-	-	-	-	-	21	-	7674	-	10017	-	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
50	Delivery without mention of complications	7802	3704	4098	6	3	1092	846	2009	2234	346	754	218	226	28	30	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-							
48	Hypertrophy of tonsils and adenoids	7437	4140	3297	1014	697	1065	857	427	394	138	130	256	315	437	361	307	223	496	320	-	-	-	-	-	-	-	-	-	-	-	-							
85	Pneumonia	6058	2911	3147	123	113	221	217	445	411	240	470	512	721	723	691	312	252	335	272	-	-	-	-	-	-	-	-	-	-	-	-							
38	Symptoms, senility and ill-defined conditions	5883	3589	2294	2	-	3	1	9	5	9	6	199	50	1343	628	932	697	1092	907	-	-	-	-	-	-	-	-	-	-	-	-							
49	Arteriosclerotic and degenerative heart disease	4683	2847	1836	657	370	667	463	212	169	55	73	90	184	423	256	358	164	385	157	-	-	-	-	-	-	-	-	-	-	-	-							
61	Bronchitis	4279	1087	3192	4	12	7	10	11	19	28	296	219	1049	422	1115	213	387	183	304	-	-	-	-	-	-	-	-	-	-	-	-							
73	Diseases of gallbladder and pancreas	3829	-	3829	-	-	-	-	-	4	-	1693	-	2124	-	8	-	-	-	-	95	-	-	-	-	-	-	-	-	-	-	-							
56	Complications of pregnancy	3502	2627	875	154	37	282	57	195	42	139	28	453	216	856	265	347	135	201	95	-	-	-	-	-	-	-	-	-	-	-	-							
58	Hernia of abdominal cavity	3452	1634	1818	612	578	404	344	227	214	86	147	95	180	99	192	45	76	66	87	-	-	-	-	-	-	-	-	-	-	-	-							
75	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	18.4	-	37.4	-	-	-	-	-	-	-	-	-	87.6	-	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
50	Delivery without mention of complications	8.1	7.6	8.6	0.6	0.3	24.5	19.8	19.5	22.7	4.5	10.2	1.9	2.0	0.3	0.3	0.2	0.1	0.1	0.1	-	-	-	-	-	-	-	-	-	-	-	-							
48	Hypertrophy of tonsils and adenoids	7.7	8.5	6.9	94.8	68.3	23.9	20.0	4.1	4.0	1.8	1.8	2.2	2.8	4.7	4.0	12.0	8.4	28.7	17.7	-	-	-	-	-	-	-	-	-	-	-	-							
85	Pneumonia	6.3	6.0	6.6	11.5	11.1	5.0	5.1	4.3	4.2	3.1	6.4	4.4	6.3	7.8	7.6	12.2	9.5	19.4	15.0	-	-	-	-	-	-	-	-	-	-	-	-							
38	Symptoms, senility and ill-defined conditions	6.1	7.4	4.8	0.2	-	0.1	..	0.1	0.1	0.1	0.1	1.7	0.4	14.5	6.9	36.4	26.3	63.1	50.1	-	-	-	-	-	-	-	-	-	-	-	-							
49	Arteriosclerotic and degenerative heart disease	4.9	5.8	3.9	61.4	36.3	15.0	10.8	2.1	1.7	0.7	1.0	0.8	1.6	4.6	2.8	14.0	6.2	22.3	8.7	-	-	-	-	-	-	-	-	-	-	-	-							
61	Bronchitis	4.4	2.2	6.7	0.4	1.2	0.2	0.2	0.1	0.2	0.4	4.0	1.9	9.2	4.6	12.3	8.3	14.6	10.6	16.8	-	-	-	-	-	-	-	-	-	-	-	-							
73	Diseases of gallbladder and pancreas	4.0	-	8.1	-	-	-	-	-	..	-	22.9	-	18.6	-	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
56	Complications of pregnancy	3.6	5.4	1.8	14.4	3.6	6.3	1.3	1.9	0.4	1.8	0.4	3.9	1.9	9.3	2.9	13.6	5.1	11.6	5.2	-	-	-	-	-	-	-	-	-	-	-	-							
58	Hernia of abdominal cavity	3.6	3.4	3.8	57.2	56.7	9.1	8.0	2.2	2.2	1.1	2.0	0.8	1.6	1.1	2.1	1.8	2.9	3.8	4.8	-	-	-	-	-	-	-	-	-	-	-	-							
75	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	3.6	3.4	3.8	57.2	56.7	9.1	8.0	2.2	2.2	1.1	2.0	0.8	1.6	1.1	2.1	1.8	2.9	3.8	4.8	-	-	-	-	-	-	-	-	-	-	-	-							

. Indicates less than 0.05

TABLE 7(j) Cont'd

NO.	DIAGNOSIS	ALL AGES										UNDER 1										Patient-days										Patient-days per 1,000 population									
		1 - 4					5 - 14					15 - 24					25 - 44					45 - 64					65 - 74					75+									
		T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F										
75	Delivery without mention of complications	104298	-	104298	-	-	-	-	-	-	131	-	44732	-	59177	-	258	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
50	Hypertrophy of tonsils and adenoids	16049	7549	8500	12	6	2167	1684	4020	4515	760	1666	502	520	73	83	12	16	3	10	2592	7853	7422	3358	3669	5319	13067	22101	21586	1749	6556	2179	5654	3148	5058						
48	Pneumonia	72888	41082	31806	9337	6428	8437	6264	2811	2410	934	960	2228	2342	4811	3388	4471	2592	7853	7422	3358	3669	5319	13067	22101	21586	1749	6556	2179	5654	3148	5058	1717	2716	1487						
85	Symptoms, senility and ill-defined conditions	43554	17825	25729	591	595	833	961	1615	1755	945	2010	2506	5126	4923	6605	2743	3358	3669	5319	13067	22101	21586	1749	6556	2179	5654	3148	5058	1717	2716	1487	498	531	795						
38	Arteriosclerotic and degenerative heart disease	110700	65269	45431	5	-	10	2	98	87	41	21	3389	650	23550	10018	16075	13067	22101	21586	1749	6556	2179	5654	3148	5058	1717	2716	1487	498	531	795	194	-							
49	Bronchitis	42861	28777	14084	4993	2687	3939	2764	1112	912	238	375	564	1182	5422	2236	5953	1749	6556	2179	5654	3148	5058	1717	2716	1487	498	531	795	194	-	-	-	-	-						
61	Diseases of gallbladder and pancreas	51444	14019	37425	41	357	128	92	98	184	273	2677	2089	10474	5195	12929	3047	5654	3148	5058	1717	2716	1487	498	531	795	194	-	-	-	-	-	-	-	-						
73	Complications of pregnancy	13680	-	13680	-	-	-	-	-	18	-	5799	-	7832	-	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
56	Hernia of abdominal cavity	30220	21654	8566	683	146	1046	194	787	153	933	164	3615	1787	8093	2918	3781	1717	2716	1487	498	531	795	194	-	-	-	-	-	-	-	-	-	-	-						
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	20505	9631	10874	4587	4527	2260	2048	709	627	276	483	383	674	597	1222	288	498	531	795	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Average days stay of separations																																									
75	Delivery without mention of complications	5.9	-	5.9	-	-	-	-	-	6.2	-	5.8	-	5.9	-	7.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
50	Hypertrophy of tonsils and adenoids	2.1	2.0	2.1	2.0	2.0	2.0	2.0	2.0	2.0	2.2	2.2	2.3	2.3	2.6	2.8	3.0	5.3	3.0	5.0	5.3	3.0	5.0	5.3	3.0	5.0	5.3	3.0	5.0	5.3	3.0	5.0	5.3	3.0	5.0						
48	Pneumonia	9.8	9.9	9.6	9.4	9.2	7.9	7.3	6.6	6.1	6.8	7.4	8.7	7.4	11.0	9.4	14.6	11.6	15.8	23.2	13.3	11.0	19.6	18.7	20.2	23.8	10.7	17.0	13.9	14.6	17.2	16.6	12.7	13.5	15.7						
85	Symptoms, senility and ill-defined conditions	7.2	6.1	8.2	4.8	5.3	3.8	4.4	3.6	4.3	3.9	4.3	4.9	7.1	6.8	9.6	8.8	13.3	11.0	19.6	18.7	20.2	23.8	10.7	17.0	13.9	14.6	17.2	16.6	12.7	13.5	15.7	8.0	9.1							
38	Arteriosclerotic and degenerative heart disease	18.8	18.2	19.8	2.5	-	3.3	2.0	10.9	17.4	4.6	3.5	17.0	13.0	17.5	16.0	17.2	18.7	20.2	23.8	10.7	17.0	13.9	14.6	17.2	16.6	12.7	13.5	15.7	8.0	9.1	6.6	8.0	6.4	6.4						
49	Bronchitis	9.2	10.1	7.7	7.6	7.3	5.9	6.0	5.2	5.4	4.3	5.1	6.3	6.4	12.8	8.7	16.6	10.7	17.0	13.9	14.6	17.2	16.6	12.7	13.5	15.7	8.0	9.1	6.6	8.0	6.4	6.4	6.4	6.4	6.4						
61	Diseases of gallbladder and pancreas	12.0	12.9	11.7	10.2	29.8	18.3	9.2	8.9	9.7	9.8	9.0	9.5	10.0	12.3	11.6	14.3	14.6	17.2	16.6	12.7	13.5	15.7	8.0	9.1	6.6	8.0	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4					
73	Complications of pregnancy	3.6	-	3.6	-	-	-	-	-	-	-	3.4	-	3.7	-	3.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
56	Hernia of abdominal cavity	8.6	8.2	9.8	4.4	3.9	3.7	3.4	4.0	3.6	6.7	5.9	8.0	8.3	9.5	11.0	10.9	12.7	13.5	15.7	8.0	9.1	6.6	8.0	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4					
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	5.9	5.9	6.0	7.5	7.8	5.6	6.0	3.1	2.9	3.2	3.3	4.0	3.7	6.0	6.4	6.4	6.6	8.0	9.1	6.6	8.0	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4					

.. Less than 0.5

TABLE 7(k) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See footnotes Table 7a.

SASKATCHEWAN

[illegible]

TABLE 7(k) cont'd

NO. DIAGNOSIS	ALL AGES						UNDER 1						5 - 14						15 - 24						25 - 44						45 - 64						65 - 74						75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	T		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	

.. Indicates less than 0.5

TABLE 7(1) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN)
INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

See footnotes Table 7 (a)

ALBERTA

		ALL AGES												UNDER 1												1 - 4			5 - 14			15 - 24			25 - 44			45 - 64			65 - 74			75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M

.. Less than 0.05.

Table 7 (1) cont'd

NO. DIAGNOSIS	ALL AGES										UNDER 1										Patient-days										Patient-days per 1,000 population																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	T					M					F					M					F					M					F					M					F					M					F					M					F																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M

.. Less than 0.5.

TABLE 7(m) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1965

(1) See footnotes Table 7(a)

BRITISH COLUMBIA

NO.	DIAGNOSIS	ALL AGES																SEPARATIONS															
		UNDER 1				1 - 4				5 - 14				15 - 24				25 - 44				45 - 64				65 - 74				75 +			
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
72381		-	27381	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
50	Delivery without mention of complications	20185	10043	10142	2	1	3059	2325	5747	6045	627	1134	546	14546	550	60	85	51	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1
48	Hypertrophy of tonsils and adenoids	10958	6065	4893	1158	874	1647	1379	649	573	192	215	508	550	763	610	480	550	763	610	480	550	763	610	480	550	763	610	480	550	763	610	480
38	Pneumonia	10401	6424	3977	-	-	2	1	6	5	10	4	348	119	2435	1025	1595	1184	2028	1639	1184	2028	1639	1184	2028	1639	1184	2028	1639	1184	2028	1639	1184
73	Arteriosclerotic and degenerative heart disease	7461	-	7461	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49	Complications of pregnancy	6458	3783	2675	881	516	1110	778	348	271	66	137	203	289	485	390	377	158	313	136	377	158	313	136	377	158	313	136	377	158	313	136	377
56	Bronchitis	6264	4658	1606	273	67	523	138	403	104	205	38	720	339	1450	532	607	207	477	181	607	207	477	181	607	207	477	181	607	207	477	181	607
61	Hernia of abdominal cavity	5867	1691	4176	5	5	5	4	18	22	34	354	354	1371	701	1460	307	522	267	438	307	522	267	438	307	522	267	438	307	522	267	438	307
46	Diseases of gallbladder and pancreas	5366	2899	2467	635	550	1269	963	457	443	187	211	175	145	94	97	51	34	31	24	51	34	31	24	51	34	31	24	51	34	31	24	51
58	Acute upper respiratory infections	5109	2540	2569	844	706	794	675	276	268	141	222	177	256	154	224	63	96	91	122	63	96	91	122	63	96	91	122	63	96	91	122	63
	Gastro-enteritis and colitis																																
Separations per 1,000 population																																	
75	Delivery without mention of complications	15.3	-	30.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Hypertrophy of tonsils and adenoids	11.3	11.1	11.5	0.1	0.1	39.4	31.0	30.9	34.1	4.6	8.7	2.4	64.6	2.4	0.3	0.5	0.3	0.5	0.3	0.5	0.3	0.5	0.3	0.5	0.3	0.5	0.3	0.5	0.3	0.5	0.3	0.5
48	Pneumonia	6.1	6.7	5.5	65.1	51.4	21.2	18.4	3.5	3.2	1.4	1.6	2.2	2.4	2.4	4.4	3.5	10.4	5.0	17.9	11.5	10.4	5.0	17.9	11.5	10.4	5.0	17.9	11.5	10.4	5.0	17.9	11.5
38	Arteriosclerotic and degenerative heart disease	5.8	7.1	4.5	-	-	0.1	..	1.5	0.5	0.5	14.0	6.0	34.4	23.8	54.4	42.8	23.8	54.4	42.8	23.8	54.4	42.8	23.8	54.4	42.8	23.8	54.4	42.8
73	Complications of pregnancy	4.2	-	8.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49	Bronchitis	3.6	4.2	3.0	49.5	30.4	14.3	10.4	1.9	1.5	0.5	1.1	0.9	16.9	1.3	2.8	2.3	8.1	3.2	8.4	3.6	2.3	8.1	3.2	8.4	3.6	2.3	8.1	3.2	8.4	3.6	2.3	
56	Hernia of abdominal cavity	3.5	5.2	1.8	15.3	3.9	6.7	1.8	2.2	0.6	1.5	0.3	3.1	1.5	8.3	3.1	13.1	4.2	12.8	4.7	13.1	4.2	12.8	4.7	13.1	4.2	12.8	4.7	13.1	4.2	12.8	4.7	13.1
61	Diseases of gallbladder and pancreas	3.3	1.9	4.7	0.3	0.3	0.1	0.1	0.1	0.1	0.3	2.7	1.5	6.1	6.1	4.0	8.5	6.6	10.5	7.2	11.4	6.6	10.5	7.2	11.4	6.6	10.5	7.2	11.4	6.6	10.5	7.2	11.4
46	Acute upper respiratory infections	3.0	3.2	2.8	35.7	32.4	16.3	12.9	2.5	2.5	1.4	1.6	0.8	0.6	0.6	0.5	0.6	1.1	0.7	0.8	1.1	0.6	1.1	0.7	0.8	1.1	0.6	1.1	0.7	0.8	1.1	0.6	1.1
58	Gastro-enteritis and colitis	2.9	2.8	2.9	47.4	41.5	10.2	9.0	1.5	1.5	1.0	1.7	0.8	1.1	1.1	0.9	1.3	1.4	1.9	2.4	3.2	1.3	1.4	1.9	2.4	3.2	1.3	1.4	1.9	2.4	3.2	1.3	1.4

.. Less than 0.05

TABLE 7(m) Cont'd

NO.	DIAGNOSIS	ALL AGES				UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75 +	
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
Patient-days																					
75	Delivery without mention of complications	168358	-	-	-	-	-	-	-	-	145	-	77442	-	90448	-	323	-	-	-	
50	Hypertrophy of tonsils and adenoids	45930	22402	23528	4	2	6467	4927	12242	13061	1817	3391	1661	1802	205	334	334	2	11	4	
48	Pneumonia	122726	69812	52914	13862	9582	15681	13164	5205	4548	1524	1670	4673	5457	9708	7243	7834	3992	11325	7258	
38	Arteriosclerotic and degenerative heart disease	186835	116513	70322	-	-	20	1	55	33	142	39	6470	1889	43126	17148	29759	21642	36941	29570	
73	Complications of pregnancy	35698	-	35698	-	-	-	-	-	25	-	16509	-	18897	-	267	-	-	-	-	
49	Bronchitis	56651	34921	21730	8296	4397	7450	5673	1921	1524	352	776	1344	2069	5003	3754	6126	1995	4429	1542	
56	Hernia of abdominal cavity	55854	39261	16593	1750	464	2529	638	2000	486	1271	255	5307	2944	12671	6141	6953	3064	6780	2601	
61	Diseases of gallbladder and pancreas	77387	25384	52003	123	69	82	129	312	250	252	3102	3928	14189	9885	18508	5304	8198	5498	7558	
46	Acute upper respiratory infections	31125	17071	14054	4725	3710	7129	5485	2210	2123	918	957	793	700	620	598	322	257	354	224	
58	Gastro-enteritis and colitis	33705	16593	17112	7054	6208	4894	4189	1010	1031	484	737	760	1301	896	1515	479	916	1016	1215	
Patient-days per 1,000 population																					
75	Delivery without mention of complications	94	-	190	-	-	-	-	-	1	-	594	-	401	-	2	-	-	-	-	
50	Hypertrophy of tonsils and adenoids	26	25	27	83	66	66	74	13	26	7	8	1	2	
48	Pneumonia	69	77	60	779	564	202	176	28	26	11	13	20	24	56	42	169	80	304	190	
38	Arteriosclerotic and degenerative heart disease	104	129	79	-	-	1	..	28	8	247	100	643	435	990	772	
73	Complications of pregnancy	20	-	40	-	-	-	-	-	..	-	127	-	84	-	2	-	-	-	-	
49	Bronchitis	32	39	25	466	259	96	76	10	9	3	6	6	9	29	22	132	40	119	40	
56	Hernia of abdominal cavity	31	43	19	98	27	33	9	11	3	9	2	23	13	73	36	150	62	182	68	
61	Diseases of gallbladder and pancreas	43	28	59	7	4	1	2	2	1	2	24	17	63	57	108	115	165	147	197	
46	Acute upper respiratory infections	17	19	16	265	218	92	73	12	12	7	7	3	3	4	3	7	5	9	6	
58	Gastro-enteritis and colitis	19	18	19	396	365	63	56	5	6	4	6	3	6	5	9	10	18	27	32	
Average days stay of separations																					
75	Delivery without mention of complications	6.1	-	6.1	-	-	-	-	-	6.0	-	6.1	-	6.2	-	6.3	-	-	-	-	
50	Hypertrophy of tonsils and adenoids	2.3	2.2	2.3	2.0	2.0	2.1	2.1	2.1	2.2	2.9	3.0	3.0	3.3	3.4	3.9	2.0	5.5	4.0	-	
48	Pneumonia	11.2	11.5	10.8	12.0	11.0	9.5	9.5	8.0	7.9	7.9	7.8	9.2	9.9	12.7	11.9	16.3	16.0	17.0	16.4	
38	Arteriosclerotic and degenerative heart disease	18.0	18.1	17.7	-	-	10.0	1.0	9.2	6.6	14.2	9.8	18.6	15.9	17.7	16.7	18.7	18.3	18.2	18.0	
73	Complications of pregnancy	4.8	-	4.8	-	-	-	-	-	4.2	-	4.6	-	5.0	-	7.6	-	-	-	-	
49	Bronchitis	8.8	9.2	8.1	9.4	8.5	6.7	7.3	5.5	5.6	5.3	5.7	6.6	7.2	10.3	9.6	16.2	12.6	14.2	11.3	
56	Hernia of abdominal cavity	8.9	8.4	10.3	6.4	6.9	4.8	4.6	5.0	4.7	6.2	6.7	7.4	8.7	8.7	11.5	11.5	14.8	14.2	14.4	
61	Diseases of gallbladder and pancreas	13.2	15.0	12.5	24.6	13.8	16.4	32.3	17.3	11.4	7.4	8.8	11.1	10.3	14.1	12.7	17.3	15.7	20.6	17.3	
46	Acute upper respiratory infections	5.8	5.9	5.7	7.4	6.7	5.6	5.7	4.8	4.8	4.9	4.5	4.5	4.8	6.6	6.2	7.3	7.6	11.4	9.3	
58	Gastro-enteritis and colitis	6.6	6.5	6.7	8.4	8.8	6.5	6.2	3.7	3.8	3.4	3.3	4.3	5.1	5.8	6.8	7.6	9.5	11.2	10.0	

.. Less than 0.5

TABLE 7(n) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR YUKON PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-YUKON HOSPITALIZATION, 1965

(1) See footnotes Table 7(a)

YUKON

NO.	DIAGNOSIS	ALL AGES				UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		

TABLE 7(n) cont'd

ALL AGES		UNDER 1			1 - 4			5 - 14			15 - 24			25 - 44			45 - 64			65 - 74			75+
T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
Patient-days																							
75	2387	-	2387	-	-	-	-	-	-	-	1021	-	1360	-	1021	6	-	-	-	-	-		
48	1304	746	360	79	301	153	101	72	25	21	153	-	150	228	119	39	70	-	-	-	97 82		
50	392	103	2	-	29	30	63	210	-	37	9	-	9	-	3	-	-	-	-	-	-		
49	603	382	221	108	102	58	25	16	-	4	26	-	12	70	32	28	-	-	-	-	23 32		
73	271	-	271	-	-	-	-	-	-	144	-	-	126	-	1	-	-	-	-	-	-		
78	554	389	165	25	22	30	23	9	23	11	101	-	83	69	32	84	-	-	-	-	42 -		
58	410	245	165	180	73	40	7	22	4	3	7	-	9	14	18	-	-	-	-	-	5 -		
86	513	425	88	4	1	12	18	4	227	55	53	-	14	115	2	3	-	-	-	-	-		
29	424	248	176	-	-	-	-	-	4	35	171	-	76	58	54	12	11	-	-	-	3 -		
91	600	329	271	-	-	-	5	57	31	4	120	-	82	148	101	25	7	-	-	-	20		
Patient-days per 1,000 population																							
75	159	-	356	-	-	-	-	-	-	1134	-	-	756	-	7	-	-	-	-	-	-		
48	137	157	111	1800	301	153	56	42	28	23	59	-	83	163	132	130	350	-	-	-	970		
50	26	12	43	10	29	30	35	124	-	41	3	-	5	-	3	-	-	-	-	-	-		
49	40	46	33	540	102	58	14	9	-	4	10	-	7	50	36	93	-	-	-	-	230		
73	18	-	40	-	-	-	-	-	-	160	-	-	70	-	1	-	-	-	-	-	-		
78	37	47	25	125	22	30	13	5	26	12	39	-	46	49	36	280	-	-	-	-	420		
58	27	30	25	900	28	40	4	13	4	3	3	-	5	10	20	-	-	-	-	-	50		
86	34	51	13	20	5	12	10	2	252	61	20	-	8	82	2	10	-	-	-	-	-		
29	28	30	26	-	-	-	-	-	4	39	66	-	42	41	60	40	55	-	-	-	30		
91	40	40	40	-	-	-	3	34	34	4	46	-	46	106	112	83	35	-	-	-	-		
Average days stay of separations																							
75	5.9	-	5.9	-	-	-	-	-	-	6.0	-	-	5.9	-	6.0	6.0	-	-	-	-	-		
48	10.0	10.6	9.0	13.8	6.6	6.7	7.8	9.0	5.0	10.5	8.1	-	8.3	12.7	10.8	9.8	17.5	-	-	-	9.7 16.4		
50	3.4	2.2	4.3	1.0	-	2.1	2.2	5.2	-	3.7	3.0	-	4.5	-	3.0	-	-	-	-	-	-		
49	5.7	5.8	5.5	6.8	6.7	3.6	4.2	5.3	-	4.0	5.2	-	4.0	7.8	8.0	14.0	-	-	-	-	7.7 10.7		
73	3.8	-	3.8	-	-	-	-	-	-	3.6	-	-	4.1	-	1.0	-	-	-	-	-	-		
78	8.4	9.0	7.2	8.3	-	5.0	4.6	2.2	4.6	2.8	7.8	-	11.9	9.9	16.0	16.8	-	-	-	-	21.0 -		
58	6.5	7.4	5.5	10.0	6.1	4.4	3.5	7.3	4.0	1.5	3.5	-	4.5	3.5	9.0	-	-	-	-	-	5.0 -		
86	10.1	11.8	5.9	2.0	1.0	3.0	2.6	1.0	25.1	27.5	8.8	-	4.7	16.4	2.0	3.0	-	-	-	-	-		
29	8.5	7.5	10.4	-	-	-	-	-	2.0	8.8	9.0	-	15.2	6.4	7.7	6.0	11.0	-	-	-	3.0 -		
91	13.0	13.2	12.9	-	-	-	1.7	19.0	7.8	4.0	10.9	-	11.7	24.7	14.4	25.0	7.0	-	-	-	10.0		

TABLE 7 (o) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-TERRITORIES HOSPITALIZATION, 1965

(1) See footnotes Table 7(a)

NORTHWEST TERRITORIES

[illegible]

TABLE 7(o) Cont'd

[illegible]

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), NEWFOUNDLAND, 1965

Rank	U.K. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	777	Delivery, spontaneous	11,737	4,832.0 (4)	176.1
2	261	Tonsillectomy with adenoidectomy	1,687	338.8	25.3
3	441	Appendectomy	1,187	238.4	17.8
4	778	Delivery, low forceps	1,154	475.1 (4)	17.3
5	789	Dilatation and curettage, obstetrical	1,013	417.0 (4)	15.2
6	732	Curettage of uterus	962	396.0 (4)	14.4
7	804	Closed reduction of fracture	753	151.2	11.3
8	402	Hernioplasty, inguinal	644	129.3	9.7
9	765	Caesarean section without mention of hysterectomy	501	206.3 (4)	7.5
10	682	Circumcision	446	174.8 (3)	6.7
11	649	Cystoscopy	412	82.7	6.2
12	521	Cholecystectomy	389	78.1	5.8
13	938	Suture of superficial wounds	379	76.1	5.7
14	722	Hysterectomy, total	305	125.6 (4)	4.6
15	262	Tonsillectomy without adenoidectomy	277	55.6	4.2
16	930	Incision and drainage, superficial	271	54.4	4.1
17	404	Hernioplasty	244	49.0	3.7
18	749	Other operations on vagina	237	97.6 (4)	3.6
19	423	Gastrectomy, partial	237	47.6	3.6
20	724	Hysterectomy, vaginal	230	94.7 (4)	3.4
21	619	Other operations on kidney	220	44.2	3.3
22	806	Reduction of fracture with fixation	207	41.6	3.1
23	934	Excision of other skin	195	39.2	2.9
24	942	Skin graft (except of face)	193	38.8	2.9
25	483	Hemorrhoidectomy	192	38.6	2.9

(1) Table 8 Newfoundland is based on United Kingdom (U.K.) Code only.

(2) Population: T: 498,000 M: 255,100 F: 242,900.

(3) Based on male population.

(4) Based on female population.

(5) Separations: T: 66,665 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
PRINCE EDWARD ISLAND, 1965

Rank	U.S. Code	Operation or Treatment (5)	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy and adenoidectomy	483	447.2	28.0
2	72.8	Dilatation and curettage of uterus	318	601.1 (3)	18.5
3	45.1	Appendectomy	302	279.6	17.5
4	77.1	Dilatation and curettage after delivery or abortion	234	442.3 (3)	13.6
5	53.5	Cholecystectomy	187	173.1	10.9
6	89.1	Excision and destruction of lesion of skin and sub- cutaneous tissue	143	132.4	8.3
7	82.3	Closed reduction of fracture of extremity of long bone	133	123.1	7.7
8	41.0	Repair of inguinal hernia	124	114.8	7.2
9	27.1	Tonsillectomy without adenoidectomy	119	110.2	6.9
10	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	117	108.3	6.8
11	24.2	Surgical removal of tooth	88	81.5	5.1
12	89.0	Incision of skin and subcutaneous tissue	83	76.9	4.8
13	89.4	Suture of skin and subcutaneous tissue	74	68.5	4.3
14	78.4	Caesarean section	74	139.9 (3)	4.3
15	88.4	Excision and ligation of varicose veins	65	60.2	3.8
16	66.9	Other operations on prostate and seminal vesicles	53	96.2 (2)	3.1
17	49.3	Hemorrhoidectomy	52	48.1	3.0
18	82.5	Open reduction of fracture of extremity of long bone with fixation	51	47.2	3.0
19	40.0	Incision of abdominal wall and umbilicus	49	45.4	2.8
20	38.8	Biopsy of breast	44	40.7	2.6
21	90.5	Proctoscopy without effect upon tissue or lesion	43	39.8	2.5
22	72.6	Hysterectomy, vaginal	42	79.4 (3)	2.4
23	72.4	Hysterectomy, complete or total	41	77.5 (3)	2.4
24	40.1	Exploratory laparotomy or celiotomy	39	36.1	2.3
25	74.3	Colporrhaphy	37	69.9 (3)	2.1

(1) Population: T: 108,000 M: 55,100 F: 52,900 (2) Based on male population (3) Based on female population
(4) Separations: T: 17,223 (excluding newborn)
(5) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification -
Classification of Operations and Treatments, U.S. Department of Health, Education and Welfare, Public Health Service, 1959.

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TEN MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
NOVA SCOTIA, 1965

Rank	U.S. Code	Operation or Treatment (5)	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.1, 27.2	Tonsillectomy with and without adenoidectomy	5,503	723.1	50.4
2	76.3, 76.4	Episiotomy (includes that with and without forceps)	3,467	924.8 (3)	31.8
3	69.2	Circumcision	2,657	688.2 (2)	24.3
4	72.8, 77.1	Dilatation and curettage of uterus (includes endometrial biopsy, therapeutic abortion and after delivery or abortion)	2,354	627.9 (3)	21.6
5	45.1	Appendectomy	2,226	292.5	20.4
6	53.5	Cholecystectomy (includes resection of gallbladder)	1,301	171.0	11.9
7	41.0	Repair of inguinal hernia except recurrent	1,261	165.7	11.5
8	72.4	Abdominal hysterectomy (complete or total)	962	256.6 (3)	8.8
9	89.1	Excision and destruction of lesion of skin and sub- cutaneous tissue	916	120.4	8.4
10	82.3	Closed reduction of fracture of shaft of extremity of long bone	718	94.3	6.6

(1) Population: T: 761,000 M: 386,100 F: 374,900

(2) Based on male population

(3) Based on female population

(4) Separations: T: 109,196 (excluding newborn)

(5) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification -
Classification of Operations and Treatments, U.S. Department of Health, Education and Welfare, Public Health Service, 1959.

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
NEW BRUNSWICK, 1965

Rank	U.K. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	777	Delivery, spontaneous	13,790	4,474.4 (4)	130.5
2	261	Tonsillectomy with adenoidectomy	4,704	755.1	44.5
3	441	Appendectomy	1,736	278.7	16.4
4	789	Dilatation and curettage, obstetrical	1,466	475.7 (4)	13.9
5	804	Closed reduction of fracture	1,415	227.1	13.4
6	251	Extraction of tooth and root resection	1,327	213.0	12.6
7	521	Cholecystectomy	1,263	202.7	12.0
8	402	Hernioplasty, inguinal	1,103	177.0	10.4
9	732	Curettage of uterus	1,099	356.6 (4)	10.4
10	722	Hysterectomy, total	1,040	337.4 (4)	9.8
11	938	Suture of superficial wounds	1,036	166.3	9.8
12	262	Tonsillectomy without adenoidectomy	852	136.8	8.1
13	649	Cystoscopy	658	105.6	6.2
14	930	Incision and drainage, superficial	565	90.7	5.3
15	765	Caesarean section without mention of hysterectomy	542	175.9 (4)	5.1
16	749	Other operations on vagina	529	171.6 (4)	5.0
17	934	Excision of other skin	486	78.0	4.6
18	483	Hemorrhoidectomy	462	74.2	4.4
19	682	Circumcision	457	145.2 (3)	4.3
20	668	Urinary system, not specified	449	72.1	4.2
21	404	Hernioplasty	395	63.4	3.7
22	806	Reduction of fracture with fixation	388	62.3	3.7
23	724	Hysterectomy, vaginal	376	122.0 (4)	3.6
24	381	Mastectomy, partial	357	57.3	3.4
25	619	Other operations on kidney	357	57.3	3.4

(1) Table 8 New Brunswick is based on (U.K.) Code only.

(2) Population: T: 623,000 M: 314,800 F: 308,200.

(3) Based on male population.

(4) Based on female population.

(5) Separations: T: 105,688 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
QUEBEC, 1965

Rank	U.S. Code	Operation or Treatment (5)	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2, 27.1	Tonsillectomy with or without adenoidectomy	48,731	861.4	60.2
2	53.5	Cholecystectomy	16,515	291.9	20.4
3	69.2	Circumcision	15,381 (6)	543.7 (2)	19.0
4	77.1	Dilatation and curettage after delivery or abortion	14,170	501.1 (3)	17.5
5	45.1	Appendectomy	13,289	234.9	16.4
6	40.0	Repair of inguinal hernia except recurrent	11,018	194.8	13.6
7	76.3	Episiotomy without low forceps	10,119	357.8 (3)	12.5
8	72.8	Dilatation and curettage of uterus	9,267	327.7 (3)	11.4
9	24.1	Extraction of tooth (simple)	8,431	149.0	10.4
10	72.4	Hysterectomy, complete or total	7,945	281.0 (3)	9.8
11	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	6,763	119.6	8.4
12	49.3	Hemorrhoidectomy	5,595	98.9	6.9
13	76.4	Delivery by low forceps with episiotomy	5,424	191.8 (3)	6.7
14	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	4,520	79.9	5.6
15	73.1	Local excision and destruction of lesion of cervix	4,308	152.3 (3)	5.3
16	81.8	Traction or fixation without reduction	4,302	76.0	5.3
17	76.5	Delivery by low forceps without episiotomy	3,928	138.9 (3)	4.8
18	89.4	Suture	3,491	61.7	4.3
19	82.0	Closed reduction of fracture of shaft of long bone	3,472	61.4	4.3
20	90.5	Proctoscopy without effect upon tissue or lesion	3,401	60.1	4.2
21	88.4	Excision and ligation of varicose veins	3,318	58.7	4.1
22	89.0	Incision of skin and subcutaneous tissue	3,083	54.5	3.8
23	38.1	Partial mastectomy	2,928	51.8	3.6
24	17.4	Extraction of lens, intracapsular	2,862	50.6	3.5
25	20.4	Operations on tympanum	2,836	50.1	3.5

(1) Population: T: 5,657,000 M: 2,829,200 F: 2,827,800 (2) Based on male population (3) Based on female population
(4) Separations: T: 809,886 (Excluding newborn) (5) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education and Welfare Public Health Service, 1962.
(6) Total cases include circumcision of newborn males. This should be noted in making comparisons with data from other provinces.

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
ONTARIO, 1965

Rank	U.S. Code	Operation or Treatment (5)	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	63,013	936.2	60.8
2	72.8	Dilatation and curettage of uterus	24,982	744.4 (3)	24.1
3	40.0	Repair of inguinal hernia except recurrent	18,359	272.8	17.7
4	45.1	Appendectomy	17,439	259.1	16.8
5	27.1	Tonsillectomy without adenoidectomy	16,349	242.9	15.8
6	77.1	Dilatation and curettage after delivery or abortion	16,285	485.2 (3)	15.7
7	53.5	Cholecystectomy	13,656	202.9	13.2
8	76.3	Episiotomy without low forceps	11,613	346.0 (3)	11.2
9	76.5	Delivery by low forceps without episiotomy	9,892	294.8 (3)	9.6
10	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	8,913	132.4	8.6
11	88.4	Excision and ligation of varicose veins	7,842	116.5	7.6
12	24.1	Extraction of tooth (simple)	7,683	114.1	7.4
13	49.3	Hemorrhoidectomy	7,000	104.0	6.8
14	76.4	Delivery by low forceps with episiotomy	6,848	204.1 (3)	6.6
15	72.4	Hysterectomy, complete or total	6,221	185.4 (3)	6.0
16	89.4	Suture	5,355	79.6	5.2
17	66.2	Prostatectomy, transurethral	4,943	146.5 (2)	4.8
18	78.4	Caesarean section, type unspecified	4,939	147.2 (3)	4.8
19	82.3	Closed reduction of fracture of extremity of long bone	4,217	62.6	4.1
20	38.1	Partial mastectomy	4,014	59.6	3.9
21	89.0	Incision of skin and subcutaneous tissue	3,619	53.8	3.5
22	21.1	Operations on nasal septum	3,569	53.0	3.4
23	82.5	Open reduction of fracture of extremity of long bone with internal fixation	3,488	51.8	3.4
24	83.5	Excision of semilunar cartilage of knee joint	3,401	50.5	3.3
25	72.6	Hysterectomy, vaginal	3,378	100.7 (3)	3.3

(1) Population: T: 6,731,000 M: 3,375,000 F: 3,356,000

(2) Based on male population (3) Based on female population (4) Separations: T: 1,035,779 (excluding newborn)

(5) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education and Welfare, Public Health Service, 1962.

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
MANITOBA, 1965

Rank	U.S. Code	Operation or Treatment (5)	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	6,016	625.4	36.3
2	53.5	Cholecystectomy	2,242	233.1	13.5
3	40.0	Repair of inguinal hernia, except recurrent	2,234	232.2	13.5
4	45.1	Appendectomy, with or without drainage	2,184	227.0	13.2
5	72.8	Dilatation and curettage of uterus	2,054	432.2 (3)	12.4
6	24.1	Extraction of tooth (simple)	2,025	210.5	12.2
7	27.1	Tonsillectomy without adenoidectomy	1,496	155.5	9.0
8	82.3	Closed reduction of fracture of extremity of long bone	874	90.9	5.3
9	88.4	Excision and ligation of varicose veins	775	80.6	4.7
10	17.4	Extraction of lens, intracapsular	764	79.4	4.6
11	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	755	78.5	4.6
12	89.4	Suture of skin and subcutaneous tissue	738	76.7	4.5
13	49.3	Hemorrhoidectomy	704	73.2	4.2
14	66.2	Prostatectomy, transurethral	686	140.9 (2)	4.1
15	21.1	Operations on nasal septum	650	67.6	3.9
16	72.4	Hysterectomy, complete	554	116.6 (3)	3.3
17	82.0	Closed reduction of fracture of shaft of long bone	520	54.1	3.1
18	38.1	Partial mastectomy	503	52.3	3.0
19	11.3	Advancement or recession of eye muscle	490	50.9	3.0
20	89.0	Incision of skin and subcutaneous tissue	483	50.2	2.9
21	82.5	Open reduction of fracture of extremity of long bone with fixation	478	49.7	2.9
22	74.4	Repair of cystocele and/or rectocele	446	93.9 (3)	2.7
23	78.1	Caesarean section, low cervical	399	84.0 (3)	2.4
24	69.2	Circumcision	334	68.6 (2)	2.0
25	72.5	Hysterectomy, radical	331	69.7 (3)	2.0

(1) Population: T: 961,000 M: 486,800 F: 475,200 (2) Based on male population (3) Based on female population
 (4) Separations: F: 105,794 (excluding newborn) (5) International Classification of Diseases. Adapted for indexing of
 Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health,
 Education and Welfare, Public Health Service, 1962.

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
SASKATCHEWAN, 1965

Rank	U.S. Code	Operation or Treatment (5)	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	9,730	1,023.1	47.0
2	72.8	Dilatation and curettage of uterus	4,479	970.1 (3)	21.6
3	45.1	Appendectomy	3,151	331.3	15.2
4	24.1	Extraction of tooth (simple)	2,604	273.8	12.6
5	76.3	Episiotomy without low forceps	2,357	510.5 (3)	11.4
6	53.5	Cholecystectomy	2,315	243.4	11.2
7	40.0	Repair of inguinal hernia except recurrent	2,213	232.7	10.7
8	77.1	Dilatation and curettage after delivery or abortion	2,006	434.5 (3)	9.7
9	27.1	Tonsillectomy without adenoidectomy	1,716	180.4	8.3
10	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	1,639	172.3	7.9
11	72.4	Hysterectomy, complete or total	1,457	315.6 (3)	7.0
12	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	1,347	141.6	6.5
13	81.8	Traction or fixation without reduction	1,113	117.0	5.4
14	49.3	Hemorrhoidectomy	999	105.0	4.8
15	88.4	Excision and ligation of varicose veins	916	96.3	4.4
16	89.0	Incision of skin and subcutaneous tissue	896	94.2	4.3
17	66.2	Prostatectomy, transurethral	852	174.1 (2)	4.1
18	93.1	Intravenous pyelography	816	85.8	3.9
19	77.3	Repair of other obstetrical laceration	806	174.6 (3)	3.9
20	89.4	Suture	768	80.8	3.7
21	38.1	Partial mastectomy	764	80.3	3.7
22	74.4	Repair of cystocele and/or rectocele	741	160.5 (3)	3.6
23	21.1	Operations on nasal septum	728	76.6	3.5
24	82.0	Closed reduction of fracture of shaft of long bone	707	74.3	3.4
25	64.5	Dilatation of urethra	678	138.6 (2)	3.3

(1) Population: T: 951,000 M: 489,300 F: 461,700 (2) Based on male population (3) Based on female population
(4) Separations: T: 206,927 (excluding newborn) (5) International classification of Diseases. Adapted for Indexing of
Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health,
Education and Welfare, Public Health Service, 1962.

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
ALBERTA, 1965

Rank	U.S. Code	Operation or Treatment (5)	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	14,075	970.0	49.0
2	72.8	Dilatation and curettage of uterus	4,963	703.7 (3)	17.3
3	45.1	Appendectomy, with or without drainage	4,233	291.7	14.7
4	77.1	Dilatation and curettage after delivery or abortion	3,312	469.6 (3)	11.5
5	53.5	Cholecystectomy	3,288	226.6	11.4
6	40.0	Repair of inguinal hernia, except recurrent	3,256	224.4	11.3
7	24.1	Extraction of tooth (simple)	3,196	220.3	11.1
8	27.1	Tonsillectomy without adenoidectomy	2,206	152.0	7.7
9	72.4	Hysterectomy, complete	2,058	291.8 (3)	7.2
10	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	2,044	140.9	7.1
11	82.3	Closed reduction of fracture of extremity of long bone	1,600	110.3	5.6
12	88.4	Excision and ligation of varicose veins	1,570	108.2	5.5
13	81.8	Traction or fixation without reduction	1,454	100.2	5.1
14	89.4	Suture	1,453	100.1	5.1
15	49.3	Hemorrhoidectomy	1,426	98.3	5.0
16	89.0	Incision of skin and subcutaneous tissue	1,309	90.2	4.6
17	93.1	Intravenous pyelography	1,259	86.8	4.4
18	93.2	Retrograde pyelography	1,182	81.5	4.1
19	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	1,138	78.4	4.0
20	66.2	Prostatectomy, transurethral	1,077	144.4 (2)	3.7
21	82.0	Closed reduction of fracture of shaft of long bone	991	68.3	3.4
22	78.1	Caesarean section, low cervical	937	132.9 (3)	3.3
23	17.4	Extraction of lens, intracapsular	900	62.0	3.1
24	21.1	Operations on nasal septum	871	60.0	3.0
25	72.6	Hysterectomy, vaginal	840	119.1 (3)	2.9

(1) Population: T: 1,451,000 M: 745,700 F: 705,300 (2) Based on male population (3) Based on female population
(4) Separations: T: 287,209 (excluding newborn) (5) International Classification of Diseases. Adapted for Indexing of
Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health
Education and Welfare, Public Health Service, 1962.

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
BRITISH COLUMBIA, 1965

Rank	U.S. Code	Operation or Treatment (5)	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	16,793	938.7	56.5
2	72.8	Dilatation and curettage of uterus	6,427	726.0 (3)	21.6
3	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	5,020	280.6	16.9
4	40.0	Repair of inguinal hernia, except recurrent	4,187	234.0	14.1
5	45.1	Appendectomy	3,657	204.4	12.3
6	53.5	Cholecystectomy	3,259	182.2	11.0
7	24.1	Extraction of tooth (simple)	3,222	180.1	10.8
8	27.1	Tonsillectomy without adenoidectomy	3,142	175.6	10.6
9	77.1	Dilatation and curettage after delivery or abortion	2,938	331.9 (3)	9.9
10	72.4	Hysterectomy, complete or total	2,599	293.6 (3)	8.7
11	88.4	Excision and ligation of varicose veins	2,516	140.6	8.5
12	66.2	Prostatectomy, transurethral	2,155	238.4 (2)	7.2
13	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	2,114	118.2	7.1
14	49.3	Hemorrhoidectomy	1,926	107.7	6.5
15	82.3	Closed reduction of fracture of extremity of long bone	1,667	93.2	5.6
16	89.4	Suture	1,512	84.5	5.1
17	81.8	Traction or fixation without reduction	1,421	79.4	4.8
18	38.1	Partial mastectomy	1,403	78.4	4.7
19	17.4	Extraction of lens, intracapsular	1,260	70.4	4.2
20	20.4	Operations on tympanum	1,211	67.7	4.1
21	21.4	Rhinoplasty and repair of nose	1,164	65.1	3.9
22	76.3	Episiotomy without low forceps	1,120	126.5 (3)	3.8
23	82.0	Closed reduction of fracture of shaft of long bone	1,064	59.5	3.6
24	82.5	Open reduction of fracture of extremity of long bone with internal fixation	1,015	56.7	3.4
25	44.2	Partial or subtotal gastrectomy	1,008	56.3	3.4

(1) Population: T: 1,789,000 M: 903,800 F: 885,200 (2) Based on male population (3) Based on female population
(4) Separations: T: 297,325 (excluding newborn) (5) International Classification of Diseases. Adapted for Indexing
of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of
Health, Education and Welfare, Public Health Service, 1962.

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
YUKON, 1965

Rank	U.S. Code	Operation or Treatment (5)	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	76.3	Episiotomy without low forceps	90	1,343.3 (3)	33.5
2	27.2	Tonsillectomy with adenoidectomy	86	573.3	32.0
3	82.3	Closed reduction of fracture of extremity of long bone	39	260.0	14.5
4	72.8	Dilatation and curettage of uterus	37	552.2 (3)	13.8
5	76.4	Delivery by low forceps with episiotomy	31	462.7 (3)	11.5
6	24.1	Extraction of tooth (simple)	30	200.0	11.2
7	89.4	Suture	26	173.3	9.7
8	45.1	Appendectomy	25	166.7	9.3
9	89.0	Incision of skin and subcutaneous tissue	24	160.0	8.9
10	40.0	Repair of inguinal hernia except recurrent	24	160.0	8.9
11	53.5	Cholecystectomy	23	153.3	8.6
12	76.0	Artificial rupture of membranes	23	343.3 (3)	8.6
13	76.2	Internal version	23	343.3 (3)	8.6
14	77.1	Dilatation and curettage after delivery or abortion	22	328.4 (3)	8.2
15	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	21	140.0	7.8
16	90.5	Proctoscopy without effect upon tissue or lesion	18	120.0	6.7
17	27.1	Tonsillectomy without adenoidectomy	17	113.3	6.3
18	99.3	Exchange transfusion	14	93.3	5.2
19	76.5	Delivery by low forceps without episiotomy	13	194.0 (3)	4.8
20	88.4	Excision and ligation of varicose veins	11	73.3	4.1
21	38.8	Biopsy of breast	11	73.3	4.1
22	84.7	Closed reduction of dislocation of joint	10	66.7	3.7
23	72.4	Hysterectomy, complete or total	10	149.3 (3)	3.7
24	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	10	66.7	3.7
25	72.2	Local excision and destruction of other lesions of uterus and supporting structures	9	134.3 (3)	3.4

(1) Population: T: 15,000 M: 8,300 F: 6,700 (2) Based on male population (3) Based on female population
 (4) Separations: T: 2,684 (excluding newborn) (5) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operations Classification - Classification of Operations and Treatments, U.S. Department of Health, Education and Welfare, Public Health Service, 1962.

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
NORTHWEST TERRITORIES, 1965

Rank	U.S. Code	Operation or Treatment (5)	Number of Separations (1)	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	185	740.0	28.6
2	24.2	Surgical removal of tooth	126	504.0	19.5
3	76.3	Episiotomy without low forceps	74	654.9 (3)	11.4
4	45.1	Appendectomy	58	232.0	9.0
5	77.1	Dilatation and curettage after delivery or abortion	53	469.0 (3)	8.2
6	72.8	Dilatation and curettage of uterus	49	433.6 (3)	7.6
7	89.0	Incision of skin and subcutaneous tissue	39	156.0	6.0
8	53.5	Cholecystectomy	30	120.0	4.6
9	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	30	120.0	4.6
10	40.0	Repair of inguinal hernia except recurrent	30	120.0	4.6
11	82.0	Closed reduction of fracture of shaft of long bone	28	112.0	4.3
12	89.4	Suture	27	108.0	4.2
13	24.1	Extraction of tooth (simple)	27	108.0	4.2
14	03.3	Spinal puncture	21	84.0	3.2
15	27.1	Tonsillectomy without adenoidectomy	20	80.0	3.1
16	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	17	68.0	2.6
17	69.2	Circumcision	16	116.8 (2)	2.5
18	30.4	Catheterization of right heart	14	56.0	2.2
19	77.3	Repair of other obstetrical laceration	14	123.9 (3)	2.2
20	12.9	Other operations on eyelids	13	52.0	2.0
21	41.0	Incision of abdominal wall and umbilicus	13	52.0	2.0
22	72.4	Hysterectomy, complete or total	12	106.2 (3)	1.9
23	49.3	Hemorrhoidectomy	11	44.0	1.7
24	90.5	Proctoscopy without effect upon tissue or lesion	10	40.0	1.5
25	76.4	Delivery by low forceps with episiotomy	10	88.5 (3)	1.5

(1) Population: T: 25,000 M: 13,700 F: 11,300 (2) Based on male population (3) Based on female population
 (4) Separations: T: 6,476 (excluding newborn) (5) International Classification of Diseases. Adapted for
 Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments,
 U.S. Department of Health, Education and Welfare, Public Health Services, 1962.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), NEWFOUNDLAND, 1965

U.K. Code (1)	Corresponding U.S. Code	Group	Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
001-049 001	01-06	1 1(i)	Operations on nervous system Craniotomy	240 49	8,786 1,583	0.8 0.2	2.5 0.5
			Residual	191	7,203	0.6	2.1
070-099 071	08-09	2 2(i)	Operations on endocrine system Thyroidectomy, Subtotal	90 44	1,398 661	0.3 0.1	0.4 0.2
			Residual	46	737	0.1	0.2
100-199 112 109-115 170-179	10-18 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Advancement or recession of eye muscle Operations on eye (ocular) muscles Operations on lens	625 (128) 241 114	8,967 (760) 1,610 2,688	2.0 0.8 0.4	2.6 0.5 0.8
			Residual	270	4,669	0.9	1.3
200-249 238 200-209 210-229 211	20-22 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Laryngoscopy Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	301 37 97 120 (9)	4,765 707 1,815 1,272 (59)	1.0 0.1 0.3 0.4	1.4 0.2 0.5 0.4
			Residual	47	971	0.1	0.3
250-299 261 251-253 261-264 261	24-28 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids(a) Tonsillectomy with adenoidectomy	2,323 (1,687) 152 2,001 (1,687)	11,439 (6,446) 1,401 7,818 (6,446)	7.4 0.5 6.3	3.3 0.4 2.2
			Residual	170	2,220	0.5	0.6

U.K. Code (a)	Corresponding U.S. Code	Group	Operation or Treatment	Cases	Days	Cases	Percent Distribution of	Days
300-329 304	30-31	6 6(i)	Operations on heart and great vessels Operations on valves of heart	55 (16)	1,909 (499)	0.2	0.5	0.5
303-305) 311-312)	30.2-30.3	6(ii)	Repairs of heart and pericardium and operations on valves	24	819	0.1	0.2	0.2
			Residual	31	1,090	0.1	0.3	0.3
330-369	33-35	7	Operations on bronchi, lung, pleura, chest wall and mediastinum	158	4,574	0.5	1.3	1.3
338		7(i)	Bronchoscopy	77	1,933	0.2	0.6	0.6
			Residual	81	2,641	0.3	0.8	0.8
380-399 381	38	8 8(i)	Operations on breast Mastectomy, partial	314 (139)	3,649 (1,076)	1.0	1.0	1.0
381-383	38.1-38.3	8(ii)	Mastectomy	213	2,896	0.7	0.8	0.8
			Residual	101	753	0.3	0.2	0.2
400-499 441	40-49	9 9(i)	Operations on gastro-intestinal tract (b) Appendectomy	3,593 (1,187)	56,869 (12,122)	11.4	16.2	16.2
400	41.1	9(ii)	Exploratory laparotomy or celiotomy	142	3,359	0.4	1.0	1.0
402-404	40	9(iii)	Repair of hernia	925	11,635	2.9	3.3	3.3
422-423	44.2-44.3	9(iv)	Gastrectomy	240	6,765	0.8	1.0	1.0
440-449	45	9(v)	Operations on appendix	1,202	12,336	3.8	3.5	3.5
483	49.3	9(vi)	Hemorrhoidectomy	192	2,394	0.6	0.7	0.7
			Residual	892	20,380	2.8	5.8	5.8

U.K. Code (1)	Corresponding U.S. Code	Group	Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
500-550	51-56	10	Operations on liver, biliary tract, pancreas and spleen	447 (389)	10,142 (8,165)	1.4	2.9
521		10(i)	Cholecystectomy	389	8,165	1.2	2.3
521	53.5	10(ii)	Cholecystectomy				
			Residual	58	1,977	0.2	0.6
600-669	60-64	11	Operations on urinary system (c)	1,104	20,785	3.5	5.9
649		11(i)	Cystoscopy	412	6,203	1.3	1.8
			Residual	692	14,582	2.2	4.2
670-699	66-69	12	Operations on male genital system	857	10,362	2.7	3.0
682		12(i)	Circumcision	(446)	(2,408)		
672-677	66.1-66.3	12(ii)	Prostatectomy	184	5,282	0.6	1.5
682	69.2	12(iii)	Circumcision	446	2,408	1.4	0.7
			Residual	227	2,672	0.7	0.8
700-759	70-75	13	Operations on female genital organs excluding Obstetrical				
732		13(i)	Curettage of uterus	2,509 (962)	25,831 (5,224)	7.9	7.4
701-703	70.2-70.5	13(ii)	Oophorectomy	159	2,445	0.5	0.7
721-724	72.3-72.6	13(iii)	Hysterectomy (d)	538	10,296	1.7	2.9
732	72.8	13(iv)	Dilatation and curettage of uterus	962	5,224	3.0	1.5
743-748	74.3	13(v)	Colporrhaphy (e)	132	1,305	0.4	0.4
			Residual	718	6,561	2.3	1.9

U.K. Code (1)	Corresponding U.S. Code	Group	Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
760-799	76-78	14	Obstetrical procedures	14,732	85,172	46.6	24.3
777		14(i)	Delivery, spontaneous	11,737	63,957	37.1	18.3
761	76.3-76.4	14(ii)	Episiotomy (f)	-	-	-	-
789	77.1	14(iii)	Dilatation and curettage after delivery or abortion	1,013	4,378	3.2	1.2
765-766	78.0-78.4	14(iv)	Caesarean section	526	7,068	1.7	2.0
			Residual	1,456	9,769	4.6	2.8
800-899	80-87	15	Operations on musculoskeletal system	2,342	64,837	7.4	18.5
804		15(i)	Closed reduction of fracture	(753)	(10,748)		
804-806	82	15(ii)	Reduction of fracture	1,020	23,059	3.2	6.6
804	82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(753)	(10,748)		
880-899	87	15(iv)	Amputation and disarticulation of extremities	166	5,258	0.5	1.5
			Residual	1,156	36,520	3.7	10.4
900-929	88	16	Operations on peripheral blood vessels and lymphatic system	292	6,251	0.9	1.8
919		16(i)	Other operations on veins	(135)	(2,226)		
913, 916, 919	88.4	16(ii)	Excision and ligation of varicose veins	154	2,439	0.5	0.7
			Residual	138	3,812	0.4	1.1
930-949	89	17	Operations on skin and subcutaneous tissue	1,476	21,677	4.7	6.2
938		17(i)	Suture of superficial wounds	(379)	(3,013)		
930-932	89.0	17(ii)	Incision of skin and subcutaneous tissue	311	2,838	1.0	0.8
933, 935, 937	89.1	17(iii)	Excision and destruction of skin and subcutaneous tissue	516	6,752	1.6	1.9
936	89.2	17(iv)	Removal of nail	103	1,234	0.3	0.4
938	89.4	17(v)	Suture	379	3,013	1.2	0.9
			Residual	167	7,840	0.5	2.2

U.K. Code (1)	Corresponding U.S. Code	Group	Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
950-999	90-99	18	Other surgical procedures	143	2,944	0.5	0.8
983		18(i)	Application of external supporting apparatus	75	1,983	0.2	0.6
	90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	Included in 478			
	90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	Included in 649			
	92.0	18(iv)	Encephalography and ventriculography	Included in group 1			
	93.2	18(v)	Pyelography	Included in 619			
	99.3	18(vi)	Exchange transfusion	Included in 951			
Residual				68	961	0.2	0.3
Total				31,601	350,357	100.0	100.0

(1) Newfoundland is based on (U.K.) Code only.

(a) Includes biopsy of tonsils.

(b) Includes repair of rectocele and cystocele.

(c) Includes repair of cystocele.

(d) Caesarean section with hysterectomy is in group 14(iv).

(e) Includes repair of vaginal fistula.

(f) Only one operation coded. Episiotomies not coded.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), PRINCE EDWARD ISLAND, 1965

U.S. Code	Group	Operation or Treatment (1)	Percent Distribution of		
			Cases	Days	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	16 5	395 45	0.8 0.1
		Residual	11	350	0.7
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	26 15	309 180	0.6 0.4
		Residual	11	129	0.3
10-18 17.0 11 17-17.9	3 3(i) 3(ii) 3(iii)	Operations on eye Discission of lens or cataract Operation on eye (ocular) muscles Operations on lens	59 (21) 8 25	627 (273) 30 300	1.3 0.1 0.6
		Residual	26	297	0.6
20-22 21.1 20.0 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose, and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	117 (26) 13 95 (26)	886 (152) 149 585 (152)	1.8 0.3 1.2
		Residual	9	152	0.3
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	765 (483) 89 634 (483)	2,429 (1,318) 148 1,935 (1,318)	4.9 0.3 3.9
		Residual	42	346	0.7

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
30-31	6	Operations on heart and great vessels	1	3	-	-
31.0	6(i)	Arteriotomy of great vessel, intrathoracic	1	3	-	-
30.2-30.3	6(ii)	Repair of heart and pericardium, and operations on valves	-	-	-	-
		Residual	-	-	-	-
33-35	7	Operations on bronchi, lung, pleura, chest wall and mediastinum	11	284	0.2	0.6
34.1	7(i)	Thoracentesis and pleuracentesis	3	56	0.1	0.1
		Residual	8	228	0.2	0.5
38.0-38.9	8	Operations on breast	83	804	1.8	1.6
38.8	8(i)	Biopsy of breast	44	250	1.0	0.5
38.1-38.3	8(ii)	Mastectomy	37	547	0.8	1.1
		Residual	2	7	-	-
40-49	9	Operations on gastro-intestinal tract	812	9,743	18.1	19.7
45.1	9(i)	Operations on appendix	(303)	(2,760)	-	-
40.1	9(ii)	Exploratory laparotomy or celiotomy	39	851	0.9	1.7
41	9(iii)	Repair of hernia	172	1,703	3.8	3.4
44.2-44.3	9(iv)	Gastrectomy	18	395	0.4	0.8
45.1	9(v)	Operations on appendix	303	2,760	6.7	5.6
49.3	9(vi)	Hemorrhoidectomy	52	499	1.2	1.0
		Residual	228	3,535	5.1	7.2
51-56	10	Operations on liver, biliary tract, pancreas and spleen	210	3,806	4.7	7.7
	10(i)	Cholecystectomy	(187)	(3,270)	-	-
53.5	10(ii)	Cholecystectomy	187	3,270	4.2	6.6
		Residual	23	536	0.5	1.1

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
60-64 64.5	11 11(i)	Operations on urinary system Dilatation of urethra	76 33	1,376 456	1.7 0.7	2.8 0.9
		Residual	43	920	1.0	1.9
66-69 66.9 66.1-66.3 69.2	12 12(i) 12(ii) 12(iii)	Operations on male genital system Other operations on prostate and seminal vesicles Prostatectomy Circumcision	174 53 63 35	2,701 695 1,581 173	3.9 1.2 1.4 0.8	5.5 1.4 3.2 0.3
		Residual	23	252	0.5	0.5
70-75 72.8 70.2-70.5 72.3-72.6 72.8 74.3 74.4	13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi)	Operations on female genital organs excluding obstetrical Dilatation and curettage of uterus Oophorectomy Hysterectomy Dilatation and curettage of uterus Colporrhaphy Repair of cystocele and/or rectocele	618 (318) 18 108 318 37 9	4,961 (1,423) 312 1,480 1,423 565 82	13.7 0.4 2.4 7.1 0.8 0.2	10.0 0.6 3.0 2.9 1.1 0.2
		Residual	128	1,099	2.8	2.2
76-78 77.1 76.3-76.4 77.1 78.0-78.4	14 14(i) 14(ii) 14(iii) 14(iv)	Obstetrical procedures Dilatation and curettage after delivery or abortion Episiotomy Dilatation and curettage after delivery or abortion Caesarean section	323 (234) 2 234 74	1,702 (743) 25 743 867	7.2 - 5.2 1.6	3.4 0.1 1.5 1.8
		Residual	13	67	0.3	0.1
80-87 82.3 82 82.0, 82.3, 82.6 87	15 15(i) 15(ii) 15(iii) 15(iv)	Operations on musculoskeletal system Closed reduction of fracture of extremity of long bone Reduction of fracture Closed reduction of fracture Amputation and disarticulation of extremities	513 (133) 243 (148) 35	11,665 (877) 3,203 (1,050) 966	11.4 5.4 0.8	23.6 6.5 2.0
		Residual	235	7,496	5.2	15.2

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
88	16	Operations on peripheral blood vessels and lymphatic system	77	1,026	1.7	2.1
88.4	16(i)	Excision and ligation of varicose veins	(65)	(808)		
88.4	16(ii)	Excision and ligation of varicose veins	65	808	1.4	1.6
		Residual	12	218	0.3	0.4
89	17	Operations on skin and subcutaneous tissue	376	3,987	8.4	8.1
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(143)	(1,290)		
89.0	17(ii)	Excision of skin and subcutaneous tissue	83	928	1.8	1.9
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	143	1,290	3.2	2.6
89.2	17(iv)	Removal of nail	28	94	0.6	0.2
89.4	17(v)	Suture	74	636	1.6	1.3
		Residual	48	1,039	1.1	2.1
90-99	18	Certain non-surgical procedures	240	2,733	5.3	5.5
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(117)	(1,331)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	43	554	1.0	1.1
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	117	1,331	2.6	2.7
92.0	18(iv)	Encephalography and ventriculography	-	-	-	-
93.0	18(v)	Pyelography	-	-	-	-
99.3	18(vi)	Exchange transfusion	-	-	-	-
		Residual	80	848	1.8	1.7
		Total	4,497	49,437	100.0	100.0

(1) International Classification of Diseases. Adapted for indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service, 1959.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Quebec, 1965

U.S. Code	Group	Operation or Treatment (1)	Percent Distribution of		
			Cases (2)	Days (2)	Cases
01-06 01.0	1 1(i)	Operations on nervous system Craniotomy	4,027 513	102,842 16,166	1.1 0.1
		Residual	3,514	86,676	1.0
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	1,330 860	20,787 12,522	0.4 0.2
		Residual	470	8,265	0.1
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	10,082 (2,862) 3,205 3,082	95,657 (42,626) 12,656 45,394	2.9 0.9 0.9
		Residual	3,795	37,607	1.1
20-22 20.4 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose, and throat Operations on tympanum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	14,989 (2,836) 6,109 7,238 (2,406)	119,422 (19,083) 46,227 44,536 (13,237)	4.3 1.7 2.1
		Residual	1,642	28,659	0.5
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	61,453 (37,772) 8,449 48,936 (37,772)	152,789 (71,301) 13,196 106,039 (71,301)	17.4 2.4 13.9
		Residual	4,068	33,554	1.2
					0.9

U.S. Code	Group	Operation or Treatment (1)	Cases (2)	Days (2)	Percent Distribution of Cases	Days
30-31	6	Operations on heart and great vessels	1,888	42,947	0.5	1.2
30.4	6(i)	Catheterization of the right heart	722	10,179	0.2	0.3
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	494	15,010	0.1	0.4
		Residual	672	17,758	0.2	0.5
33-35	7	Operations on bronchi, lung, pleura, chest wall and mediastinum	1,556	45,505	0.4	1.2
34.0	7(i)	Thoracotomy and pleurotomy	426	11,008	0.1	0.3
		Residual	1,130	34,497	0.3	0.9
38	8	Operations on breast	5,993	57,853	1.7	1.6
38.1	8(i)	Partial mastectomy	(2,928)	(18,561)		
38.1-38.3	8(ii)	Mastectomy	3,645	34,208	1.0	0.9
		Residual	2,348	23,645	0.7	0.6
40-49	9	Operations on gastro-intestinal tract	47,241	596,254	13.4	16.2
45.1	9(i)	Appendectomy	(13,289)	(111,389)		
40.1	9(ii)	Exploratory laparotomy or celiotomy	394	4,295	0.1	0.1
41	9(iii)	Repair of hernia	2,042	38,821	0.6	1.1
44.2-44.3	9(iv)	Gastrectomy	1,823	46,107	0.5	1.2
45	9(v)	Operations on appendix	13,368	112,621	3.8	3.1
49.3	9(vi)	Hemorrhoidectomy	5,595	57,477	1.6	1.6
		Residual	24,019	336,933	6.8	9.1
51-56	10	Operations on liver, biliary tract, pancreas, and spleen	18,309	330,786	5.2	9.0
53.5	10(i)	Cholecystectomy	(16,515)	(280,821)		
53.5	10(ii)	Cholecystectomy	16,515	280,821	4.7	7.6
		Residual	1,794	49,965	0.5	1.4

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
60-64 64.5	11 11(i)	Operations on urinary system Dilatation of urethra	6,345 905	124,174 9,638	1.8 0.3	3.4 0.3
		Residual	5,440	114,536	1.5	3.1
66-69 69.2 66.1-66.3 69.2	12 12(i) 12(ii) 12(iii)	Operations on male genital system Circumcision (includes newborn male) Prostatectomy Circumcision (includes newborn male)	21,772(2) (15,381(2)) 1,571 15,381(2)	193,423(2) (81,304(2)) 43,914 81,304(2)	6.2 0.4 4.4	5.2 1.2 2.2
		Residual	4,820	68,205	1.4	1.8
70-75 72.8 70.2-70.5 72.3-72.6 72.8 74.3 74.4	13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi)	Operations on female genital organs excluding obstetrical Dilatation and curettage of uterus Oophorectomy Hysterectomy Dilatation and curettage of uterus Colporrhaphy Repair of cystocele and/or rectocele	35,100 (9,267) 593 2,834 9,267 444 1,483	490,944 (58,883) 8,296 49,974 58,883 6,563 24,315	10.0 0.2 0.8 2.6 0.1 0.4	13.3 0.2 1.4 1.6 0.2 0.7
		Residual	20,479	342,913	5.8	9.3
76-78 77.1 76.3-76.4 77.1 78.0-78.4	14 14(i) 14(ii) 14(iii) 14(iv)	Obstetrical procedures Dilatation and curettage after delivery or abortion Episiotomy Dilatation and curettage after delivery or abortion Caesarean section	41,793 (14,170) 15,543 14,170 2,715	215,594 (59,418) 93,949 59,418 29,754	11.9 4.4 4.0 0.8	5.8 2.5 1.6 0.8
		Residual	9,365	32,473	2.7	0.9

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
80-87	15	Operations on musculoskeletal system	36,875	533,527	10.5	14.5
81.8	15(i)	Traction or fixation without reduction	4,302	54,065	1.2	1.5
82	15(ii)	Reduction of fracture	11,190	149,454	3.2	4.1
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(6,463)	(52,685)		
87.0-87.4	15(iv)	Amputation and disarticulation of extremities	476	3,909	0.1	0.1
		Residual	20,907	326,099	5.9	8.8
88	16	Operations on peripheral blood vessels and lymphatic system	5,711	90,738	1.6	2.5
88.4	16(i)	Excision and ligation of varicose veins	(3,318)	(42,479)		
88.4	16(ii)	Excision and ligation of varicose veins	3,318	42,479	0.9	1.2
		Residual	2,393	48,259	0.7	1.3
89	17	Operations on skin and subcutaneous tissue	17,487	162,789	5.0	4.4
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(6,763)	(54,894)		
89.0	17(ii)	Incision of skin and subcutaneous tissue	3,083	23,632	0.9	0.6
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	6,763	54,894	1.9	1.5
89.2	17(iv)	Removal of nail	1,805	8,728	0.5	0.2
89.4	17(v)	Suture	3,491	16,018	1.0	0.4
		Residual	2,345	59,517	0.7	1.6

QUEBEC (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Certain nonsurgical procedures	20,394	310,346	5.8	8.4
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(4,520)	(48,193)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	3,401	39,957	1.0	1.1
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	4,520	48,193	1.3	1.3
92.0	18(iv)	Encephalography and ventriculography	1,735	33,486	0.5	0.9
93.0	18(v)	Pyelography	190	2,424	0.1	0.1
99.3	18(vi)	Exchange transfusion	369	6,823	0.1	0.2
		Residual	10,179	179,463	2.9	4.9
		Total	352,345(2)	3,686,377(2)	100.0(2)	100.0(2)

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service, 1959.

(2) Total cases and days include circumcision of newborn males. This should be noted in making comparisons with data from other provinces.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS(2), (EXCLUDING NEWBORN), ONTARIO, 1965

U.S. Code	Group	Operation or Treatment (1)	Cases (3)	Days (3)	Cases	Percent Distribution of
01-06 03.0	1 1(i)	Operations on nervous system Laminotomy	6,036 1,067	141,309 36,162	1.3 0.2	3.3 0.8
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	4,969 2,028 1,516	105,147 25,853 17,093	1.1 0.5 0.3	2.5 0.6 0.4
10-18 17.3-17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular and extracapsular Operations on eye (ocular) muscles Operations on lens	512 14,956 (2,455) 4,945 5,198	8,760 129,155 (34,430) 14,021 69,040	0.1 3.3 1.1 1.2	0.2 3.0 0.3 1.6
20-22 21.1 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Residual Operations on ear, nose and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	4,813 16,488 (3,569) 5,892 9,013 (3,569)	46,094 111,284 (15,061) 34,792 46,584 (15,061)	1.1 3.7 1.3 2.0	1.1 2.6 0.8 1.1
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Residual Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	1,583 92,006 (63,013) 7,803 80,739 (63,013)	29,908 226,582 (126,634) 25,546 163,395 (126,634)	0.4 20.6 1.7 18.1	0.7 5.3 0.6 3.8
		Residual	3,464	37,641	0.8	0.9

U.S. Code	Group	Operation or Treatment (1)	Cases (3)	Days (3)	Percent Distribution of Cases	Days
30-32	6	Operations on heart and intrathoracic vessels	1,930	46,458	0.4	1.1
30.3	6(i)	Operations on valves of heart	(448)	(15,421)		
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	473	15,928	0.1	0.4
		Residual	1,457	30,530	0.3	0.7
33-35	7	Operations on bronchi, lung, pleura, chest wall and mediastinum				
35.2	7(i)	Partial lobectomy	1,954	47,122	0.4	1.1
			416	11,480	0.1	0.3
		Residual	1,538	35,642	0.3	0.8
38	8	Operations on breast				
38.1	8(i)	Partial mastectomy	8,330	69,559	1.9	1.6
38.1-38.3	8(ii)	Mastectomy	(4,014)	(19,229)		
			6,181	58,615	1.4	1.4
		Residual	2,149	10,944	0.5	0.3
40-49	9	Operations on gastro-intestinal tract				
40.0	9(i)	Repair of inguinal hernia except recurrent	68,847	831,096	15.4	19.4
40	9(ii)	Repair of hernia	(18,359)	(129,046)		
41.1	9(iii)	Exploratory laparotomy or celiotomy	25,307	210,895	5.7	4.9
44.2-44.3	9(iv)	Gastrectomy	2,117	47,426	0.5	1.1
45	9(v)	Operations on appendix	2,328	59,096	0.5	1.4
49.3	9(vi)	Hemorrhoidectomy	17,517	136,859	3.9	3.2
			7,000	66,659	1.6	1.6
		Residual	14,578	310,161	3.3	7.2
51-57	10	Operations on liver, biliary tract, pancreas, spleen and intra-abdominal blood vessels				
53.5	10(i)	Cholecystectomy	15,230	272,356	3.4	6.4
53.5	10(ii)	Cholecystectomy	(13,656)	(227,065)		
			13,656	227,065	3.1	5.3
		Residual	1,574	45,291	0.4	1.1

U.S. Code	Group	Operation or Treatment (1)	Cases((3)	Days (3)	Cases	Percent Distribution of	Days
60-64 64.5	11 11(i)	Operations on urinary system Dilatation of urethra	11,029 2,139	174,646 20,884	2.5 0.5		4.1 0.5
		Residual	8,890	153,762	2.0		3.6
66-69 66.2 66.1-66.3 69.2	12 12(i) 12(ii) 12(iii)	Operations on male genital system Prostatectomy, transurethral Prostatectomy Circumcision	13,043 (4,943) 5,969 3,061	187,353 (107,343) 136,366 11,293	2.9 1.3 0.7		4.4 3.2 0.3
		Residual	4,013	39,694	0.9		0.9
70-75 72.8 70.2-70.5 72.3-72.6 72.8 74.3 74.4	13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi)	Operations on female genital organs excluding obstetrical Dilatation and curettage of uterus Oophorectomy Hysterectomy Dilatation and curettage of uterus Colporrhophy Repair of cystocele and/or rectocele	57,877 (24,982) 1,861 12,821 24,982 916 2,984	499,740 (110,286) 24,047 190,786 110,286 12,570 42,340	12.9 0.4 2.9 5.6 0.2 0.7		11.7 0.6 4.5 2.6 0.3 1.0
		Residual	14,313	119,711	3.2		2.8
76-78 77.1 76.3-76.4 77.1 78.0-78.4	14 14(i) 14(ii) 14(iii) 14(iv)	Obstetrical procedures Dilatation and curettage after delivery or abortion Episiotomy Dilatation and curettage after delivery or abortion Caesarean section	56,960 (16,285) 18,461 16,285 6,828	358,418 (58,362) 120,073 58,362 79,491	12.7 4.1 3.6 1.5		3.4 1.9 2.3
		Residual	15,386	100,492	3.4		2.3

ONTARIO (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases (3)	Days (3)	Percent Distribution of Cases	Days
80-87	15	Operations on musculoskeletal system	45,265	789,805	10.1	18.4
82.3	15(i)	Closed reduction of fracture of extremity of long bone	(4,217)	(44,500)		
82	15(ii)	Reduction of fracture	14,792	292,679	3.3	6.8
82.0,82.3,82.6	15(iii)	Closed reduction of fracture	(8,329)	(85,444)		
87	15(iv)	Amputation and disarticulation of extremities	2,562	76,401	0.6	1.8
		Residual	27,911	420,725	6.2	9.8
88	16	Operations on peripheral blood vessels and lymphatic system				
88.4	16(i)	Excision and ligation of varicose veins	10,519	128,982	2.4	3.0
88.4	16(ii)	Excision and ligation of varicose veins	(7,842)	(73,937)		
		Residual	7,842	73,937	1.8	1.7
			2,677	55,045	0.6	1.3
89	17	Operations on skin and subcutaneous tissue				
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	24,711	243,146	5.5	5.7
89.0	17(ii)	Incision of skin and subcutaneous tissue	(8,913)	(70,150)		
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	3,619	29,077	0.8	0.7
89.2	17(iv)	Removal of nail	8,913	70,150	2.0	1.6
89.4	17(v)	Suture	2,588	13,738	0.6	0.3
		Residual	5,355	36,745	1.2	0.9
90-98	18	Not coded in Ontario	4,236	93,436	0.9	2.2
		Total (17 groups)	447,209(3)	4,282,864(3)	100.0	100.0

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service, 1962.

(2) Ontario Hospital Services Commission claims processed January - December 1965.

(3) The total number of cases and days excludes Group 13 - "Certain non-surgical procedures". This should be noted in making comparisons with data from other provinces.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR MANITOBA RESIDENT IN-PATIENTS(2), (EXCLUDING NEWBORN), MANITOBA, 1965

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of	
			Cases	Days	Cases	Days
01-06 01.0	1 1(i)	Operations on nervous system Craniotomy	464 122	10,766 4,140	1.0 0.3	2.6 1.0
		Residual	342	6,626	0.7	1.6
08-09 08.1	2 2(i)	Operations on endocrine system Complete or total thyroidectomy	304 187	2,533 1,460	0.6 0.4	0.6 0.4
		Residual	117	1,073	0.2	0.3
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	2,275 (764) 732 850	18,280 (10,125) 1,864 10,767	4.8 1.6 1.8	4.4 0.5 2.6
		Residual	693	5,649	1.5	1.4
20-22 21.1 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	2,232 (650) 848 1,332 (650)	10,197 (2,420) 3,915 5,338 (2,420)	4.8 1.8 2.8	2.5 0.9 1.3
		Residual	52	944	0.1	0.2
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	10,385 (6,016) 2,144 7,783 (6,016)	23,557 (12,168) 4,011 15,959 (12,168)	22.1 4.6 16.6	5.7 1.0 3.9
		Residual	458	3,587	1.0	0.9

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
30-31	6	Operations on heart and great vessels	171	4,367	0.4	1.1
30.3	6(i)	Catheterization of heart	(78)	(2,631)		
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	78	2,631	0.2	0.6
		Residual	93	1,736	0.2	0.4
33-35	7	Operations on bronchi, lung, pleura, chest wall and mediastinum	167	4,380	0.4	1.1
35.3	7(i)	Complete lobectomy	51	1,810	0.1	0.4
		Residual	116	2,570	0.2	0.6
38	8	Operations on breast	1,203	8,409	2.6	2.0
38.1	8(i)	Partial mastectomy	(503)	(1,802)		
38.1-38.3	8(ii)	Mastectomy	805	6,861	1.7	1.7
		Residual	398	1,548	0.8	0.4
40-49	9	Operations on gastro-intestinal tract	8,287	90,090	17.6	21.8
40.0	9(i)	Repair of inguinal hernia except recurrent	(2,234)	(16,914)		
41.1	9(ii)	Exploratory laparotomy or celiotomy	301	5,484	0.6	1.3
40	9(iii)	Repair of hernia	3,128	26,184	6.7	6.3
44.2-44.3	9(iv)	Gastrectomy	271	6,746	0.6	1.6
45	9(v)	Operations on appendix	2,200	16,458	4.7	4.0
49.3	9(vi)	Hemorrhoidectomy	704	5,919	1.5	1.4
		Residual	1,683	29,299	3.6	7.1
51-57	10	Operations on liver, biliary tract, spleen, pancreas, and intra-abdominal blood vessels	2,449	38,247	5.2	9.3
53.5	10(i)	Cholecystectomy	(2,242)	(33,406)		
53.5	10(ii)	Cholecystectomy	2,242	33,406	4.8	8.1
		Residual	207	4,841	0.4	1.2

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
60-64	11	Operations on urinary system	977	16,574	2.1	4.0
63.1	11(i)	Complete nephrectomy	153	2,711	0.3	0.7
		Residual	824	13,863	1.8	3.4
66-69	12	Operations on male genital system	1,807	29,746	3.8	7.2
66.2	12(i)	Prostatectomy, transurethral	(686)	(15,373)		
66.1-66.3	12(ii)	Prostatectomy	1,016	25,290	2.2	6.1
69.2	12(iii)	Circumcision	334	781	0.7	0.2
		Residual	457	3,675	1.0	0.9
70-75	13	Operations on female genital organs, excluding obstetrical				
72.8	13(i)	Dilatation and curettage of uterus	5,406	39,550	11.5	9.6
70.2-70.5	13(ii)	Oophorectomy	(2,054)	(5,901)		
72.3-72.6	13(iii)	Hysterectomy	179	2,089	0.4	0.5
72.8	13(iv)	Dilatation and curettage of uterus	1,184	15,997	2.5	3.9
74.3	13(v)	Colporrhaphy	2,054	5,901	4.4	1.4
74.4	13(vi)	Repair of cystocele and/or rectocele	214	2,648	0.5	0.6
		Residual	446	5,521	0.9	1.3
		Residual	1,329	7,394	2.8	1.8
76-78	14	Obstetrical procedures				
78.1	14(i)	Caesarean section, low cervical	608	6,918	1.3	1.7
76.3-76.4	14(ii)	Episiotomy	(399)	(4,650)		
77.1	14(iii)	Dilatation and curettage after delivery or abortion	-	-	-	-
78.0-78.4	14(iv)	Caesarean section	3	9	-	-
		Residual	525	6,210	1.1	1.5
		Residual	80	699	0.2	0.2

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
80-87	15	Operations on musculoskeletal system	5,898	82,042	12.6	19.9
82.3	15(i)	Closed reduction of fracture of extremity of long bone	(874)	(5,290)		
82,82.0,82.3	15(ii)	Reduction of fracture	2,281	32,280	4.9	7.8
82.6	15(iii)	Closed reduction of fracture	1,512	10,791	3.2	2.6
87.0-87.9	15(iv)	Amputation and disarticulation of extremities	242	5,097	0.5	1.2
		Residual	1,863	33,874	4.0	8.2
88	16	Operations on peripheral blood vessels and lymphatic system	993	9,204	2.1	2.2
88.4	16(i)	Excision and ligation of varicose veins	(775)	(5,479)		
88.4	16(ii)	Excision and ligation of varicose veins	775	5,479	1.6	1.3
		Residual	218	3,725	0.5	0.9
89	17	Operations on skin and subcutaneous tissue	2,647	16,036	5.6	3.9
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(755)	(4,333)		
89.0	17(ii)	Incision of skin and subcutaneous tissue	483	2,493	1.0	0.6
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	755	4,333	1.6	1.0
89.2	17(iv)	Removal of nail	206	768	0.4	0.2
89.4	17(v)	Suture of skin and subcutaneous tissue	738	3,253	1.6	0.8
		Residual	465	5,189	1.0	1.3

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Certain nonsurgical procedures	715	2,247	1.5	0.5
90.3	18(i)	Bronchoscope without effect upon tissue or lesion	220	723	0.5	0.2
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	18	49	-	-
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	139	314	0.3	0.1
92.0	18(iv)	Encephalography and ventriculography	10	40	-	-
93.0	18(v)	Cholangiography	-	-	-	-
99.3	18(vi)	Exchange transfusion	-	-	-	-
Residual			328	1,121	0.7	0.3
Total			46,988	413,143	100.0	100.0

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service, 1962.

(2) Manitoba Hospital Commission Hospital Admission - Discharge Record forms for adult and child separations. This table includes only those cases where the reason for admission was believed to be for surgical intervention in the treatment of the primary disease.

TABLE 3 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS(1), (EXCLUDING NEWBORN), SASKATCHEWAN, 1965

U.S. Code	Group	Operation or Treatment (2)	Cases	Days	Percent Distribution of Cases	Days
01-06	1	Operations on nervous system	647	15,640	0.9	2.2
03-3	1(i)	Spinal puncture	162	1,702	0.2	0.2
		Residual	485	13,938	0.7	2.0
08-09	2	Operations on endocrine system	361	4,129	0.5	0.6
08-1	2(i)	Partial or subtotal thyroidectomy	301	3,401	0.4	0.5
		Residual	60	728	0.1	0.1
10-18	3	Operations on eye	2,197	19,622	3.0	2.8
17-4	3(i)	Extraction of lens, intracapsular	(640)	(9,017)		
11	3(ii)	Operations on eye (ocular muscle)	554	2,481	0.8	0.4
17	3(iii)	Operations on lens	702	9,727	1.0	1.4
		Residual	941	7,414	1.3	1.1
20-22	4	Operations on ear, nose and throat	2,846	17,732	3.9	2.5
21-1	4(i)	Operations on nasal septum	(728)	(2,924)		
20	4(ii)	Operations on ear	1,021	5,783	1.4	0.8
21	4(iii)	Operations on nose and accessory sinuses	1,658	8,148	2.3	1.2
		Residual	167	3,801	0.2	0.5
24-28	5	Operations on buccal cavity and esophagus	14,844	42,336	20.4	6.0
27-2	5(i)	Tonsillectomy with adenoidectomy	(9,730)	(23,666)		
24-1-24-3	5(ii)	Extraction of tooth and root resection	2,631	7,493	3.6	1.1
27-1-27-4	5(iii)	Operations on tonsils and/or adenoids	11,678	29,478	16.1	4.2
		Residual	535	5,365	0.7	0.8

U.K. Code	Group	Operation or Treatment (2)	Cases	Days	Percent Distribution of Cases	Days
30-32	6	Operations on heart and intrathoracic vessels	275	4,419	0.4	0.6
30.5	6(i)	Catheterization of the left heart	139	1,456	0.2	0.2
30.2,30.3	6(ii)	Repair of heart and pericardium and operations on valves	36	948	0.0	0.1
		Residual	100	2,015	0.1	0.3
33-35	7	Operations on bronchi, lung, pleura, chest wall and mediastinum	289	7,748	0.4	1.1
34.1	7(i)	Thoracentesis or pleuracentesis	93	2,523	0.1	0.4
		Residual	196	5,225	0.3	0.7
38	8	Operations on breast	1,310	12,251	1.8	1.7
38.1	8(i)	Partial mastectomy	(764)	(3,861)		
38.1-38.3	8(ii)	Mastectomy	1,059	10,965	1.5	1.6
		Residual	251	1,286	0.3	0.2
40-57	9	Operations on gastro-intestinal tract and related organs and tissues	12,482	174,153	17.2	24.7
45.1	9(i)	Appendectomy	(3,151)	(26,570)		
41.1	9(ii)	Exploratory laparotomy or celiotomy	208	4,758	0.3	0.7
40	9(iii)	Repair of hernia	3,135	31,759	4.3	4.5
44.2,44.3	9(iv)	Gastrectomy, partial and complete	399	10,158	0.5	1.4
45	9(v)	Operations on appendix	3,175	27,044	4.4	3.8
49.3	9(vi)	Haemorrhoidectomy	999	10,385	1.4	1.5
51.0-57.0	9(vii)	Operations on liver, biliary tract, pancreas, spleen and intra-abdominal blood vessels	2,544	46,899	3.5	4.7
		Cholecystectomy	(2,315)	(39,943)		
53.5	9(viii)	Residual	2,022	43,150	2.8	6.1
60-69	10	Operations on urinary and male genital system	3,970	72,751	5.5	10.3
66.2	10(i)	Prostatectomy, transurethral	(852)	(25,802)		
66.1-66.3	10(ii)	Prostatectomy, perineal, transurethral and other	1,222	37,637	1.7	5.3
69.2	10(iii)	Circumcision	595	2,924	0.8	0.4
		Residual	2,153	32,190	3.0	4.6

U.S. Code	Group	Operation and Treatment	Cases	Days	Percent Distribution of Cases	Days
70-75	11	Operations on female genital organs excluding obstetrical	9,089	72,602	12.5	10.3
72.8	11(i)	Dilatation and curettage of uterus	4,479	15,975	6.2	2.3
70.2-70.5	11(ii)	Oophorectomy	164	2,295	0.2	0.3
72.3-72.6	11(iii)	Hysterectomy	1,972	30,525	2.7	4.3
74.3	11(iv)	Colporrhophy	38	389	0.1	0.1
74.4	11(v)	Repair of cystocele and/or rectocele	741	10,214	1.0	1.5
		Residual	1,695	13,204	2.3	1.9
76-78	12	Obstetrical procedures	7,110	43,766	9.8	6.2
76.3	12(i)	Episiotomy without low forceps	(2,357)	(14,348)		
76.3, 76.4	12(ii)	Episiotomy with and without low forceps	2,874	17,726	4.0	2.5
77.1	12(iii)	Dilatation and curettage after delivery or abortion	2,006	7,193	2.8	1.0
78.0-78.4	12(iv)	Caesarean section	582	7,547	0.8	1.1
		Residual	1,648	11,300	2.3	1.6
80-87	13	Operations on musculoskeletal system	6,902	103,078	9.5	14.6
81.8	13(i)	Traction or fixation without reduction	1,113	17,008	1.5	2.4
82	13(ii)	Reduction of fracture	2,124	29,406	2.9	4.2
82.0, 82.3, 82.6	13(iii)	Closed reduction of fracture	(1,573)	(13,399)		
87.0-87.4	13(iv)	Amputation and disarticulation of extremities	101	1,370	0.1	0.2
		Residual	3,564	55,294	4.9	7.9
88	14	Operations on peripheral blood vessels and lymphatic system	1,290	17,223	1.8	2.4
88.4	14(i)	Excision and ligation of varicose veins	916	9,401	1.3	1.3
		Residual	374	7,822	0.5	1.1

U.S. Code	Group	Operation or Treatment (2)	Cases	Days	Percent Distribution of Cases	Days
89	15	Operations on skin and subcutaneous tissue	3,628	34,923	5.0	5.0
89.0	15(i)	Incision of skin and subcutaneous tissue	896	6,152	1.2	0.9
89.1	15(ii)	Excision and destruction of lesion of skin and subcutaneous tissue	1,347	15,322	1.9	2.2
89.2	15(iii)	Removal of nail	333	3,256	0.5	0.5
89.4	15(iv)	Suture	768	5,179	1.1	0.7
		Residual	284	5,014	0.4	0.7
90-99	16	Certain nonsurgical procedures	5,397	61,354	7.4	8.7
90.6	16(i)	Cystoscopy and urethroscopy without effect on tissue or lesion	1,639	15,665	2.3	2.2
90.5	16(ii)	Proctoscopy without effect upon tissue or lesion	673	6,819	0.9	1.0
92.0	16(iii)	Encephalography and ventriculography	46	1,142	0.1	0.2
93.1,93.2	16(iv)	Pyelography, intravenous and retrograde	1,450	17,787	2.0	2.5
99.3	16(v)	Exchange transfusion	14	194	0.0	0.0
		Residual	1,575	19,747	2.2	2.8
		Total	72,637	703,727	100.0	100.0

(1) Includes out-of-province hospitalization.

(2) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education and Welfare, Public Health Service, 1962.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR ALBERTA RESIDENTS (EXCLUDING NEWBORN), ALBERTA, 1965

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	1,207 323	23,078 3,338	1.0 0.3	2.3 0.3
		Residual	884	19,740	0.8	2.0
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	489 355	4,902 3,356	0.4 0.3	0.5 0.3
		Residual	134	1,546	0.1	0.2
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	3,147 (900) 1,059 978	26,510 (12,924) 3,673 13,964	2.7 0.9 0.8	2.6 0.4 1.4
		Residual	1,110	8,873	1.0	0.9
20-22 21.1 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	3,893 (871) 1,193 2,460 (871)	19,905 (2,880) 5,342 9,930 (2,880)	3.4 1.0 2.1	2.0 0.5 1.0
		Residual	240	4,633	0.2	0.5
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	20,957 (14,075) 3,337 16,750 (14,075)	62,384 (34,696) 10,461 43,233 (34,696)	18.0 2.9 14.4	6.2 1.0 4.3
		Residual	870	8,690	0.7	0.9

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
30-32	6	Operations on heart and intrathoracic vessels	553	7,931	0.5	0.8
30.4	6(i)	Catheterization of the right heart	170	1,148	0.1	0.1
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	101	2,346	0.1	0.2
		Residual	282	4,437	0.2	0.4
33-35	7	Operations on bronchi, lung, pleura, chest wall and mediastinum	470	11,191	0.4	1.1
34.1	7(1)	Thoracentesis and pleuracentesis	75	1,237	0.1	0.1
		Residual	395	9,954	0.3	1.0
38	8	Operations on breast	1,760	11,633	1.5	1.2
38.8	8(i)	Biopsy of breast	723	2,829	0.6	0.3
38.1-38.3	8(ii)	Mastectomy	923	8,089	0.8	0.8
		Residual	114	715	0.1	0.1
40-49	9	Operations on gastro-intestinal tract	14,015	158,316	12.1	15.8
45.1	9(i)	Appendectomy	(4,233)	(33,099)		
41.1	9(ii)	Exploratory laparotomy or celiotomy	261	4,428	0.2	0.4
40	9(iii)	Repair of hernia	4,342	37,791	3.7	3.8
44.2-44.3	9(iv)	Gastrectomy	549	11,254	0.5	1.1
45	9(v)	Operations on appendix	4,262	33,566	3.7	3.3
49.3	9(vi)	Hemorrhoidectomy	1,426	13,465	1.2	1.3
		Residual	3,175	57,812	2.7	5.8
51-57	10	Operations on liver, biliary tract, pancreas, and spleen	3,736	60,566	3.2	6.0
53.5	10(i)	Cholecystectomy	(3,288)	(48,313)		
53.5	10(ii)	Cholecystectomy	3,288	48,313	2.8	4.8
		Residual	448	12,253	0.4	1.2

ALBERTA (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
60-64 64.5	11 11(i)	Operations on urinary system Dilatation of urethra	1,913 564	25,889 3,773	1.6 0.5	2.6 0.4
		Residual	1,349	22,116	1.2	2.2
66-69 66.2 66.1-66.3 69.2	12 12(i) 12(ii) 12(iii)	Operations on male genital system Prostatectomy, transurethral Prostatectomy Circumcision	3,036 (1,077) 1,267 718	39,917 (22,057) 27,353 2,528	2.6 1.1 0.6	4.0 2.7 0.3
		Residual	1,051	10,036	0.9	1.0
70-75 72.8 70.2-70.5 72.3-72.6 72.8 74.3 74.4	13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi)	Operations on female genital organs except obstetrical Dilatation and curettage of uterus Oophorectomy Hysterectomy Dilatation and curettage of uterus Colporrhaphy Repair of cystocele and/or rectocele	11,984 (4,963) 362 2,978 4,963 116 663	95,154 (18,338) 4,550 40,388 18,338 1,393 8,685	10.3 0.3 2.6 4.3 0.1 0.6	9.5 0.5 4.0 1.8 0.1 0.9
		Residual	2,902	21,800	2.5	2.2
76-78 76.3 76.3-76.4 77.1 78.0-78.4	14 14(i) 14(ii) 14(iii) 14(iv)	Obstetrical procedures Episiotomy without low forceps Episiotomy Dilatation and curettage after delivery or abortion Caesarean section	20,790 (8,468) 11,699 3,312 1,030	131,401 (52,936) 75,453 10,664 13,171	17.9 10.1 2.8 0.9	13.1 7.5 1.1 1.3
		Residual	4,749	32,113	4.1	3.2

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
80-87	15	Operations on musculoskeletal system	12,243	171,090	10.5	17.1
82.3	15(i)	Closed reduction of fracture of extremity of long bone	(1,600)	(8,899)		
82	15(ii)	Reduction of fracture	3,885	41,132	3.3	4.1
82.0-82.3	15(iii)	Closed reduction of fracture	(2,790)	(20,458)		
87.0-87.9	15(iv)	Amputation and disarticulation of extremities	392	11,823	0.3	1.2
		Residual	7,966	118,135	6.9	11.8
88	16	Operations on peripheral blood vessels and lymphatic system				
88.4	16(i)	Excision and ligation of varicose veins	2,348	28,489	2.0	2.8
88.4	16(ii)	Excision and ligation of varicose veins	(1,570)	(14,426)		
		Residual	1,570	14,426	1.4	1.4
		Residual	778	14,063	0.7	1.4
89	17	Operations on skin and subcutaneous tissue				
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	6,323	50,632	5.4	5.0
		Incision of skin and subcutaneous tissue	(2,044)	(16,312)		
89.0	17(ii)	Excision and destruction of lesion of skin and subcutaneous tissue	1,309	8,584	1.1	0.9
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	2,044	16,312	1.8	1.6
89.2	17(iv)	Removal of nail	747	3,883	0.6	0.4
89.4	17(v)	Suture	1,453	7,526	1.2	0.8
		Residual	770	14,327	0.7	1.4

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Certain non-surgical procedures	7,310	73,935	6.3	7.4
93.1	18(i)	Intravenous pyelography	(1,259)	(12,253)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	836	7,352	0.7	0.7
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	1,138	9,942	1.0	1.0
92.0	18(iv)	Encephalography and ventriculography	202	2,741	0.2	0.3
93.1-93.2	18(v)	Pyelography, intravenous and retrograde	2,441	22,240	2.1	2.2
99.3	18(vi)	Exchange transfusion	17	133	-	-
Residual			2,676	31,527	2.3	3.1
Total			116,174	1,002,923	100.0	100.0

- 248 -

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service, 1962.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS"
FOR PROVINCIAL PLAN IN-PATIENTS, (EXCLUDING NEWBORN, AND OUT-OF-PROVINCE SEPARATIONS), BRITISH COLUMBIA, 1965

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
01-06 06.1	1 1(i)	Operations on nervous system Sympathectomy or excision of sympathetic nerve or ganglion	1,696 233	37,179 5,372	1.3 0.2	2.9 0.4
		Residual	1,463	31,807	1.1	2.5
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	636 464	6,527 4,279	0.5 0.4	0.5 0.3
		Residual	172	2,248	0.1	0.2
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	4,382 (1,260) 1,368 1,384	34,514 (14,935) 4,188 15,893	3.4 1.1 1.1	2.7 0.3 1.3
		Residual	1,630	14,433	1.3	1.1
20-22 20.4 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Operations on tympanum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	6,008 (1,211) 2,242 3,229 (1,164)	34,823 (4,827) 10,737 15,642 (6,046)	4.6 1.7 2.5	2.8 0.9 1.2
		Residual	537	8,444	0.4	0.7
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids(a) Tonsillectomy with adenoidectomy	25,619 (16,793) 3,315 20,588 (16,793)	73,841 (39,275) 10,233 50,899 (39,275)	19.7 2.5 15.8	5.9 0.8 4.0
		Residual	1,716	12,709	1.3	1.0

U.S. Code	Group	Operation or Treatment (1)	Percent Distribution of		
			Cases	Days	Cases
30-32	6	Operations on heart and intrathoracic vessels	926	17,846	0.7
30.4-30.5	6(i)	Catheterization of heart	428	3,786	0.3
30.2-30.3,	6(ii)	Repair of heart and pericardium and operation on			
30.6		valves	245	7,949	0.2
		Residual	253	6,111	0.2
33-35	7	Operations on bronchi, lung, pleura,			
		chest wall and mediastinum	656	15,912	0.5
34.0	7(i)	Thoracotomy and pleurotomy	127	2,735	0.1
		Residual	529	13,177	0.4
38	8(i)	Operations on breast			
38.1	8(ii)	Partial mastectomy	2,768	19,307	2.1
38.1-38.3	8(iii)	Mastectomy	(1,403)	(5,552)	
			1,954	15,850	1.5
		Residual	814	3,457	0.6
40-49	9	Operations on gastro-intestinal tract (b)			
40.0	9(i)	Repair of inguinal hernia except recurrent	17,354	225,840	13.3
41.1	9(ii)	Exploratory laparotomy or celiotomy	(4,187)	(33,958)	
40	9(iii)	Repair of hernia	514	10,775	0.4
44.2-44.3	9(iv)	Gastrectomy	5,808	52,916	4.5
45	9(v)	Operations on appendix	1,050	25,591	0.8
49.3	9(vi)	Hemorrhoidectomy	3,689	30,779	2.8
		Residual	1,926	16,771	1.5
			4,367	89,008	3.4
					7.1

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
51-57	10	Operations on liver, biliary tract, pancreas, spleen and intra-abdominal blood vessels				
53.5	10(i)	Cholecystectomy	3,920	70,229	3.0	5.6
53.5	10(ii)	Cholecystectomy	(3,259) 3,259	(52,495) 52,495	2.5	4.2
		Residual	661	17,734	0.5	1.4
60-64	11	Operations on urinary system				
63.1	11(i)	Local excision and destruction of lesion of bladder	3,972	59,475	3.1	4.7
		Residual	832	11,220	0.6	0.9
66-69	12	Operations on male genital system				
66.2	12(i)	Prostatectomy, transurethral	3,140	48,255	2.4	3.8
66.1-66.3	12(ii)	Prostatectomy	4,711	75,123	3.6	6.0
69.2	12(iii)	Circumcision	(2,155) 2,543 784	(47,055) 58,437 3,188	2.0	4.6
		Residual	1,384	13,498	0.6	0.3
70-75	13	Operations on female genital organs, excluding obstetrical				
72.8	13(i)	Dilatation and curettage of uterus	15,957	119,703	12.3	9.5
70.2-70.5	13(ii)	Oophorectomy	(6,427) 510	(20,598) 6,230	0.4	0.5
72.3-72.6	13(iii)	Hysterectomy	3,695	47,352	2.8	3.8
72.8	13(iv)	Dilatation and curettage of uterus	6,427	20,598	4.9	1.6
74.3	13(v)	Colporrhaphy	501	6,265	0.4	0.5
74.4	13(vi)	Repair of cystocele and/or rectocele	789	10,029	0.6	0.8
		Residual	4,035	29,229	3.1	2.3

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
76-78	14	Obstetrical procedures	7,281	48,022	5.6	3.8
77.1	14(i)	Dilatation and curettage after delivery or abortion	(2,938)	(10,543)		
76.3-76.4	14(ii)	Episiotomy	1,338	8,858	1.0	0.7
77.1	14(iii)	Dilatation and curettage after delivery or abortion	2,938	10,543	2.3	0.8
78.0-78.4,	14(iv)	Caesarean section(c)	1,340	16,150	1.0	1.3
78.7-78.8		Residual	1,665	12,471	1.3	1.0
80-87	15	Operations on musculoskeletal system	14,105	226,581	10.8	18.0
82.3	15(i)	Closed reduction of fracture of extremity of long bone	(1,667)	(12,569)		
82	15(ii)	Reduction of fracture	4,512	80,794	3.5	6.4
(82.0-82.3, 82.6)	15(iii)	Closed Reduction of fracture	(2,964)	(27,353)		
87.0-87.4	15(iv)	Amputation and disarticulation of extremities	101	1,321	0.1	0.1
		Residual	9,492	144,466	7.3	11.5
88	16	Operations on peripheral blood vessels and lymphatic system	3,336	37,695	2.6	3.0
88.4	16(i)	Excision and ligation of varicose veins	(2,516)	(23,107)		
88.4	16(ii)	Excision and ligation of varicose veins	2,516	23,107	1.9	1.8
		Residual	820	14,588	0.6	1.2
89	17	Operations on skin and subcutaneous tissue	6,296	63,862	4.8	5.1
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(2,114)	(15,163)		
89.0	17(ii)	Incision of skin and subcutaneous tissue	936	8,281	0.7	0.7
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	2,114	15,163	1.6	1.2
89.2	17(iv)	Removal of nail	482	2,456	0.4	0.2
89.4	17(v)	Suture	1,512	9,210	1.2	0.7
		Residual	1,252	28,752	1.0	2.3

BRITISH COLUMBIA (Cont'd)

U.S. Code	Group	Operation or Treatment(1)	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Certain non-surgical procedures	10,484	95,036	8.1	7.5
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(5,020)	(39,853)		
			765	7,915		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion			0.6	0.6
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	5,020	39,853		
			330	5,576		
92.0	18(iv)	Encephalography and ventriculography	2	19		
93.0	18(v)	Cholangiography	18	175		
99.3	18(vi)	Exchange transfusion				
		Residual	4,349	41,498	3.3	3.3
		Total	130,107	1,261,515	100.0	100.0

253

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education and Welfare, Public Health Service, 1962 edition.

(a) "Arrest of haemorrhage", "excision of lesion", "ligation", and "removal of foreign body" are included. "Incision and drainage of peritonsillar abscess" and "biopsy" are excluded.

(b) "Abdominal wall and peritoneum" are included, "Repair of rectocele", and "repair of rectocele and cystocele" are excluded.

(c) Caesarean section with hysterectomy is in group 14(iv).

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 73 CATEGORIES IN THE TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR YUKON PLAN IN-PATIENTS(2) (EXCLUDING NEWBORN), YUKON, 1965

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	20 8	439 88	2.0 0.8	4.2 0.8
		Residual	12	351	1.2	3.4
08-09 09.0	2 2(i)	Operations on endocrine system Adrenalectomy	3 1	32 21	0.3 0.1	0.3 0.2
		Residual	2	11	0.2	0.1
10-18 15.1 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Iridectomy and destruction of lesion of iris or ciliary body Operations on eye (ocular) muscles Operations on lens	19 2 3 4	298 48 32 77	1.9 0.2 0.3 0.4	2.8 0.5 0.3 0.7
		Residual	10	141	1.0	1.3
20-22 21.4 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose, and throat Rhinoplasty and repair of nose Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	18 (5) 7 9 (-)	117 (26) 37 47 (-)	1.8 0.7 0.9	1.1 0.4 0.4
		Residual	2	33	0.2	0.3
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	148 (86) 30 108 (86)	750 (313) 75 384 (313)	14.8 3.0 10.8	7.2 0.7 3.7
		Residual	10	291	1.0	2.8

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
30-31	6	Operations on heart and great vessels	3	50	0.3	0.5
30.3	6(i)	Operations on valves of heart	(2)	(39)		
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	2	39	0.2	0.4
		Residual	1	11	0.1	0.1
33-35	7	Operations on bronchi, lung, pleura, chest wall, and mediastinum	5	208	0.5	2.0
34.1	7(i)	Thoracentesis and pleuracentesis	3	120	0.3	1.1
		Residual	2	88	0.2	0.8
38	8	Operations on breast	24	119	2.4	1.1
38.8	8(i)	Biopsy of breast	11	53	1.1	0.5
38.1-38.3	8(ii)	Mastectomy	11	57	1.1	0.5
		Residual	2	9	0.2	0.1
40-49	9	Operations on gastro-intestinal tract	104	1,121	10.4	10.7
45.1	9(i)	Appendectomy	(25)	(227)		
40.1	9(ii)	Exploratory laparotomy or celiotomy	-	-	-	-
41	9(iii)	Repair of hernia	9	172	0.9	1.6
44.2-44.3	9(iv)	Gastrectomy	8	197	0.8	1.9
45	9(v)	Operations on appendix	25	227	2.5	2.2
49.3	9(vi)	Hemorrhoidectomy	8	66	0.8	0.6
		Residual	54	459	5.4	4.4
51-56	10	Operations on liver, biliary tract, pancreas and spleen	27	450	2.7	4.3
53.5	10(i)	Cholecystectomy	(23)	(399)		
53.5	10(ii)	Cholecystectomy	23	399	2.3	3.8
		Residual	4	51	0.4	0.5

U.S. Code	Group	Operation or Treatment (1)	Percent Distribution of		
			Cases	Days	Days
60-64 62.6	11 11(i)	Operations on urinary system Dilatation of ureter and ureterovesical orifice	10 2	170 25	1.6 0.2
		Residual	8	145	1.4
66-69 69.2	12 12(i)	Operations on male genital system Circumcision	20 (8)	186 (48)	1.8
66.1-66.3 69.2	12(ii) 12(iii)	Prostatectomy Circumcision	4 8	74 48	0.7 0.5
		Residual	8	64	0.6
70-75	13	Operations on female genital organs excluding obstetrical	83 (37)	716 (223)	6.8
72.8	13(i)	Dilatation and curettage of uterus	4	49	0.5
70.2-70.5	13(ii)	Oophorectomy	15	203	1.9
72.3-72.6	13(iii)	Hysterectomy	37	223	2.1
72.8	13(iv)	Dilatation and curettage of uterus	1	25	0.2
74.3	13(v)	Colporrhaphy	2	21	0.2
74.4	13(vi)	Repair of cystocele and/or rectocele			
		Residual	24	195	1.9
76-78	14	Obstetrical procedures	239 (90)	1,498 (510)	14.3
76.3	14(i)	Episiotomy without low forceps	121	761	7.3
76.3-76.4	14(ii)	Episiotomy	22	78	0.7
77.1	14(iii)	Dilatation and curettage after delivery or abortion	12	138	1.3
78.0-78.4	14(iv)	Caesarean section			
		Residual	84	521	5.0

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
80-87	15	Operations on musculoskeletal system	104	1,610	10.4	15.4
82.3	15(i)	Closed reduction of fracture of extremity of long bone	(39)	(464)		
82	15(ii)	Reduction of fracture	55	795	5.5	7.6
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(47)	(569)		
87.0-87.4	15(iv)	Amputation and disarticulation of extremities	4	88	0.4	0.8
		Residual	45	727	4.5	6.9
88	16	Operations on peripheral blood vessels and lymphatic system	14	163	1.4	1.6
88.4	16(i)	Excision and ligation of varicose veins	(11)	(132)		
88.4	16(ii)	Excision and ligation of varicose veins	11	132	1.1	1.3
		Residual	3	31	0.3	0.3
89	17	Operations on skin and subcutaneous tissue	74	828	7.4	7.9
89.4	17(i)	Suture	(26)	(267)		
89.0	17(ii)	Incision of skin and subcutaneous tissue	24	245	2.4	2.3
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	10	111	1.0	1.1
89.2	17(iv)	Removal of nail	4	48	0.4	0.5
89.4	17(v)	Suture	26	267	2.6	2.6
		Residual	10	157	1.0	1.5
90-99	18	Certain nonsurgical procedures	85	1,711	8.5	16.3
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(21)	(508)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	18	204	1.8	1.9
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	21	508	2.1	4.9
92.0	18(iv)	Encephalography and ventriculography	1	72	0.1	0.7
93.0	18(v)	Pyelography	-	-	-	-
99.3	18(vi)	Exchange transfusion	14	174	1.4	1.7
		Residual	31	753	3.1	7.2
		Total	1,000	10,466	100.0	100.0

U.S. Code	Group	Operation or Treatment (1)	Percent Distribution of	
			Cases	Days

(1) International Classification of Diseases, Adapted for Indexing of Hospital Records and Operation Classification -
Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service, 1959.

(2) Includes out-of-Yukon hospitalization.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR TERRITORIAL PLAN IN-PATIENTS(2) (EXCLUDING NEWBORN), NORTHWEST TERRITORIES, 1965

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Cases	Percent Distribution of	Days
01-06	1 1(i)	Operations on nervous system Spinal puncture	35 21	734 318	2.4 1.4	3.6 1.6	
		Residual	14	416	1.0	2.1	
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	3 1	77 9	0.2 0.1	0.4 -	
		Residual	2	68	0.1	0.3	
10-18 12.9 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Other operations on eyelids Operations on eye (ocular) muscles Operations on lens	75 13 13 4	1,311 172 145 119	5.2 0.9 0.9 0.3	6.5 0.8 0.7 0.6	
		Residual	45	875	3.1	4.3	
20-22 20.4 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose, and throat Operations on tympanum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	36 (8) 22 12 (3)	863 (58) 594 234 (24)	2.5 1.5 0.8	4.3 2.9 1.2	
		Residual	2	35	0.1	0.2	

U.S. Code	Group	Operation or Treatment(1)	Percent Distribution of		
			Cases	Days	Days
24-28	5	Operations on buccal cavity and esophagus	374	1,538	7.6
27.2	5(i)	Tonsillectomy with adenoidectomy	(185)	(841)	
24.1-24.3	5(ii)	Extraction of tooth and root resection	153	449	2.2
27.1-27.4	5(iii)	Operations on tonsils and/or adenoids	211	970	4.8
27.2	5(iv)	Tonsillectomy with adenoidectomy	(185)	(841)	
		Residual	10	119	0.6
30-32	6	Operations on heart and great vessels	23	392	1.9
30.4	6(i)	Catheterization of the right heart	14	199	1.0
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	4	81	0.4
		Residual	5	112	0.6
33-35	7	Operations on bronchi, lung, pleura, chest wall and mediastinum	15	687	3.4
35.2	7(i)	Partial lobectomy	3	178	0.9
		Residual	12	509	2.5
38	8	Operations on breast	16	161	0.8
38.8	8(i)	Biopsy of breast	5	20	0.1
38.1-38.3	8(ii)	Mastectomy	3	10	-
		Residual	8	131	0.6
40-49	9	Operations on gastro-intestinal tract	158	2,656	13.1
45.1	9(i)	Appendectomy	(58)	(697)	
40.1	9(ii)	Exploratory, laparotomy or celiotomy	4	131	0.3
41	9(iii)	Repair of hernia	24	477	1.7
44.2-44.3	9(iv)	Gastrectomy	1	19	0.1
45	9(v)	Operations on appendix	59	718	3.5
49.3	9(vi)	Hemorrhoidectomy	11	102	0.5
		Residual	59	1,209	6.0
					4.1

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
51-56	10	Operations on liver, biliary tract, pancreas, and spleen				
53.5	10(i)	Cholecystectomy	32	741	2.2	3.7
53.5	10(ii)	Cholecystectomy	(30)	(696)		
			30	696	2.1	3.4
		Residual	2	45	0.1	0.2
60-64	11	Operations on urinary system	15	247	1.0	1.2
62.6	11(i)	Dilatation of ureter and ureterovesical orifice	5	31	0.3	0.2
		Residual	10	216	0.7	1.1
66-69	12	Operations on male genital system	35	586	2.4	2.9
69.2	12(i)	Circumcision	(16)	(60)		
66.1-66.3	12(ii)	Prostatectomy	8	318	0.6	1.6
69.2	12(iii)	Circumcision	16	60	1.1	0.3
		Residual	11	208	0.8	1.0
70-75	13	Operations on female genital organs excluding obstetrical				
72.8	13(i)	Dilatation and curettage of uterus	104	958	7.2	4.7
70.2-70.5	13(ii)	Oophorectomy	(49)	(205)		
72.3-72.6	13(iii)	Hysterectomy	2	22	0.1	0.1
72.8	13(iv)	Dilatation and curettage of uterus	14	191	1.0	0.9
74.3	13(v)	Colporrhaphy	49	205	3.4	1.0
74.4	13(vi)	Repair of cystocele and/or rectocele	2	25	0.1	0.1
			1	13	0.1	0.1
		Residual	36	502	2.5	2.5

U.S. Code	Group	Operation or Treatment (1)	Percent Distribution of		
			Cases	Days	Cases
76-78	14	Obstetrical procedures	183	1,400	12.6
76.3	14(i)	Episiotomy without low forceps	(74)	(563)	
76.3-76.4	14(ii)	Episiotomy	84	647	5.8
77.1	14(iii)	Dilatation and curettage after delivery or abortion	53	256	3.7
78.0-78.4	14(iv)	Caesarean section	15	225	1.0
		Residual	31	272	2.1
80-87	15	Operations on musculoskeletal system	148	4,388	10.2
82.0	15(i)	Closed reduction of fracture of shaft of long bone	(28)	(420)	
82	15(ii)	Reduction of fracture	59	1,736	4.1
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(39)	(773)	
87.0-87.4	15(iv)	Amputation and disarticulation of extremities	2	43	0.1
		Residual	87	2,609	6.0
88	16	Operations on peripheral blood vessels and lymphatic system	10	182	0.7
88.4	16(i)	Excision and ligation of varicose veins	(7)	(92)	
88.4	16(ii)	Excision and ligation of varicose veins	7	92	0.5
		Residual	3	90	0.2
89	17	Operations on skin and subcutaneous tissue	122	1,610	8.4
89.0	17(i)	Incision of skin and subcutaneous tissue	(39)	(414)	
89.0	17(ii)	Incision of skin and subcutaneous tissue	39	414	2.7
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	30	415	2.1
89.2	17(iv)	Removal of nail	9	84	0.6
89.4	17(v)	Suture	27	144	1.9
		Residual	17	553	1.2

NORTHWEST TERRITORIES (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Certain nonsurgical procedures	64	1,728	4.4	8.5
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(17) 10	(309) 173		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion			0.7	0.9
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	17 2 - 1	309 270 - 1	1.2 0.1 - 0.1	1.5 1.3 - -
92.0	18(iv)	Encephalography and ventriculography				
93.0	18(v)	Pyelography				
99.3	18(vi)	Exchange transfusion				
Residual			34	975	2.3	4.8
Total			1,448	20,259	100.0	100.0

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service, 1959.

(2) Includes out-of-territories hospitalization.

TABLE 10 - SEPARATIONS AND PATIENT-DAYS FOR THE CATEGORIES IN THE LIST OF INFANT DIAGNOSES, BY SEX, FOR NEWBORN PATIENTS AND FOR INFANTS UNDER ONE YEAR OF AGE, WHO ARE PROVINCIAL PLAN(1) IN-PATIENTS (INCLUDING OUT-OF-PROVINCE HOSPITALIZATION) FOR EIGHT PROVINCES AND TWO TERRITORIES, 1965

(1) See page 177

I.S.C. Number	DIAGNOSIS	PATIENT-DAYS									
		CASES					Other Infants				
		Newborn		Other Infants		Total	Newborn		Other Infants		Total
		M	F	M	F		M	F	M	F	
470-475	Acute upper respiratory infections										
	Nfld.	4	2	3	3	12	27	9	17	25	78
	P.E.I.	1	-	40	31	72	6	-	233	167	406
	N.B.	-	-	352	279	631	-	-	2,644	2,048	4,692
	Que.	-	2	688	496	1,186	-	26	7,244	5,332	12,602
	Man.	-	-	422	329	751	-	-	2,466	1,881	4,347
	Sask.	3	4	698	559	1,264	84	118	4,674	3,665	8,541
	Alta.	4	8	774	586	1,372	52	72	5,053	3,737	8,914
	B.C.	2	2	635	550	1,189	56	45	4,725	3,710	8,536
	Yukon	1	-	4	2	7	7	-	16	7	30
	N.W.T.	-	-	12	13	25	-	-	37	151	188
		15	18	3,628	2,848	6,509	232	270	27,109	20,723	48,334
480-483	Influenza, pneumonia and bronchitis										
490-493	Nfld.	10	9	990	700	1,709	71	233	9,943	6,796	17,043
500-502	P.E.I.	3	-	245	188	436	26	-	2,189	1,561	3,776
763	N.B.	1	2	787	634	1,424	9	20	9,072	7,461	16,562
	Que.	170	83	4,705	3,106	8,064	2,214	1,251	68,962	42,387	114,814
	Man.	16	6	1,736	1,123	2,881	379	133	14,973	9,508	24,993
	Sask.	22	15	2,121	1,576	3,734	358	213	20,630	14,329	35,530
	Alta.	21	27	2,159	1,596	3,803	283	514	19,569	14,586	34,952
	B.C.	37	25	2,082	1,421	3,565	472	552	22,653	14,227	37,904
	Yukon	-	-	42	22	64	-	-	467	146	613
	N.W.T.	-	2	237	171	410	-	6	2,319	1,451	3,776
280		280	169	15,104	10,537	26,090	3,812	2,922	170,777	112,452	289,963

I.S.C. Number	DIAGNOSIS	CASES										PATIENT-DAYS			
		Newborn		Other Infants		Total		Newborn		Other Infants		Total		Total	
		M	F	M	F	M	F	M	F	M	F	M	F		
560-561 570	Hernia of abdominal cavity and intestinal obstruction	2	3	86	14	105	42	25	164	1,203	164	1,434			
	Nfld.	-	-	12	3	15	-	-	26	98	26	124			
	P.E.I.	2	-	141	26	169	17	-	219	1,583	219	1,819			
	N.B.	7	4	889	247	1,147	103	45	2,059	7,718	2,059	9,925			
	Que.	3	-	171	44	218	22	-	156	748	156	926			
	Man.	10	8	206	62	286	125	125	440	1,572	440	2,262			
	Sask.	7	7	328	103	445	128	90	712	2,615	712	3,545			
	Alta.	13	9	288	75	385	125	90	533	1,852	533	2,600			
	B.C.	-	-	7	-	7	-	-	-	18	-	18			
	Yukon	1	-	8	1	10	17	-	9	59	9	85			
	N.W.T.														
		45	31	2,136	575	2,787	579	375	4,318	17,466	4,318	22,738			
571,764	Gastro-enteritis and colitis and diarrhoea of newborn	10	7	367	299	683	86	36	3,303	4,209	3,303	7,634			
	Nfld.	2	-	76	52	130	18	-	489	553	489	1,060			
	P.E.I.	1	1	400	343	745	7	3	2,914	3,390	2,914	6,314			
	N.B.	164	116	2,483	1,895	4,658	2,715	1,747	25,651	33,366	25,651	63,479			
	Que.	14	5	644	606	1,269	375	81	4,747	4,794	4,747	9,997			
	Man.	21	19	1,160	872	2,072	337	384	7,031	9,738	7,031	17,490			
	Sask.	14	28	1,199	923	2,164	259	458	7,937	10,380	7,937	19,034			
	Alta.	15	24	889	737	1,665	370	462	6,498	7,485	6,498	14,815			
	B.C.	-	-	18	12	30	-	-	73	180	73	253			
	Yukon	-	-	58	37	95	-	-	265	419	265	684			
	N.W.T.														
		241	200	7,294	5,776	13,511	4,167	3,171	58,908	74,514	58,908	140,760			

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES										PATIENT-DAYS			
		Newborn		Other Infants		Total		Newborn		Other Infants		Total		Newborn	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F
690-698	Infection of skin and subcutaneous tissue														
	Nfld.	1	1	30	30	62	30	6	8	326	311	651			
	P.E.I.	-	-	2	6	8		-	-	12	43	55			
	N.B.	-	-	49	36	85		-	-	458	323	781			
	Que.	1	-	294	265	560		9	-	3,819	3,398	7,226			
	Man.	-	-	69	70	139		-	-	565	721	1,286			
	Sask.	7	3	70	55	135		42	39	644	423	1,148			
	Alta.	9	7	74	70	160		121	83	666	618	1,488			
	B.C.	3	2	69	53	127		26	16	845	532	1,419			
	Yukon	-	-	3	-	3		-	-	25	-	25			
	N.W.T.	-	-	2	3	5		-	-	23	17	40			
		21	13	662	588	1,284		204	146	7,383	6,386	14,119			
750-753	Congenital malformations of nervous system and sense organs														
	Nfld.	15	11	21	25	72		954	314	1,024	767	3,059			
	P.E.I.	3	2	4	3	12		36	7	62	170	275			
	N.B.	-	-	19	12	31		-	-	508	298	806			
	Que.	87	101	136	142	466		2,096	2,470	2,602	3,093	10,261			
	Man.	12	17	26	27	82		1,180	74	1,204	892	3,350			
	Sask.	10	10	29	25	74		54	48	225	720	1,047			
	Alta.	25	34	56	46	161		386	626	1,170	610	2,792			
	B.C.	34	31	50	51	166		1,439	324	1,715	1,064	4,542			
	Yukon	-	-	-	-	-		-	-	-	-	-			
	N.W.T.	-	-	1	3	4		-	-	13	210	223			
		186	206	342	334	1,068		6,145	3,863	8,523	7,824	26,355			

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES						PATIENT-DAYS					
		Newborn		Other Infants		Total		Newborn		Other Infants		Total	
		M	F	M	F			M	F	M	F		
754	Congenital malformations of circulatory system	-	-	5	2	7		-	-	206	4	210	
	Nfld.	5	2	7	4	18		66	18	49	62	195	
	P.E.I.	-	-	25	12	37		-	-	600	144	744	
	N.B.	76	68	250	213	607		1,392	1,051	5,844	6,066	14,353	
	Que.	14	8	61	38	121		161	105	851	469	1,586	
	Man.	29	18	58	37	142		407	386	1,113	671	2,577	
	Sask.	33	19	35	56	143		387	319	766	1,233	2,705	
	Alta.	56	34	70	65	225		843	364	1,724	1,619	4,550	
	B.C.	-	-	-	1	1		-	-	-	11	11	
	Yukon	-	-	3	1	4		-	-	44	32	76	
	N.W.T.	-	-	-	-	-		-	-	-	-	-	
		213	149	514	429	1,305		3,256	2,243	11,197	10,311	27,007	
615, 755-759	Other congenital malformations and redundant prepuce and phimosis	37	22	240	72	371		569	466	3,598	2,248	6,881	
	Nfld.	5	-	23	13	41		111	-	212	232	555	
	P.E.I.	-	-	191	64	255		-	-	2,170	1,540	3,710	
	N.B.	288	160	1,261	439	2,148		5,121	2,402	16,134	9,366	33,023	
	Que.	42	28	197	76	343		859	260	2,488	944	4,551	
	Man.	88	50	330	82	550		1,204	348	2,826	1,260	5,638	
	Sask.	366	73	347	95	881		2,948	1,057	2,926	1,338	8,269	
	Alta.	269	91	381	142	883		2,360	1,146	4,261	2,254	10,021	
	B.C.	-	-	1	1	2		-	-	3	1	4	
	Yukon	1	-	8	3	12		6	-	165	36	207	
	N.W.T.	-	-	-	-	-		-	-	-	-	-	
		1,096	424	2,979	987	5,486		13,178	5,679	34,783	19,219	72,859	

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES										PATIENT-DAYS			
		Newborn		Other Infants		Total		Newborn		Other Infants		Total		Total	
		M	F	M	F	M	F	M	F	M	F	M	F		
760-761	Birth injury														
	Nfld.	30	22	3	7	62		230	388	107		170		895	
	P.E.I.	1	2	1	-	4		1	15	11		-		27	
	N.B.	-	-	5	4	9		-	-	66		128		194	
	Que.	248	198	56	41	543		2,820	2,805	757		636		7,018	
	Man.	15	14	9	5	43		178	64	181		51		474	
	Sask.	64	56	6	3	129		499	337	59		11		906	
	Alta.	129	99	5	6	239		1,022	789	39		75		1,925	
	B.C.	209	144	5	8	366		1,826	1,177	94		189		3,286	
	Yukon	-	-	-	-	-		-	-	-		-		-	
	N.W.T.	1	-	-	-	1		23	-	-		-		23	
762	Postnatal asphyxia and atelectasis														
	Nfld.	97	82	5	1	185		860	807	222		10		1,899	
	P.E.I.	4	-	2	-	6		46	-	54		-		100	
	N.B.	-	-	7	3	10		-	-	79		36		115	
	Que.	307	207	77	54	645		2,757	1,900	1,011		801		6,469	
	Man.	48	27	15	8	98		513	336	194		160		1,203	
	Sask.	40	31	10	7	88		206	234	125		178		743	
	Alta.	123	71	13	4	211		1,413	816	176		46		2,451	
	B.C.	98	83	6	7	194		1,004	1,573	110		40		2,727	
	Yukon	-	-	-	-	-		-	-	-		-		-	
	N.W.T.	-	1	-	1	2		-	1	-		31		32	
717		717	502	135	85	1,439		6,799	5,667	1,971		1,302		15,739	

10

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES										PATIENT-DAYS			
		Newborn		Other Infants		Total		Newborn		Other Infants		Total		M	F
		M	F	M	F	M	F	M	F	M	F	M	F		
771	Haemorrhagic disease of newborn														
	Nfld.	9	6	3	1	19		49	29	41	13				132
	P.E.I.	-	1	-	-	1		-	1	-	-				1
	N.B.	-	-	3	2	5		-	-	37	5				42
	Que.	52	35	29	12	128		702	329	349	271				1,651
	Man.	4	5	3	2	14		4	32	12	10				58
	Sask.	5	3	1	3	12		61	34	9	27				131
	Alta.	9	10	2	1	22		38	127	18	5				188
	B.C.	20	11	11	7	49		183	112	91	55				441
	Yukon	-	-	-	-	-		-	-	-	-				-
	N.W.T.	-	-	-	-	-		-	-	-	-				-
291, 772	Nutritional malad- justment and iron deficiency anaemias														
	Nfld.	43	48	144	114	349		485	484	1,905	1,472				4,346
	P.E.I.	6	3	14	8	31		73	20	161	114				368
	N.B.	-	1	135	111	247		-	19	1,857	1,225				3,101
	Que.	370	365	666	524	1,925		4,563	4,496	9,408	7,336				25,803
	Man.	23	20	98	81	222		320	300	913	837				2,370
	Sask.	62	50	218	245	575		861	697	2,066	2,476				6,100
	Alta.	38	51	178	194	461		563	704	1,568	1,870				4,705
	B.C.	161	175	235	221	792		2,543	2,855	2,584	2,144				10,126
	Yukon	-	-	2	4	6		-	-	75	73				148
	N.W.T.	1	1	11	5	18		1	26	126	151				304
704			714	1,701	1,507	4,626		9,409	9,601	20,663	17,698				57,371

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES						PATIENT-DAYS			
		Newborn		Other Infants		Total	Newborn		Other Infants		Total
		M	F	M	F		M	F	M	F	
N940-N949	Burns	1	-	13	21	35	11	-	181	496	688
	Nfld.	-	-	3	2	5	-	-	83	7	90
	P.E.I.	-	-	10	10	20	-	-	148	107	255
	N.B.	-	-	72	43	118	113	69	1,361	625	2,168
	Que.	2	1	16	23	39	-	-	168	299	467
	Man.	-	-	17	13	30	-	-	148	122	270
	Sask.	-	-	28	22	50	-	-	416	391	807
	Alta.	-	-	40	28	68	-	-	513	366	879
	B.C.	-	-	-	-	-	-	-	-	-	-
	Yukon	-	-	1	-	1	-	-	4	-	4
	N.W.T.	-	-	-	-	-	-	-	-	-	-
		3	1	200	162	366	124	69	3,022	2,413	5,628
N805-N851	Other accidents,										
N860-N936	poisonings and										
N950-N999	violence										
	Nfld.	1	3	39	24	67	7	17	302	101	427
	P.E.I.	2	2	4	6	14	15	33	33	50	131
	N.B.	4	-	31	27	62	9	-	197	190	396
	Que.	-	-	210	172	382	-	-	2,769	2,393	5,162
	Man.	-	-	37	40	77	-	-	213	172	385
	Sask.	2	-	78	58	138	15	-	406	238	659
	Alta.	7	-	84	66	157	62	-	502	423	987
	B.C.	13	1	86	67	167	138	8	687	618	1,451
	Yukon	-	-	2	1	3	-	-	25	5	30
	N.W.T.	1	-	3	5	9	1	-	18	13	32
		30	6	574	466	1,076	247	58	5,152	4,203	9,660

THE CANADIAN LIST OF 98 DIAGNOSES FOR HOSPITAL STATISTICS, AND THE CORRESPONDING CATEGORIES OF THE INTERNATIONAL
STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH (1955)

Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number
1	001-019	13	172-174	25	260	38	420-422
2	080-083	14	175	26	270-277	39	430-434
3	092	15	177	27	280-289	40	440-447
4	084-091, 093-096	16	180, 181	28	290-299	41	450-456
5	020-064, 070-074, 100-108, 110-117, 120-138	17	204	29	300-309	42	460
6	140-148	18	150, 152, 155-161, 164, 165, 176, 178, 179, 190-199, 200-203, 205	30	310-318	43	461
7	151	19	214, 215	31	320-326	44	463, 464
8	153	20	216	32	330-334	45	462, 465-468
9	154	21	210-213, 217-239	33	340-345, 350-357	46	470-475
10	162, 163	22	241	34	360-369	47	480-483
11	170	23	240, 242-245	35	370-389	48	490-493
12	171	24	250-254	36	390-398	49	500-502
				37	400-402, 410-416	50	510

APPENDIX I (Cont'd)

Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number
51	511-527	65	602,604	78	690-698	91	N830-N848
52	530-535	66	601,603,605-609	79	700-716	92	N860-N869
53	540-542	67	610	80	720-727	93	N940-N949
54	543-545	68	615	81	735	94	N850, N851, N870-N888, N890-N898, N900-N908, N910-N918, N920-N936, N950-N999
55	550-553	69	622-626,630	82	730-734, 736-738, 740-749		
56	560,561	70	631				
57	570	71	634	83	750-759	95	Y00
58	571	72	611-614, 616, 617, 620, 621, 632, 633, 635-637	84	760-776	96	Y20, Y22, Y23, Y26, Y27
59	572			85	780-795	97	Y21, Y24, Y25, Y28, Y29
60	580-583	73	640-649	86	N800-N804, N852-N856	98	Y01-Y18, Y40-Y88
61	584-587	74	650-652	87	N805-N809		
62	536-539, 573-578	75	660	88	N810-N819		
63	590-594	76	670-678	89	N820, N821		
64	600	77	680-689	90	N822-N829		

REVISED ESTIMATED POPULATION,
UTILIZED IN TABLE 6, BY SEX AND AGE GROUP,
CANADA (1) 1965

	<u>MALES</u>	<u>FEMALES</u>
UNDER 1	213500	202200
1 - 4	899500	855900
5 - 14	2109100	2017900
15 - 24	1518400	1504600
25 - 44	2402900	2389100
45 - 59	1367800	1347800
60 - 74	737800	779400
75 +	248400	293700
TOTAL	9497400	9390600

(1) Excludes Nova Scotia.

Source: Dominion Bureau of Statistics.

APPENDIX 3 - REVISED ESTIMATED POPULATION BY SEX AND AGE GROUP,
FOR CANADA AND PROVINCES, 1965

Sex and Age	Canada	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
(In Thousands)													
Total (Both Sexes)	19,571.0	498.0	108.0	761.0	623.0	5,657.0	6,731.0	962.0	951.0	1,451.0	1,789.0	15.0	25.0
Under 1	433.4	14.4	2.5	17.5	14.9	125.0	147.0	20.9	21.1	33.7	34.8	0.4	1.2
1 - 4	1,826.5	58.4	10.7	72.5	61.7	523.7	613.7	87.3	89.9	150.2	152.6	2.0	3.8
5 - 9	2,213.9	65.1	12.4	87.0	75.8	661.7	728.7	103.5	109.6	175.0	189.6	2.1	3.4
10 - 14	2,040.0	63.1	12.0	81.6	74.0	612.8	664.8	97.9	102.0	153.9	173.8	1.4	2.7
15 - 19	1,779.1	56.3	11.5	75.6	68.1	550.1	568.9	86.0	87.0	123.9	148.5	1.0	2.2
20 - 24	1,377.3	39.6	7.7	57.4	46.7	448.3	433.1	65.4	63.8	96.2	116.8	0.8	1.5
25 - 29	1,184.9	27.7	5.5	43.6	32.7	365.0	405.4	55.4	50.0	90.8	105.8	0.9	2.1
30 - 34	1,226.0	25.4	5.0	40.2	31.2	366.0	439.7	55.5	51.3	97.1	111.6	1.2	1.8
35 - 39	1,277.7	24.5	5.0	40.9	32.5	372.3	470.2	58.7	55.4	96.3	119.0	1.3	1.6
40 - 44	1,238.4	23.9	5.4	42.9	34.4	346.5	458.9	60.6	55.8	89.5	118.3	1.0	1.2
45 - 49	1,074.6	23.0	5.5	42.2	31.9	294.7	381.6	55.3	53.6	77.7	107.3	0.8	1.0
50 - 54	964.0	20.2	5.3	38.2	28.4	261.2	344.3	51.1	48.8	66.6	98.4	0.7	0.8
55 - 59	800.9	15.9	4.5	31.4	23.6	218.6	289.4	42.5	40.9	54.5	78.5	0.5	0.6
60 - 64	639.7	11.9	3.7	24.4	18.6	169.6	236.1	34.4	33.2	44.6	62.4	0.3	0.5
65 - 69	515.1	10.0	3.5	20.9	15.8	129.8	193.2	28.3	27.3	34.3	51.4	0.3	0.3
70 - 74	408.3	7.9	3.1	18.0	13.5	95.5	150.3	23.8	24.2	27.0	44.6	0.2	0.2
75 - 79	302.7	5.5	2.3	13.2	9.8	64.3	109.7	18.8	19.2	21.3	38.4	0.1	0.1
80 - 84	172.4	3.4	1.5	8.2	5.9	33.6	60.9	10.7	11.6	12.3	24.3	(1)	(1)
85 - 89	69.7	1.2	0.6	3.6	2.5	13.5	25.3	4.2	4.6	4.5	9.7	(1)	(1)
90 +	26.4	0.6	0.3	1.7	1.0	4.8	9.8	1.7	1.7	1.6	3.2	(1)	(1)

(1) Less than 50 persons.

Source: Dominion Bureau of Statistics.

APPENDIX 3 - REVISED ESTIMATED POPULATION BY SEX AND AGE GROUP,
FOR CANADA AND PROVINCES, 1965

- 277 -

Sex and Age	Canada	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
(In Thousands)													
MALES	9,862.9	255.1	55.1	386.1	314.8	2,829.2	3,375.0	486.8	489.3	745.7	903.8	8.3	13.7
Under 1	222.0	7.2	1.3	9.0	7.6	64.2	75.4	10.7	10.8	17.2	17.8	0.2	0.6
1 - 4	934.0	29.9	5.6	37.1	31.6	268.7	313.6	44.5	45.8	76.6	77.7	1.0	1.9
5 - 9	1,132.1	33.0	6.3	44.6	38.9	337.4	373.3	53.0	56.1	89.9	96.8	1.1	1.7
10 - 14	1,044.0	32.0	6.1	41.8	37.6	313.3	340.8	50.1	52.1	79.0	89.1	0.7	1.4
15 - 19	908.0	28.6	5.8	38.7	34.6	279.9	291.5	43.9	44.2	63.3	75.9	0.5	1.1
20 - 24	694.9	19.8	4.0	29.9	24.1	224.2	218.1	33.5	32.6	48.5	59.0	0.4	0.8
25 - 29	590.7	14.2	2.9	22.8	16.6	179.6	200.6	28.2	25.6	45.5	53.0	0.5	1.2
30 - 34	624.5	13.4	2.6	20.5	15.7	183.0	223.6	28.7	26.6	50.6	58.0	0.7	1.1
35 - 39	644.2	12.7	2.5	20.2	16.0	184.3	238.0	29.3	28.6	50.0	60.8	0.8	1.0
40 - 44	613.3	12.6	2.7	21.1	17.0	171.0	227.2	29.6	28.2	45.0	57.6	0.6	0.7
45 - 49	537.2	12.2	2.8	21.1	16.1	145.4	192.0	27.6	27.1	39.6	52.2	0.5	0.6
50 - 54	486.7	10.6	2.7	19.6	14.5	130.0	174.0	25.7	25.1	34.3	49.3	0.4	0.5
55 - 59	406.0	8.6	2.4	16.6	12.2	107.9	145.1	21.6	21.6	28.7	40.6	0.3	0.4
60 - 64	320.1	6.1	1.9	12.2	9.3	82.2	116.1	17.5	17.7	24.2	32.4	0.2	0.3
65 - 69	249.8	5.0	1.8	10.2	7.7	61.7	91.5	14.0	14.2	18.2	25.1	0.2	0.2
70 - 74	192.7	3.9	1.5	8.5	6.5	44.6	67.8	11.6	12.8	14.1	21.2	0.1	0.1
75 - 79	140.6	2.7	1.1	6.2	4.6	28.9	46.9	9.3	10.4	11.4	18.9	0.1	0.1
80 - 84	80.2	1.7	0.7	3.7	2.7	15.1	25.9	5.2	6.5	6.5	12.2	(1)	(1)
85 - 89	30.7	0.6	0.3	1.6	1.1	5.8	9.9	2.0	2.4	2.3	4.7	(1)	(1)
90 +	11.2	0.3	0.1	0.7	0.4	2.0	3.7	0.8	0.9	0.8	1.5	(1)	(1)

(1) Less than 50 persons.

Source: Dominion Bureau of Statistics

APPENDIX 3 - REVISED ESTIMATED POPULATION BY SEX AND AGE GROUP,
FOR CANADA AND PROVINCES, 1965

Sex and Age	Canada	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	(In Thousands)												
FEMALES	9,708.1	242.9	52.9	374.9	308.2	2,827.8	3,356.0	475.2	461.7	705.3	885.2	6.7	11.3
Under 1	211.4	7.2	1.2	8.5	7.3	60.8	71.6	10.2	10.3	16.5	17.0	0.2	0.6
1 - 4	892.5	28.5	5.1	35.4	30.1	255.0	300.1	42.8	44.1	73.6	74.9	1.0	1.9
5 - 9	1,081.8	32.1	6.1	42.4	36.9	324.3	355.4	50.5	53.5	85.1	92.8	1.0	1.7
10 - 14	996.0	31.1	5.9	39.8	36.4	299.5	324.0	47.8	49.9	74.9	84.7	0.7	1.3
15 - 19	871.1	27.7	5.7	36.9	33.5	270.2	277.4	42.1	42.8	60.6	72.6	0.5	1.1
20 - 24	682.4	19.8	3.7	27.5	22.6	224.1	215.0	31.9	31.2	47.7	57.8	0.4	0.7
25 - 29	594.2	13.5	2.6	20.8	16.1	185.4	204.8	27.2	24.4	45.3	52.8	0.4	0.9
30 - 34	601.5	12.0	2.4	19.7	15.5	183.0	216.1	26.8	24.7	46.5	53.6	0.5	0.7
35 - 39	633.5	11.8	2.5	20.7	16.5	188.0	232.2	29.4	26.8	46.3	58.2	0.5	0.6
40 - 44	625.1	11.3	2.7	21.8	17.4	175.5	231.7	31.0	27.6	44.5	60.7	0.4	0.5
45 - 49	537.4	10.8	2.7	21.1	15.8	149.3	189.6	27.7	26.5	38.1	55.1	0.3	0.4
50 - 54	477.3	9.6	2.6	18.6	13.9	131.2	170.3	25.4	23.7	32.3	49.1	0.3	0.3
55 - 59	394.9	7.3	2.1	14.8	11.4	110.7	144.3	20.9	19.3	25.8	37.9	0.2	0.2
60 - 64	319.6	5.8	1.8	12.2	9.3	87.4	120.0	16.9	15.5	20.4	30.0	0.1	0.2
65 - 69	265.3	5.0	1.7	10.7	8.1	68.1	101.7	14.3	13.1	16.1	26.3	0.1	0.1
70 - 74	215.6	4.0	1.6	9.5	7.0	50.9	82.5	12.2	11.4	12.9	23.4	0.1	0.1
75 - 79	162.1	2.8	1.2	7.0	5.2	35.4	62.8	9.5	8.8	9.9	19.5	(1)	(1)
80 - 84	92.2	1.7	0.8	4.5	3.2	18.5	35.0	5.5	5.1	5.8	12.1	(1)	(1)
85 - 89	39.0	0.6	0.3	2.0	1.4	7.7	15.4	2.2	2.2	2.2	5.0	(1)	(1)
90 +	15.2	0.3	0.2	1.0	0.6	2.8	6.1	0.9	0.8	0.8	1.7	(1)	(1)

(1) Less than 50 persons.

Source: Dominion Bureau of Statistics.

